



Documented Accuracy in Player Projections

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2007

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Pitchers in 2007

Year 2007 - Projecting Top 175 Hitters - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	3B	Rodriguez,A.	0.76	0.78	0.02	0.94	0.18	CORRECT
NL	SS	Ramirez,H.	0.77	0.83	0.07	0.91	0.14	CORRECT
NL	3B	Wright,D.	0.79	0.82	0.03	0.89	0.10	CORRECT
NL	OF	Holliday,M.	0.82	0.79	(0.03)	0.88	0.06	WRONG
AL	OF	Ordonez,M.	0.64	0.62	(0.01)	0.91	0.27	WRONG
AL	DH	Ortiz,D.	0.85	0.71	(0.14)	0.91	0.06	WRONG
NL	SS	Rollins,J.	0.68	0.69	0.01	0.78	0.10	CORRECT
NL	SS	Reyes,J.	0.81	0.82	0.00	0.76	(0.05)	WRONG
AL	OF	Suzuki,I.	0.74	0.78	0.04	0.78	0.04	CORRECT
NL	1B	Pujols,A.	0.95	0.92	(0.03)	0.84	(0.11)	CORRECT
AL	2B	Roberts,B.	0.68	0.65	(0.03)	0.76	0.08	WRONG
NL	3B	Cabrera,M.	0.86	0.90	0.03	0.80	(0.06)	WRONG
AL	OF	Sizemore,G.	0.76	0.82	0.06	0.73	(0.03)	WRONG
NL	3B	Jones,C.	0.86	0.76	(0.10)	0.89	0.03	WRONG
AL	OF	Granderson,C.	0.58	0.53	(0.05)	0.80	0.22	WRONG
NL	1B	Felder,P.	0.64	0.66	0.02	0.80	0.17	CORRECT
NL	1B	Helton,T.	0.72	0.72	(0.00)	0.78	0.06	WRONG
NL	OF	Byrnes,E.	0.65	0.72	0.07	0.75	0.10	CORRECT
AL	OF	Guerrero,V.	0.81	0.83	0.02	0.79	(0.02)	WRONG
AL	OF	Markakis,N.	0.62	0.69	0.07	0.71	0.09	CORRECT
AL	1B	Pena,C.	0.58	0.45	(0.13)	0.83	0.25	WRONG
AL	OF	Rios,A.	0.73	0.78	0.05	0.71	(0.03)	WRONG
NL	OF	Lee,C.	0.77	0.75	(0.02)	0.72	(0.04)	CORRECT
NL	1B	Howard,R.	0.90	0.91	0.02	0.77	(0.13)	WRONG
AL	SS	Jeter,D.	0.84	0.72	(0.12)	0.70	(0.14)	CORRECT
AL	OF	Crawford,C.	0.81	0.80	(0.01)	0.79	(0.02)	CORRECT
AL	C	Posada,J.	0.67	0.62	(0.05)	0.83	0.15	WRONG
NL	2B	Utley,C.	0.76	0.78	0.03	0.83	0.07	CORRECT
NL	1B	Lee,D.	0.73	0.83	0.11	0.75	0.03	CORRECT
AL	OF	Abreu,B.	0.81	0.83	0.02	0.69	(0.12)	WRONG
NL	2B	Phillips,B.	0.63	0.62	(0.01)	0.69	0.07	WRONG
NL	OF	Dunn,A.	0.65	0.71	0.06	0.76	0.11	CORRECT
NL	OF	Rowand,A.	0.53	0.61	0.08	0.71	0.18	CORRECT
NL	1B	Berkman,L.	0.87	0.84	(0.04)	0.72	(0.16)	CORRECT
NL	OF	Beltran,C.	0.83	0.81	(0.02)	0.75	(0.08)	CORRECT
AL	3B	Lowell,M.	0.62	0.57	(0.05)	0.72	0.10	WRONG
NL	1B	Gonzalez,A.	0.68	0.71	0.03	0.65	(0.03)	WRONG
NL	3B	Atkins,G.	0.82	0.80	(0.02)	0.69	(0.13)	CORRECT
NL	OF	Soriano,A.	0.79	0.78	(0.01)	0.75	(0.03)	CORRECT
NL	OF	Pierre,J.	0.65	0.68	0.03	0.65	0.00	CORRECT
AL	SS	Young,M.	0.66	0.70	0.03	0.65	(0.02)	WRONG
AL	2B	Polanco,P.	0.49	0.53	0.04	0.71	0.22	CORRECT
NL	1B	Teixeira,M.	0.70	0.77	0.07	0.78	0.08	CORRECT
NL	OF	Hawpe,B.	0.73	0.70	(0.02)	0.74	0.01	WRONG
AL	SS	Guillen,C.	0.81	0.73	(0.07)	0.70	(0.10)	CORRECT
AL	2B	Cano,R.	0.75	0.69	(0.06)	0.66	(0.09)	CORRECT
NL	SS	Tulowitzki,T.	0.44	0.63	0.19	0.65	0.21	CORRECT
AL	OF	Hunter,T.	0.65	0.62	(0.02)	0.68	0.03	CORRECT
AL	C	Martinez,V.	0.70	0.70	0.00	0.70	(0.00)	CORRECT
NL	C	Martin,R.	0.63	0.64	0.01	0.71	0.08	CORRECT
NL	OF	Griffey Jr.,K.	0.57	0.56	(0.02)	0.70	0.13	WRONG
AL	OF	Matsui,H.	0.73	0.71	(0.02)	0.68	(0.05)	CORRECT
AL	2B	Upton,B.	0.47	0.64	0.17	0.78	0.31	CORRECT
NL	3B	Braun,R.	#N/A	0.74	#N/A	0.88	#N/A	N/A
AL	SS	Cabrera,O.	0.62	0.58	(0.04)	0.62	(0.01)	CORRECT
NL	3B	Zimmerman,R.	0.65	0.68	0.03	0.59	(0.06)	WRONG
NL	OF	Bonds,B.	0.82	0.67	(0.15)	0.89	0.07	CORRECT
NL	DH	Hafner,T.	0.91	0.89	(0.02)	0.65	(0.26)	CORRECT
AL	OF	Winn,R.	0.52	0.62	0.09	0.65	0.13	CORRECT
NL	OF	Burrell,P.	0.69	0.70	0.01	0.71	0.02	CORRECT
AL	1B	Morneau,J.	0.77	0.73	(0.05)	0.63	(0.14)	CORRECT
AL	OF	Swisher,N.	0.65	0.72	0.07	0.64	(0.00)	WRONG
NL	OF	Francoeur,J.	0.50	0.56	0.07	0.60	0.10	CORRECT
NL	OF	Hart,C.	0.61	0.64	0.03	0.76	0.15	CORRECT
AL	3B	Figgins,C.	0.65	0.71	0.06	0.83	0.18	CORRECT
AL	DH	Sheffield,G.	0.68	0.72	0.04	0.71	0.03	CORRECT
AL	DH	Thome,J.	0.82	0.77	(0.06)	0.77	(0.05)	CORRECT
AL	DH	Thomas,F.	0.72	0.69	(0.03)	0.66	(0.06)	CORRECT
NL	3B	Ramirez,A.	0.71	0.77	0.05	0.74	0.02	CORRECT

Year 2007 - Projecting Top 100 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
NL	P	Peavy,J.	1.49	1.78	0.29	2.30	0.81	CORRECT
NL	P	Webb,B.	1.90	1.83	(0.07)	1.93	0.03	WRONG
AL	P	Sabathia,C.	1.65	1.69	0.04	1.78	0.12	CORRECT
NL	P	Harang,A.	1.38	1.49	0.11	1.74	0.36	CORRECT
AL	P	Carmona,F.	0.39	1.02	0.63	1.83	1.44	CORRECT
NL	P	Hudson,T.	1.11	1.37	0.26	1.75	0.63	CORRECT
NL	P	Young,C.	1.88	1.79	(0.08)	2.22	0.35	WRONG
AL	P	Santana,J.	2.16	2.07	(0.10)	1.75	(0.41)	CORRECT
AL	P	Lackey,J.	1.67	1.78	0.11	1.71	0.04	CORRECT
AL	P	Beckett,J.	1.34	1.45	0.11	1.89	0.54	CORRECT
AL	P	Bedard,E.	1.47	1.70	0.23	2.07	0.60	CORRECT
NL	P	Penny,B.	1.30	1.39	0.09	1.80	0.50	CORRECT
AL	P	Halladay,R.	1.87	1.74	(0.13)	1.63	(0.24)	CORRECT
AL	P	Vazquez,J.	1.32	1.63	0.31	1.69	0.37	CORRECT
AL	P	Verlander,J.	1.45	1.53	0.08	1.81	0.35	CORRECT
NL	P	Lilly,T.	1.15	1.46	0.31	1.74	0.59	CORRECT
AL	P	Escobar,K.	1.38	1.62	0.24	1.84	0.46	CORRECT
AL	P	Blanton,J.	0.90	1.18	0.29	1.56	0.66	CORRECT
AL	P	Haren,D.	1.38	1.62	0.24	1.61	0.22	CORRECT
AL	P	Shields,J.	0.87	1.09	0.22	1.65	0.78	CORRECT
NL	P	Smoltz,J.	1.67	1.62	(0.06)	1.71	0.04	WRONG
NL	P	Zambrano,C.	1.92	2.06	0.14	1.62	(0.29)	WRONG
AL	P	Wang,C.	1.60	1.48	(0.13)	1.75	0.15	WRONG
NL	P	Hamels,C.	1.51	1.74	0.23	1.81	0.30	CORRECT
NL	P	Oswalt,R.	1.68	1.86	0.18	1.51	(0.17)	WRONG
NL	P	Cain,M.	1.71	1.91	0.20	1.60	(0.11)	WRONG
NL	P	Hill,R.	1.50	1.60	0.10	1.63	0.13	CORRECT
NL	P	Maine,J.	1.75	1.44	(0.31)	1.63	(0.12)	CORRECT
AL	P	Kazmir,S.	1.58	1.74	0.16	1.50	(0.09)	WRONG
AL	P	McGowan,D.	0.02	1.18	1.16	1.78	1.76	CORRECT
AL	P	Matsuzaka,D.	#N/A	1.86	#N/A	1.45	#N/A	N/A
AL	P	Burnett,A.	1.39	1.61	0.22	1.74	0.35	CORRECT
NL	P	Lowe,D.	1.63	1.55	(0.08)	1.44	(0.19)	CORRECT
AL	P	Meche,G.	1.25	0.99	(0.26)	1.33	0.08	WRONG
NL	P	Perez,O.	0.22	1.51	1.30	1.60	1.39	CORRECT
NL	P	Papelbon,J.	2.80	2.02	(0.78)	2.60	(0.20)	CORRECT
AL	P	Maddux,G.	1.45	1.45	0.01	1.40	(0.04)	WRONG
AL	P	Buehrle,M.	0.69	1.19	0.50	1.38	0.68	CORRECT
NL	P	Wainwright,A.	1.87	1.71	(0.16)	1.37	(0.51)	CORRECT
AL	P	Pettitte,A.	1.03	1.35	0.32	1.28	0.25	CORRECT
AL	P	Bannister,B.	1.26	1.19	(0.07)	1.65	0.39	WRONG
NL	P	Hernandez,O.	1.33	1.59	0.27	1.84	0.51	CORRECT
NL	P	Snell,I.	1.02	1.42	0.40	1.30	0.28	CORRECT
NL	P	Francis,J.	1.56	1.42	(0.14)	1.25	(0.31)	CORRECT
NL	P	Zito,B.	1.38	1.61	0.23	1.37	(0.01)	WRONG
AL	P	Garland,J.	1.17	1.08	(0.09)	1.28	0.11	WRONG
NL	P	Gorzelanny,T.	1.66	1.53	(0.12)	1.30	(0.36)	CORRECT
NL	P	Lincecum,T.	#N/A	1.57	#N/A	1.77	#N/A	N/A
AL	P	Wakefield,T.	1.23	1.39	0.16	1.37	0.13	CORRECT
NL	P	Marquis,J.	0.70	0.99	0.30	1.33	0.63	CORRECT
NL	P	Billingsley,C.	1.17	1.86	0.70	1.67	0.51	CORRECT
AL	P	Hernandez,F.	1.24	1.53	0.28	1.27	0.03	CORRECT
AL	P	Silva,C.	0.21	0.70	0.50	1.18	0.97	CORRECT
AL	P	Marcum,S.	0.65	1.11	0.45	1.43	0.78	CORRECT
NL	P	Glavine,T.	1.42	1.46	0.04	1.18	(0.25)	WRONG
NL	P	Rodriguez,W.	0.79	1.12	0.33	1.28	0.50	CORRECT
NL	P	Sheets,B.	1.64	1.81	0.17	1.58	(0.05)	WRONG
AL	P	Batista,M.	1.07	1.07	(0.00)	1.15	0.08	WRONG
AL	P	Washburn,J.	1.06	1.33	0.27	1.13	0.06	CORRECT
NL	P	Lohse,K.	0.70	1.15	0.45	1.13	0.42	CORRECT
NL	P	Cook,A.	1.06	0.97	(0.10)	1.30	0.24	WRONG
NL	P	Looper,B.	1.75	1.41	(0.34)	1.22	(0.53)	CORRECT
NL	P	Owings,M.	#N/A	-1.33	#N/A	1.39	#N/A	N/A
NL	P	Lowry,N.	1.09	1.35	0.26	1.34	0.26	CORRECT
NL	P	Arroyo,B.	1.57	1.50	(0.07)	0.96	(0.61)	CORRECT
AL	P	Weaver,J.	2.17	1.74	(0.44)	1.25	(0.92)	CORRECT
NL	P	Suppan,J.	1.16	1.34	0.18	0.97	(0.19)	WRONG
AL	P	Cabrera,D.	1.36	1.74	0.38	0.94	(0.42)	WRONG
NL	P	Moyer,J.	1.05	0.94	(0.11)	0.96	(0.08)	CORRECT

AL	OF	Ibanez,R.	0.68	0.66	(0.02)	0.64	(0.04)	CORRECT	NL	P	Gallardo,Y.	#N/A	1.69	#N/A	1.72	#N/A	N/A			
NL	SS	Renteria,E.	0.66	0.62	(0.04)	0.74	0.09	WRONG	AL	P	Bonderman,J.	1.53	1.71	0.18	1.10	(0.44)	WRONG			
AL	3B	Beltre,A.	0.60	0.61	0.02	0.63	0.04	CORRECT	NL	P	Davis,D.	1.18	1.35	0.17	0.96	(0.22)	WRONG			
NL	2B	Ugla,D.	0.62	0.57	(0.05)	0.57	(0.05)	CORRECT	AL	P	Schilling,C.	1.37	1.24	(0.13)	1.22	(0.15)	CORRECT			
AL	1B	Youkilis,K.	0.64	0.54	(0.10)	0.66	0.02	WRONG	AL	P	Westbrook,J.	1.17	1.40	0.22	1.21	0.04	CORRECT			
NL	2B	Hudson,O.	0.64	0.60	(0.03)	0.68	0.04	WRONG	AL	P	Greinke,Z.	1.14	1.44	0.30	1.41	0.27	CORRECT			
NL	2B	Johnson,K.	#N/A	0.62	#N/A	0.66	#N/A	N/A	NL	P	Villanueva,C.	1.82	1.31	(0.51)	1.49	(0.33)	CORRECT			
AL	2B	Hill,A.	0.56	0.61	0.05	0.61	0.05	CORRECT	NL	P	Bush,D.	1.57	1.70	0.13	0.95	(0.62)	WRONG			
AL	1B	Konerko,P.	0.76	0.70	(0.06)	0.63	(0.13)	CORRECT	NL	P	Morris,M.	1.17	1.36	0.19	0.89	(0.29)	WRONG			
AL	OF	Guillen,J.	0.41	0.55	0.14	0.62	0.21	CORRECT	NL	P	Myers,B.	1.37	1.65	0.28	1.41	0.04	CORRECT			
AL	OF	Ramirez,M.	0.89	0.85	(0.05)	0.70	(0.19)	CORRECT	AL	P	Byrd,P.	0.63	0.88	0.25	0.91	0.28	CORRECT			
AL	2B	Pedroia,D.	0.27	0.61	0.34	0.68	0.41	CORRECT	NL	P	Hill,S.	0.87	1.43	0.56	1.73	0.86	CORRECT			
NL	2B	Kent,J.	0.67	0.65	(0.02)	0.69	0.02	WRONG	AL	P	Baker,S.	0.16	0.69	0.54	1.17	1.01	CORRECT			
AL	OF	Damon,J.	0.71	0.69	(0.02)	0.64	(0.07)	CORRECT	NL	P	Hennessey,B.	1.36	1.17	(0.20)	1.40	0.04	WRONG			
AL	DH	Vidro,J.	0.56	0.64	0.08	0.62	0.06	CORRECT	NL	P	James,C.	1.66	1.47	(0.19)	1.02	(0.63)	CORRECT			
NL	1B	LaRoche,A.	0.71	0.72	0.01	0.60	(0.11)	WRONG	AL	P	Robertson,N.	1.29	1.32	0.03	0.91	(0.38)	WRONG			
NL	2B	Sanchez,F.	0.71	0.62	(0.09)	0.59	(0.11)	CORRECT	NL	P	Maholm,P.	0.81	1.04	0.23	0.90	0.09	CORRECT			
AL	OF	Young,D.	0.63	0.62	(0.01)	0.56	(0.08)	CORRECT	AL	P	Janssen,C.	1.03	1.02	(0.00)	1.71	0.69	WRONG			
AL	OF	Cuddyer,M.	0.68	0.64	(0.05)	0.61	(0.08)	CORRECT	AL	P	Mussina,M.	1.78	1.41	(0.37)	0.92	(0.85)	CORRECT			
AL	OF	Lofton,K.	0.71	0.61	(0.10)	0.68	(0.03)	CORRECT	NL	P	Hirsh,J.	0.47	1.42	0.94	1.25	0.77	CORRECT			
NL	OF	Willingham,J.	0.65	0.68	0.03	0.63	(0.02)	WRONG	AL	P	Clemens,R.	2.12	1.87	(0.25)	1.41	(0.70)	CORRECT			
NL	OF	Kearns,A.	0.64	0.62	(0.02)	0.56	(0.08)	CORRECT	NL	P	Cruz,J.	1.62	1.75	0.13	2.03	0.41	CORRECT			
NL	OF	Pence,H.	#N/A	0.65	#N/A	0.76	#N/A	N/A	NL	P	Chico,M.	#N/A	1.09	#N/A	0.81	#N/A	N/A			
NL	OF	Cameron,M.	0.70	0.67	(0.03)	0.58	(0.12)	CORRECT	NL	P	Chacon,S.	0.47	1.07	0.60	1.28	0.80	CORRECT			
AL	2B	Ellis,M.	0.49	0.57	0.08	0.59	0.09	CORRECT	NL	P	Wolf,R.	0.63	1.24	0.61	1.24	0.61	CORRECT			
NL	SS	Hardy,J.	0.47	0.53	0.06	0.58	0.11	CORRECT	NL	P	Williams,W.	1.35	1.22	(0.13)	0.68	(0.67)	CORRECT			
AL	SS	Peralta,J.	0.50	0.70	0.20	0.58	0.08	CORRECT	AL	P	Contreras,J.	1.50	1.43	(0.07)	0.66	(0.84)	CORRECT			
AL	1B	Blake,C.	0.67	0.61	(0.05)	0.57	(0.10)	CORRECT	NL	P	Trachsel,S.	0.92	1.19	0.27	0.80	(0.12)	WRONG			
NL	2B	Castillo,L.	0.61	0.57	(0.04)	0.61	(0.01)	CORRECT	AL	P	Bonser,B.	1.15	1.02	(0.13)	0.71	(0.44)	CORRECT			
AL	OF	Teahen,M.	0.73	0.68	(0.05)	0.61	(0.12)	CORRECT	NL	P	Gonzalez,E.	1.05	1.13	0.08	1.12	0.07	CORRECT			
AL	2B	Kinsler,I.	0.65	0.70	0.05	0.67	0.02	CORRECT	AL	P	Sonnanstine,A.	#N/A	-1.33	#N/A	0.91	#N/A	N/A			
NL	OF	Young,C.	0.50	0.60	0.10	0.59	0.09	CORRECT	NL	P	Vargas,C.	0.97	1.13	0.15	0.85	(0.13)	WRONG			
AL	OF	Cust,J.	0.50	0.25	(0.25)	0.72	0.22	WRONG	NL	P	Hendrickson,M.	1.01	0.99	(0.02)	0.91	(0.11)	CORRECT			
NL	SS	Furcal,R.	0.72	0.70	(0.02)	0.56	(0.16)	CORRECT	NL	P	Capuano,C.	1.29	1.23	(0.06)	0.77	(0.52)	CORRECT			
AL	OF	Stewart,S.	0.56	0.55	(0.01)	0.57	0.01	WRONG	AL	P	Kennedy,J.	1.87	1.40	(0.47)	0.94	(0.94)	CORRECT			
NL	OF	Young,D.	0.48	0.57	0.09	0.71	0.23	CORRECT	AL	P	Millwood,K.	1.34	1.24	(0.10)	0.63	(0.71)	CORRECT			
AL	OF	Huff,A.	0.60	0.64	0.03	0.59	(0.02)	WRONG	AL	P	Wright,J.	1.03	0.68	(0.35)	1.36	0.33	CORRECT			
AL	OF	DeJesus,D.	0.65	0.65	0.00	0.52	(0.13)	WRONG	NL	P	Wells,K.	0.16	1.37	1.21	0.63	0.47	CORRECT			
NL	SS	Greene,K.	0.53	0.65	0.12	0.54	0.01	CORRECT	Total Accuracy									72%		
NL	1B	Wigginton,T.	0.62	0.61	(0.01)	0.59	(0.04)	CORRECT												
AL	OF	Crisp,C.	0.58	0.64	0.06	0.60	0.02	CORRECT												
NL	OF	Victorino,S.	0.55	0.61	0.05	0.70	0.14	CORRECT												
NL	2B	DeRosa,M.	0.63	0.57	(0.06)	0.61	(0.02)	CORRECT												
AL	OF	Drew,J.	0.71	0.77	0.06	0.62	(0.08)	WRONG												
AL	3B	Iwamura,A.	#N/A	0.59	#N/A	0.62	#N/A	N/A												
AL	SS	Tejada,M.	0.73	0.66	(0.07)	0.61	(0.12)	CORRECT												
NL	1B	Delgado,C.	0.69	0.72	0.03	0.57	(0.12)	WRONG												
AL	OF	Willits,R.	0.64	0.69	0.04	0.67	0.03	CORRECT												
AL	3B	Harris,B.	0.43	0.60	0.16	0.59	0.16	CORRECT												
NL	3B	Bautista,J.	0.50	0.56	0.06	0.56	0.05	CORRECT												
NL	3B	Encarnacion,E.	0.63	0.67	0.03	0.61	(0.02)	WRONG												
AL	OF	Mathews Jr.,G.	0.72	0.64	(0.08)	0.58	(0.13)	CORRECT												
NL	2B	Weeks,R.	0.63	0.66	0.04	0.67	0.05	CORRECT												
AL	1B	Kotchman,C.	0.13	0.66	0.53	0.66	0.53	CORRECT												
NL	OF	Hermida,J.	0.50	0.66	0.16	0.69	0.19	CORRECT												
NL	2B	Lopez,F.	0.66	0.70	0.04	0.50	(0.17)	WRONG												
AL	OF	Cabrera,M.	0.60	0.64	0.04	0.55	(0.05)	WRONG												
NL	2B	Theriot,R.	#N/A	0.67	#N/A	0.55	#N/A	N/A												
AL	1B	Garko,R.	0.62	0.62	(0.00)	0.62	0.00	WRONG												
AL	OF	Dye,J.	0.84	0.74	(0.10)	0.58	(0.26)	CORRECT												
NL	OF	Gonzalez,L.	0.59	0.56	(0.03)	0.62	0.03	WRONG												
NL	OF	Jones,A.	0.69	0.71	0.02	0.50	(0.19)	WRONG												
NL	OF	Giles,B.	0.60	0.65	0.05	0.58	(0.02)	WRONG												
AL	1B	Millar,K.	0.61	0.58	(0.03)	0.58	(0.03)	CORRECT												
AL	OF	Wells,V.	0.76	0.70	(0.06)	0.50	(0.26)	CORRECT												
NL	OF	Bay,J.	0.77	0.79	0.02	0.54	(0.23)	WRONG												
AL	SS	Bartlett,J.	0.62	0.62	0.00	0.57	(0.05)	WRONG												
NL	OF	Church,R.	0.73	0.66	(0.07)	0.61	(0.12)	CORRECT												
AL	SS	Lugo,J.	0.64	0.68	0.04	0.51	(0.13)	WRONG												
NL	2B	Belliard,R.	0.51	0.39	(0.12)	0.58	0.07	WRONG												
NL	2B	Iguchi,T.	0.61	0.64	0.03	0.60	(0.01)	WRONG												
NL	SS	Wilson,J.	0.49	0.46	(0.02)	0.61	0.12	WRONG												
NL	2B	Matsui,K.	0.55	0.56	0.01	0.69	0.14	CORRECT												
AL	C	Mauer,J.	0.83	0.74	(0.09)	0.66	(0.17)	WRONG												
NL	OF	Green,S.	0.57	0.59	0.02	0.63	0.06	CORRECT												
AL	3B	Gordon,A.	#N/A	0.75	#N/A	0.52	#N/A	N/A												
NL	1B	Jackson,C.	0.62	0.67	0.05	0.65	0.03	CORRECT												
AL	3B	Mora,M.	0.55	0.51	(0.05)	0.59	0.03	WRONG												
NL	C	McCann,B.	0.81	0.76	(0.05)	0.56	(0.25)	CORRECT												
NL	OF	Ethier,A.	0.68	0.63	(0.04)	0.60	(0.07)	CORRECT												
NL	SS	Drew,S.	0.72	0.73	0.01	0.49	(0.23)	WRONG												
NL	3B	Kouzmanoff,K.	0.43	0.61	0.18	0.57	0.14	CORRECT												

AL	SS	Betancourt,Y.	0.53	0.56	0.03	0.54	0.01	CORRECT
AL	C	Varitek,J.	0.50	0.60	0.10	0.58	0.08	CORRECT
AL	OF	Stairs,M.	0.53	0.53	0.00	0.73	0.20	CORRECT
AL	OF	Patterson,C.	0.71	0.69	(0.01)	0.60	(0.11)	CORRECT
NL	1B	Hatteberg,S.	0.66	0.61	(0.05)	0.70	0.05	WRONG
AL	OF	Byrd,M.	0.43	0.51	0.08	0.65	0.22	CORRECT
AL	OF	Anderson,G.	0.56	0.54	(0.02)	0.65	0.08	WRONG
AL	1B	Casey,S.	0.51	0.56	0.05	0.58	0.06	CORRECT
NL	OF	Taveras,W.	0.56	0.65	0.08	0.72	0.16	CORRECT
NL	3B	Feliz,P.	0.47	0.45	(0.02)	0.48	0.01	WRONG
NL	1B	Loney,J.	0.71	0.64	(0.07)	0.76	0.05	WRONG
AL	3B	Glaus,T.	0.66	0.64	(0.02)	0.63	(0.03)	CORRECT
AL	DH	Kubel,J.	0.44	0.55	0.11	0.61	0.16	CORRECT
NL	OF	Alou,M.	0.74	0.69	(0.06)	0.78	0.04	WRONG
AL	2B	Grudzielanek,M.	0.56	0.53	(0.03)	0.58	0.02	WRONG
NL	OF	Scott,L.	0.89	0.74	(0.15)	0.65	(0.24)	CORRECT
NL	OF	Diaz,M.	0.68	0.62	(0.06)	0.73	0.05	WRONG
NL	SS	Eckstein,D.	0.51	0.53	0.03	0.59	0.09	CORRECT
NL	OF	Roberts,D.	0.74	0.67	(0.07)	0.62	(0.12)	CORRECT
NL	OF	Duncan,C.	0.75	0.67	(0.09)	0.63	(0.12)	CORRECT
NL	2B	Loretta,M.	0.52	0.59	0.07	0.54	0.02	CORRECT
AL	1B	Johnson,D.	0.49	0.63	0.14	0.55	0.06	CORRECT
NL	OF	Nady,X.	0.58	0.61	0.03	0.59	0.01	CORRECT
NL	OF	Jones,J.	0.66	0.63	(0.03)	0.55	(0.11)	CORRECT
AL	C	Johjima,K.	0.58	0.55	(0.03)	0.53	(0.05)	CORRECT
AL	3B	Inge,B.	0.56	0.56	(0.01)	0.47	(0.09)	CORRECT
NL	C	Bard,J.	0.78	0.69	(0.09)	0.59	(0.19)	CORRECT
AL	C	Rodriguez,I.	0.60	0.54	(0.06)	0.50	(0.10)	CORRECT
NL	3B	Reynolds,M.	#N/A	#N/A	#N/A	0.64	#N/A	N/A
NL	OF	Hall,B.	0.70	0.69	(0.01)	0.52	(0.18)	CORRECT
NL	SS	Vizquel,O.	0.63	0.59	(0.05)	0.44	(0.19)	CORRECT
AL	C	Pierzynski,A.	0.57	0.53	(0.04)	0.48	(0.09)	CORRECT
NL	2B	Biggio,C.	0.49	0.48	(0.02)	0.44	(0.05)	CORRECT

Total Accuracy 68%