



# Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season.

We could sit here and tell you that we predicted exactly how many HRs Xavier Nady would register in 2008, but in essence projecting any exact number is pure luck. On the other hand, predicting that Nady's production would increase in 2008 verses his prior season....was no

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2008

Year 2008 - Projecting Top 175 Hitters - Directional (based on FPI)							
L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	
					(C)-(A)	Projection	
NL	3B	Wright,D.	0.89	0.83	(0.06)	0.78 (0.11)	<b>CORRECT</b>
NL	1B	Berkman,L.	0.72	0.75	0.03	0.86 0.14	<b>CORRECT</b>
AL	OF	Hamilton,J.	0.71	0.72	0.01	0.74 0.03	<b>CORRECT</b>
NL	2B	Utley,C.	0.83	0.78	(0.05)	0.74 (0.09)	<b>CORRECT</b>
NL	OF	Beltran,C.	0.75	0.69	(0.06)	0.76 0.01	<b>WRONG</b>
NL	OF	McLouth,N.	0.70	0.64	(0.06)	0.71 0.01	<b>WRONG</b>
NL	1B	Pujols,A.	0.84	0.86	0.02	0.99 0.15	<b>CORRECT</b>
AL	OF	Sizemore,G.	0.73	0.80	0.07	0.76 0.03	<b>CORRECT</b>
NL	OF	Ramirez,M.	0.70	0.76	0.06	0.87 0.17	<b>CORRECT</b>
NL	OF	Braun,R.	0.88	0.72	(0.16)	0.72 (0.16)	<b>CORRECT</b>
NL	OF	Holliday,M.	0.88	0.81	(0.07)	0.87 (0.01)	<b>CORRECT</b>
AL	OF	Bay,J.	0.53	0.62	0.09	0.74 0.21	<b>CORRECT</b>
AL	3B	Rodriguez,A.	0.94	0.83	(0.11)	0.83 (0.11)	<b>CORRECT</b>
AL	DH	Huff,A.	0.58	0.63	0.05	0.74 0.16	<b>CORRECT</b>
NL	SS	Ramirez,H.	0.91	0.85	(0.06)	0.84 (0.07)	<b>CORRECT</b>
NL	OF	Ludwick,R.	0.60	0.56	(0.04)	0.78 0.18	<b>WRONG</b>
AL	1B	Teixeira,M.	0.78	0.74	(0.04)	0.80 0.02	<b>WRONG</b>
NL	1B	Howard,R.	0.77	0.80	0.03	0.66 (0.11)	<b>WRONG</b>
AL	OF	Quentin,C.	0.37	0.58	0.21	0.77 0.40	<b>CORRECT</b>
AL	1B	Morneau,J.	0.63	0.69	0.06	0.70 0.07	<b>CORRECT</b>
AL	OF	Dye,J.	0.58	0.70	0.12	0.69 0.11	<b>CORRECT</b>
NL	1B	Gonzalez,A.	0.65	0.68	0.03	0.67 0.02	<b>CORRECT</b>
AL	OF	Abreu,B.	0.69	0.69	0.00	0.71 0.02	<b>CORRECT</b>
AL	3B	Cabrera,M.	0.80	0.84	0.04	0.70 (0.10)	<b>WRONG</b>
AL	1B	Youkilis,K.	0.66	0.64	(0.02)	0.78 0.12	<b>WRONG</b>
NL	1B	Delgado,C.	0.57	0.63	0.06	0.66 0.09	<b>CORRECT</b>
NL	3B	Ramirez,A.	0.73	0.72	(0.01)	0.71 (0.02)	<b>CORRECT</b>
NL	2B	Uggla,D.	0.57	0.65	0.08	0.66 0.09	<b>CORRECT</b>
AL	2B	Pedroia,D.	0.68	0.61	(0.07)	0.76 0.08	<b>WRONG</b>
NL	3B	Cantu,J.	0.47	0.61	0.14	0.61 0.14	<b>CORRECT</b>
AL	SS	Peralta,J.	0.58	0.58	0.00	0.60 0.02	<b>CORRECT</b>
AL	OF	Guerrero,V.	0.79	0.80	0.01	0.71 (0.08)	<b>WRONG</b>
NL	1B	Fielder,P.	0.81	0.80	(0.01)	0.68 (0.13)	<b>CORRECT</b>
NL	SS	Reyes,J.	0.76	0.87	0.11	0.78 0.02	<b>CORRECT</b>
AL	OF	Ibanez,R.	0.64	0.62	(0.02)	0.65 0.01	<b>WRONG</b>
AL	OF	Markakis,N.	0.71	0.67	(0.04)	0.75 0.04	<b>WRONG</b>
NL	OF	Pence,H.	0.76	0.70	(0.06)	0.59 (0.17)	<b>CORRECT</b>
NL	3B	Reynolds,M.	0.64	0.60	(0.04)	0.58 (0.06)	<b>CORRECT</b>
AL	DH	Thome,J.	0.77	0.72	(0.05)	0.65 (0.12)	<b>CORRECT</b>
AL	OF	Rios,A.	0.71	0.67	(0.04)	0.69 (0.02)	<b>CORRECT</b>
NL	1B	Lee,D.	0.75	0.74	(0.01)	0.66 (0.09)	<b>CORRECT</b>
NL	OF	Kemp,M.	0.80	0.70	(0.10)	0.70 (0.10)	<b>CORRECT</b>
AL	OF	Damon,J.	0.64	0.66	0.02	0.74 0.10	<b>CORRECT</b>
AL	2B	Kinsler,I.	0.67	0.68	0.01	0.81 0.14	<b>CORRECT</b>
AL	3B	Mora,M.	0.59	0.57	(0.02)	0.61 0.02	<b>WRONG</b>
NL	OF	Soriano,A.	0.75	0.77	0.02	0.74 (0.01)	<b>WRONG</b>
AL	OF	Nady,X.	0.59	0.61	0.02	0.68 0.09	<b>CORRECT</b>
NL	OF	Hart,C.	0.76	0.70	(0.06)	0.60 (0.16)	<b>CORRECT</b>
NL	1B	Votto,J.	0.76	0.68	(0.08)	0.71 (0.05)	<b>CORRECT</b>
AL	OF	Granderson,C.	0.80	0.76	(0.04)	0.69 (0.11)	<b>CORRECT</b>
AL	OF	Hunter,T.	0.68	0.63	(0.05)	0.66 (0.02)	<b>CORRECT</b>
NL	C	McCann,B.	0.56	0.65	0.09	0.73 0.17	<b>CORRECT</b>
NL	OF	Young,C.	0.59	0.68	0.09	0.57 (0.02)	<b>WRONG</b>
NL	2B	DeRosa,M.	0.61	0.59	(0.02)	0.69 0.08	<b>WRONG</b>
AL	3B	Longoria,E.	#N/A	#N/A	#N/A	0.69 #N/A	<b>N/A</b>
NL	OF	Werth,J.	0.74	0.61	(0.13)	0.74 0.00	<b>WRONG</b>

Fantastics Correctly Predicted the Fantasy Direction on 8 out of 10 Pitchers in 2008

Year 2008 - Projecting Top 100 Pitchers - Directional (based on FPI)							
L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	
					(C)-(A)	Projection	
AL	P	Halladay,R.	1.63	1.78	0.15	2.00 0.37	<b>CORRECT</b>
AL	P	Lee,C.	0.63	1.14	0.51	2.04 1.41	<b>CORRECT</b>
NL	P	Sabathia,C.	1.78	1.63	(0.15)	1.92 0.14	<b>WRONG</b>
NL	P	Santana,J.	1.75	2.06	0.31	1.85 0.10	<b>CORRECT</b>
NL	P	Lincecum,T.	1.76	1.80	0.04	2.15 0.39	<b>CORRECT</b>
NL	P	Webb,B.	1.93	1.99	0.06	1.96 0.03	<b>CORRECT</b>
NL	P	Haren,D.	1.60	1.72	0.12	1.80 0.20	<b>CORRECT</b>
AL	P	Santana,E.	0.55	1.20	0.65	1.83 1.28	<b>CORRECT</b>
NL	P	Dempster,R.	1.23	1.57	0.34	1.98 0.75	<b>CORRECT</b>
AL	P	Mussina,M.	0.92	1.14	0.22	1.58 0.66	<b>CORRECT</b>
NL	P	Hamels,C.	1.79	1.90	0.11	1.82 0.03	<b>CORRECT</b>
NL	P	Nolasco,R.	0.42	1.06	0.64	1.74 1.32	<b>CORRECT</b>
NL	P	Harden,R.	1.80	1.79	(0.01)	2.41 0.61	<b>WRONG</b>
AL	P	Lester,J.	1.30	1.42	0.12	1.73 0.43	<b>CORRECT</b>
NL	P	Oswalt,R.	1.51	1.66	0.15	1.65 0.14	<b>CORRECT</b>
NL	P	Billingsley,C.	1.67	1.61	(0.06)	1.63 (0.04)	<b>CORRECT</b>
NL	P	Volquez,E.	1.29	1.28	(0.01)	1.85 0.56	<b>WRONG</b>
AL	P	Matsuzaka,D.	1.45	1.58	0.13	2.08 0.63	<b>CORRECT</b>
NL	P	Lowe,D.	1.44	1.65	0.21	1.83 0.39	<b>CORRECT</b>
NL	P	Lilly,T.	1.74	1.37	(0.37)	1.54 (0.20)	<b>CORRECT</b>
AL	P	Burnett,A.	1.74	1.56	(0.18)	1.58 (0.16)	<b>CORRECT</b>
AL	P	Shields,J.	1.65	1.53	(0.12)	1.64 (0.01)	<b>CORRECT</b>
NL	P	Sheets,B.	1.58	1.74	0.16	1.78 0.20	<b>CORRECT</b>
AL	P	Saunders,J.	0.95	1.11	0.16	1.70 0.75	<b>CORRECT</b>
AL	P	Danks,J.	0.48	1.00	0.52	1.69 1.21	<b>CORRECT</b>
NL	P	Peavy,J.	2.30	2.20	(0.10)	1.74 (0.56)	<b>CORRECT</b>
AL	P	Duchscherer,J.	#N/A	1.43	#N/A	2.17 #N/A	<b>N/A</b>
AL	P	Floyd,G.	0.29	0.72	0.43	1.55 1.26	<b>CORRECT</b>
AL	P	Greinke,Z.	1.41	1.49	0.08	1.46 0.05	<b>CORRECT</b>
AL	P	Beckett,J.	1.88	1.77	(0.11)	1.54 (0.34)	<b>CORRECT</b>
AL	P	Baker,S.	1.16	0.97	(0.19)	1.69 0.53	<b>WRONG</b>
AL	P	Kazmir,S.	1.49	1.76	0.27	1.64 0.15	<b>CORRECT</b>
AL	P	Meche,G.	1.33	1.42	0.09	1.50 0.17	<b>CORRECT</b>
NL	P	Moyer,J.	0.96	0.90	(0.06)	1.48 0.52	<b>WRONG</b>
NL	P	Johnson,R.	1.64	1.42	(0.22)	1.39 (0.25)	<b>CORRECT</b>
AL	P	Galarraga,A.	#N/A	1.05	#N/A	1.65 #N/A	<b>N/A</b>
AL	P	Marcum,S.	1.45	1.35	(0.10)	1.71 0.26	<b>WRONG</b>
AL	P	Buehrle,M.	1.38	1.52	0.14	1.25 (0.13)	<b>WRONG</b>
NL	P	Lohse,K.	1.12	1.07	(0.05)	1.48 0.36	<b>WRONG</b>
NL	P	Wellenmeyer,T.	1.14	1.26	0.12	1.52 0.38	<b>CORRECT</b>
AL	P	Garza,M.	0.86	1.39	0.53	1.60 0.74	<b>CORRECT</b>
AL	P	Lackey,J.	1.72	1.58	(0.14)	1.44 (0.28)	<b>CORRECT</b>
AL	P	Slowey,K.	0.65	1.07	0.42	1.44 0.79	<b>CORRECT</b>
NL	P	Hudson,T.	1.74	1.49	(0.25)	1.87 0.13	<b>WRONG</b>
NL	P	Wainwright,A.	1.37	1.66	0.29	1.84 0.47	<b>CORRECT</b>
AL	P	Howell,J.	-0.06	#N/A	#N/A	2.29 2.35	<b>N/A</b>
AL	P	Hernandez,F.	1.27	1.60	0.33	1.34 0.07	<b>CORRECT</b>
AL	P	Guthrie,J.	1.52	1.16	(0.36)	1.47 (0.05)	<b>CORRECT</b>
NL	P	Zambrano,C.	1.62	1.76	0.14	1.67 0.05	<b>CORRECT</b>
AL	P	Litsch,J.	1.13	1.29	0.16	1.48 0.35	<b>CORRECT</b>
NL	P	Cook,A.	1.30	1.36	0.06	1.39 0.09	<b>CORRECT</b>
NL	P	Jurrjens,J.	1.95	1.44	(0.51)	1.50 (0.45)	<b>CORRECT</b>
NL	P	Kuroda,H.	#N/A	1.48	#N/A	1.57 #N/A	<b>N/A</b>
AL	P	Wakefield,T.	1.37	1.51	0.14	1.61 0.24	<b>CORRECT</b>
NL	P	Cain,M.	1.60	1.79	0.19	1.36 (0.24)	<b>WRONG</b>
NL	P	Vazquez,J.	1.69	1.45	(0.24)	1.22 (0.47)	<b>CORRECT</b>

NL	OF	Cameron,M.	0.58	0.61	0.03	0.63	0.05	CORRECT	NL	P	Maholm,P.	0.89	0.94	0.05	1.45	0.56	CORRECT			
AL	SS	Young,M.	0.65	0.58	(0.07)	0.58	(0.07)	CORRECT	NL	P	Pelfrey,M.	0.56	1.27	0.71	1.42	0.86	CORRECT			
NL	OF	Victorino,S.	0.70	0.66	(0.04)	0.70	0.00	WRONG	NL	P	Jimenez,U.	1.55	1.31	(0.24)	1.52	(0.03)	CORRECT			
NL	OF	Ethier,A.	0.60	0.67	0.07	0.72	0.12	CORRECT	NL	P	Wolf,R.	1.22	1.10	(0.12)	1.28	0.06	WRONG			
AL	3B	Beltre,A.	0.63	0.59	(0.04)	0.60	(0.03)	CORRECT	NL	P	Bush,D.	0.95	1.28	0.33	1.55	0.60	CORRECT			
NL	2B	Phillips,B.	0.69	0.66	(0.03)	0.59	(0.10)	CORRECT	AL	P	Weaver,J.	1.25	1.56	0.31	1.42	0.17	CORRECT			
NL	OF	Lee,C.	0.72	0.70	(0.02)	0.77	0.05	WRONG	NL	P	Looper,B.	1.22	1.09	(0.13)	1.15	(0.07)	CORRECT			
NL	OF	Dunn,A.	0.76	0.75	(0.01)	0.68	(0.08)	CORRECT	NL	P	Perez,O.	1.60	1.53	(0.07)	1.48	(0.12)	CORRECT			
AL	1B	Pena,C.	0.83	0.76	(0.07)	0.66	(0.17)	CORRECT	AL	P	Sonnanstine,A.	0.89	1.18	0.29	1.30	0.41	CORRECT			
NL	1B	Jacobs,M.	0.56	0.61	0.05	0.58	0.02	CORRECT	NL	P	Maine,J.	1.63	1.65	0.02	1.54	(0.09)	WRONG			
AL	OF	Suzuki,I.	0.78	0.75	(0.03)	0.69	(0.09)	CORRECT	AL	P	Pettitte,A.	1.27	1.15	(0.12)	1.10	(0.17)	CORRECT			
AL	2B	Roberts,B.	0.77	0.73	(0.04)	0.76	(0.01)	CORRECT	NL	P	Arroyo,B.	0.96	1.32	0.36	1.05	0.09	CORRECT			
NL	3B	Kouzmanoff,K.	0.57	0.62	0.05	0.49	(0.08)	WRONG	NL	P	Maddux,G.	1.42	1.34	(0.08)	1.31	(0.11)	CORRECT			
NL	SS	Hardy,J.	0.58	0.58	0.00	0.63	0.05	CORRECT	NL	P	Lannan,J.	1.11	1.49	0.38	1.26	0.15	CORRECT			
NL	3B	Glaus,T.	0.63	0.61	(0.02)	0.66	0.03	WRONG	NL	P	Olsen,S.	0.23	1.43	1.20	1.24	1.01	CORRECT			
NL	C	Soto,G.	0.99	0.57	(0.42)	0.68	(0.31)	CORRECT	AL	P	Verlander,J.	1.80	1.73	(0.07)	1.28	(0.52)	CORRECT			
NL	OF	Hawpe,B.	0.74	0.75	0.01	0.69	(0.05)	WRONG	NL	P	Rodriguez,W.	1.28	1.32	0.04	1.44	0.16	CORRECT			
AL	DH	Giambi,J.	0.56	0.59	0.03	0.64	0.08	CORRECT	AL	P	Blackburn,N.	#N/A	#N/A	#N/A	1.04	#N/A	N/A			
AL	OF	Swisher,N.	0.64	0.69	0.05	0.52	(0.12)	WRONG	NL	P	Myers,B.	1.38	1.60	0.22	1.06	(0.32)	WRONG			
AL	2B	Lopez,J.	0.40	0.49	0.09	0.59	0.19	CORRECT	AL	P	Padilla,V.	0.54	1.20	0.66	1.06	0.52	CORRECT			
NL	3B	Atkins,G.	0.69	0.72	0.03	0.59	(0.10)	WRONG	AL	P	Chamberlain,J.	3.13	1.80	(1.33)	1.82	(1.31)	CORRECT			
NL	3B	Jones,C.	0.89	0.80	(0.09)	0.94	0.05	WRONG	NL	P	Hanrahan,J.	0.45	0.91	0.46	1.62	1.17	CORRECT			
NL	C	Martin,R.	0.71	0.70	(0.01)	0.65	(0.06)	CORRECT	AL	P	Price,D.	#N/A	1.58	#N/A	2.39	#N/A	N/A			
AL	OF	Ellsbury,J.	0.91	0.65	(0.26)	0.67	(0.24)	CORRECT	NL	P	Blanton,J.	1.56	1.39	(0.17)	1.11	(0.45)	CORRECT			
AL	2B	Ramirez,A.	#N/A	0.63	#N/A	0.62	#N/A	N/A	NL	P	Grabow,J.	1.10	1.78	0.68	1.80	0.70	CORRECT			
NL	OF	Burrell,P.	0.71	0.71	0.00	0.67	(0.04)	WRONG	NL	P	Harang,A.	1.74	1.64	(0.10)	0.70	(1.04)	CORRECT			
NL	1B	LaRoche,A.	0.60	0.64	0.04	0.64	0.04	CORRECT	AL	P	Jackson,E.	0.39	1.13	0.74	1.03	0.64	CORRECT			
AL	OF	Cust,J.	0.72	0.64	(0.08)	0.64	(0.08)	CORRECT	NL	P	Cueto,J.	#N/A	1.49	#N/A	0.97	#N/A	N/A			
AL	DH	Ortiz,D.	0.91	0.86	(0.05)	0.68	(0.23)	CORRECT	AL	P	Eveland,D.	#N/A	1.47	#N/A	1.30	#N/A	N/A			
AL	SS	Cabrera,O.	0.62	0.56	(0.06)	0.56	(0.06)	CORRECT	NL	P	Marquis,J.	1.32	1.23	(0.09)	1.27	(0.05)	CORRECT			
AL	SS	Jeter,D.	0.70	0.68	(0.02)	0.61	(0.09)	CORRECT	NL	P	Parra,M.	1.42	1.53	0.11	1.03	(0.39)	WRONG			
NL	1B	Jackson,C.	0.65	0.66	0.01	0.67	0.02	CORRECT	NL	P	Sanchez,J.	0.53	1.56	1.03	1.27	0.74	CORRECT			
AL	OF	Upton,B.	0.78	0.72	(0.06)	0.72	(0.06)	CORRECT	NL	P	Cruz,J.	2.03	2.10	0.07	2.18	0.15	CORRECT			
NL	OF	Winn,R.	0.65	0.60	(0.05)	0.70	0.05	WRONG	NL	P	Moehler,B.	0.83	0.97	0.14	1.15	0.32	CORRECT			
NL	SS	Tejada,M.	0.61	0.64	0.03	0.53	(0.08)	WRONG	AL	P	Reyes,A.	0.79	1.33	0.54	1.67	0.88	CORRECT			
AL	OF	Ordonez,M.	0.91	0.72	(0.19)	0.70	(0.21)	CORRECT	AL	P	Westbrook,J.	1.21	1.49	0.28	1.36	0.15	CORRECT			
NL	SS	Drew,S.	0.49	0.65	0.16	0.65	0.16	CORRECT	NL	P	Backe,B.	1.50	1.35	(0.15)	0.26	(1.24)	CORRECT			
AL	C	Mauer,J.	0.66	0.73	0.07	0.73	0.07	CORRECT	NL	P	Davis,D.	0.95	1.27	0.32	1.01	0.06	CORRECT			
NL	1B	Loney,J.	0.76	0.61	(0.15)	0.60	(0.16)	CORRECT	NL	P	De La Rosa,J.	0.46	#N/A	#N/A	1.31	0.85	N/A			
AL	OF	Young,D.	0.55	0.62	0.07	0.58	0.03	CORRECT	AL	P	Masterson,J.	#N/A	#N/A	#N/A	1.81	#N/A	N/A			
AL	OF	Anderson,G.	0.65	0.59	(0.06)	0.58	(0.07)	CORRECT	NL	P	Smoltz,J.	1.71	1.69	(0.02)	1.88	0.17	WRONG			
NL	2B	Johnson,K.	0.66	0.69	0.03	0.63	(0.03)	WRONG	AL	P	Davies,K.	0.47	0.94	0.47	1.23	0.76	CORRECT			
NL	SS	Rollins,J.	0.78	0.73	(0.05)	0.73	(0.05)	CORRECT	AL	P	Bedard,E.	2.07	2.01	(0.06)	1.62	(0.45)	CORRECT			
AL	OF	Bradley,M.	0.80	0.63	(0.17)	0.85	0.05	WRONG	NL	P	Gallardo,Y.	1.72	1.75	0.03	1.50	(0.22)	WRONG			
NL	3B	Encarnacion,E.	0.61	0.62	0.01	0.58	(0.03)	WRONG	NL	P	Redding,T.	1.08	1.31	0.23	1.00	(0.08)	WRONG			
AL	OF	Scott,L.	0.65	0.70	0.05	0.59	(0.06)	WRONG	AL	P	Byrd,P.	0.93	0.69	(0.24)	0.94	0.01	WRONG			
NL	OF	Ankiel,R.	0.68	0.60	(0.08)	0.63	(0.05)	CORRECT	NL	P	Johnson,J.	#N/A	#N/A	#N/A	1.54	#N/A	N/A			
AL	2B	Polanco,P.	0.71	0.61	(0.10)	0.61	(0.10)	CORRECT	NL	P	Carpenter,C.	#N/A	1.66	#N/A	1.39	#N/A	N/A			
NL	SS	Theriot,R.	0.56	0.67	0.11	0.63	0.07	CORRECT	AL	P	Garland,J.	1.28	1.56	0.28	0.92	(0.36)	WRONG			
AL	OF	Guillen,J.	0.62	0.54	(0.08)	0.51	(0.11)	CORRECT	NL	P	Zito,B.	1.36	1.46	0.10	0.97	(0.39)	WRONG			
AL	OF	Gomez,C.	0.50	0.66	0.16	0.51	0.01	CORRECT	AL	P	McGowan,D.	1.77	1.72	(0.05)	1.30	(0.47)	CORRECT			
NL	3B	Wigginton,T.	0.59	0.56	(0.03)	0.67	0.08	WRONG	NL	P	Villanueva,C.	1.48	1.27	(0.21)	1.05	(0.43)	CORRECT			
AL	OF	DeJesus,D.	0.52	0.58	0.06	0.67	0.15	CORRECT	<b>Total Accuracy</b>											
NL	3B	Blake,C.	0.57	0.55	(0.02)	0.60	0.03	WRONG	80%											
AL	OF	Wells,V.	0.50	0.67	0.17	0.67	0.17	CORRECT												
NL	2B	Weeks,R.	0.68	0.77	0.09	0.56	(0.12)	WRONG												
AL	2B	Iwamura,A.	0.62	0.59	(0.03)	0.55	(0.07)	CORRECT												
NL	OF	Schumaker,S.	0.67	0.50	(0.17)	0.61	(0.06)	CORRECT												
NL	C	Molina,B.	0.51	0.54	0.03	0.56	0.05	CORRECT												
NL	OF	Milledge,L.	0.58	0.59	0.01	0.58	0.00	CORRECT												
NL	OF	Lewis,F.	0.64	0.60	(0.04)	0.67	0.03	WRONG												
AL	DH	Kubel,J.	0.61	0.66	0.05	0.60	(0.01)	WRONG												
NL	OF	Ross,C.	0.91	0.70	(0.21)	0.60	(0.31)	CORRECT												
NL	SS	Guzman,C.	0.71	0.53	(0.18)	0.62	(0.09)	CORRECT												
NL	OF	Giles,B.	0.58	0.61	0.03	0.70	0.12	CORRECT												
NL	OF	Fukudome,K.	#N/A	0.63	#N/A	0.58	#N/A	N/A												
AL	3B	Gordon,A.	0.52	0.65	0.13	0.60	0.08	CORRECT												
AL	OF	Crawford,C.	0.79	0.83	0.04	0.60	(0.19)	WRONG												
NL	OF	Taveras,W.	0.72	0.65	(0.07)	0.63	(0.09)	CORRECT												
AL	OF	Murphy,D.	0.79	0.54	(0.25)	0.61	(0.18)	CORRECT												
AL	OF	Drew,J.	0.62	0.68	0.06	0.76	0.14	CORRECT												
AL	OF	Hinske,E.	0.4																	

AL	DH	Sheffield,G.	0.71	0.68	(0.03)	0.52	(0.19)	CORRECT
AL	1B	Overbay,L.	0.49	0.65	0.16	0.58	0.09	CORRECT
AL	OF	Teahan,M.	0.61	0.60	(0.01)	0.50	(0.11)	CORRECT
AL	2B	Scutaro,M.	0.49	0.46	(0.03)	0.52	0.03	WRONG
NL	1B	Doumit,R.	0.60	0.57	(0.03)	0.69	0.09	WRONG
NL	OF	Hermida,J.	0.69	0.73	0.04	0.52	(0.17)	WRONG
AL	1B	Guillen,C.	0.70	0.67	(0.03)	0.66	(0.04)	CORRECT
AL	OF	Francisco,B.	0.56	0.59	0.03	0.57	0.01	WRONG
NL	OF	Bruce,J.	#N/A	#N/A	#N/A	0.54	#N/A	N/A
AL	OF	Thames,M.	0.54	0.59	0.05	0.56	0.02	CORRECT
AL	SS	Betancourt,Y.	0.53	0.60	0.07	0.49	(0.04)	WRONG
NL	OF	Rowand,A.	0.71	0.63	(0.08)	0.53	(0.18)	CORRECT
NL	1B	Kotchman,C.	0.66	0.71	0.05	0.53	(0.13)	WRONG
AL	SS	Bartlett,J.	0.57	0.62	0.05	0.55	(0.02)	WRONG
AL	OF	Jones,A.	0.50	0.57	0.07	0.52	0.02	CORRECT
AL	OF	Byrd,M.	0.65	0.61	(0.04)	0.68	0.03	WRONG
AL	3B	Lowell,M.	0.73	0.65	(0.08)	0.60	(0.13)	CORRECT
NL	SS	Barmes,C.	0.26	0.34	0.08	0.64	0.38	CORRECT
NL	OF	Bourn,M.	0.80	0.63	(0.17)	0.49	(0.31)	CORRECT
NL	OF	Pierre,J.	0.65	0.63	(0.02)	0.63	(0.02)	CORRECT
AL	1B	Konerko,P.	0.63	0.70	0.07	0.57	(0.06)	WRONG
AL	2B	Ellis,M.	0.59	0.54	(0.05)	0.52	(0.07)	CORRECT
AL	OF	Crisp,C.	0.60	0.63	0.03	0.65	0.05	CORRECT
NL	OF	Harris,W.	0.60	0.55	(0.05)	0.60	0.00	WRONG
AL	C	Shoppach,K.	0.56	0.59	0.03	0.63	0.07	CORRECT
AL	C	Pierzynski,A.	0.48	0.47	(0.01)	0.52	0.04	WRONG
AL	SS	Renteria,E.	0.74	0.63	(0.11)	0.51	(0.23)	CORRECT
AL	SS	Crosby,B.	0.42	0.50	0.08	0.43	0.01	CORRECT
AL	C	Hernandez,R.	0.50	0.55	0.05	0.49	(0.01)	WRONG
NL	2B	Matsui,K.	0.69	0.59	(0.10)	0.69	0.00	WRONG
NL	SS	Izturis,C.	0.41	0.49	0.08	0.51	0.10	CORRECT
AL	3B	Punto,N.	0.38	0.55	0.17	0.61	0.23	CORRECT
NL	3B	Hall,B.	0.53	0.67	0.14	0.45	(0.08)	WRONG
AL	C	Napoli,M.	0.61	0.62	0.01	0.79	0.18	CORRECT
NL	SS	Escobar,Y.	0.69	0.59	(0.10)	0.58	(0.11)	CORRECT
AL	2B	Casilla,A.	0.37	0.45	0.08	0.54	0.17	CORRECT
AL	OF	Gutierrez,F.	0.62	0.59	(0.03)	0.49	(0.13)	CORRECT
AL	OF	Brown,E.	0.49	0.44	(0.05)	0.46	(0.03)	CORRECT
NL	2B	Lopez,F.	0.50	0.56	0.06	0.55	0.05	CORRECT
NL	C	Kendall,J.	0.37	0.47	0.10	0.44	0.07	CORRECT
NL	2B	Hudson,O.	0.68	0.65	(0.03)	0.66	(0.02)	CORRECT
NL	2B	Kent,J.	0.69	0.66	(0.03)	0.53	(0.16)	CORRECT

Total Accuracy

70%