



Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season. We could tell you that we exactly predicted Josh Hamilton's 38/120 season in 2011, but in essence projecting any exact statistic is pure luck. On the other hand, predicting that Hamilton's production would increase in 2011 verses his prior season....was not.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year.** We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2011

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Pitchers in 2011

Year 2011 - Projecting Top 200 Hitters - Directional (based on FPI)

Year 2011 - Projecting Top 120 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	OF	Ellsbury,J.	0.35	0.74	0.39	0.84	0.49	CORRECT
NL	OF	Kemp,M.	0.57	0.71	0.15	0.92	0.35	CORRECT
AL	OF	Granderson,C.	0.61	0.67	0.06	0.76	0.15	CORRECT
NL	OF	Braun,R.	0.72	0.68	(0.04)	0.93	0.21	WRONG
AL	3B	Bautista,J.	0.79	0.69	(0.10)	0.89	0.10	WRONG
NL	1B	Pujols,A.	0.87	0.89	0.02	0.75	(0.12)	WRONG
AL	2B	Cano,R.	0.74	0.73	(0.01)	0.71	(0.04)	CORRECT
AL	OF	Gordon,A.	0.44	0.57	0.13	0.73	0.30	CORRECT
NL	OF	Upton,J.	0.65	0.75	0.10	0.74	0.08	CORRECT
AL	1B	Gonzalez,A.	0.73	0.76	0.04	0.81	0.08	CORRECT
AL	1B	Cabrera,M.	0.88	0.85	(0.03)	0.90	0.01	WRONG
NL	1B	Votto,J.	0.90	0.83	(0.07)	0.79	(0.10)	CORRECT
AL	2B	Kinsler,I.	0.67	0.69	0.03	0.69	0.02	CORRECT
NL	OF	Gonzalez,C.	0.89	0.79	(0.10)	0.76	(0.12)	CORRECT
AL	SS	Cabrera,A.	0.49	0.55	0.06	0.62	0.13	CORRECT
NL	OF	McCutchen,A.	0.71	0.76	0.05	0.67	(0.04)	WRONG
NL	OF	Pence,H.	0.63	0.65	0.02	0.73	0.10	CORRECT
NL	1B	Fielder,P.	0.66	0.73	0.07	0.80	0.14	CORRECT
AL	2B	Pedroia,D.	0.72	0.73	0.01	0.76	0.04	CORRECT
NL	SS	Tulowitzki,T.	0.81	0.83	0.02	0.76	(0.05)	WRONG
AL	OF	Cabrera,M.	0.49	0.59	0.11	0.67	0.18	CORRECT
NL	OF	Berkman,L.	0.59	0.69	0.10	0.78	0.19	CORRECT
AL	1B	Teixeira,M.	0.63	0.72	0.09	0.62	(0.01)	WRONG
AL	OF	Hamilton,J.	0.93	0.79	(0.14)	0.72	(0.20)	CORRECT
AL	2B	Zobrist,B.	0.57	0.64	0.07	0.67	0.10	CORRECT
NL	OF	Bruce,J.	0.66	0.67	0.01	0.61	(0.06)	WRONG
AL	3B	Beltre,A.	0.76	0.67	(0.08)	0.70	(0.06)	CORRECT
AL	OF	Upton,B.	0.65	0.75	0.11	0.64	(0.01)	WRONG
NL	2B	Phillips,B.	0.58	0.61	0.03	0.65	0.07	CORRECT
AL	OF	Jones,A.	0.55	0.58	0.03	0.60	0.05	CORRECT
AL	3B	Reynolds,M.	0.51	0.64	0.13	0.57	0.06	CORRECT
NL	3B	Ramirez,A.	0.51	0.67	0.16	0.69	0.18	CORRECT
AL	DH	Ortiz,D.	0.70	0.66	(0.04)	0.78	0.08	WRONG
NL	OF	Morse,M.	0.66	0.59	(0.07)	0.71	0.05	WRONG
NL	OF	Beltran,C.	0.58	0.72	0.13	0.74	0.16	CORRECT
NL	1B	Howard,R.	0.65	0.68	0.03	0.62	(0.03)	WRONG
NL	OF	Stanton,M.	0.63	0.68	0.05	0.68	0.05	CORRECT
AL	3B	Longoria,E.	0.73	0.77	0.03	0.63	(0.10)	WRONG
AL	3B	Young,M.	0.59	0.56	(0.03)	0.72	0.13	WRONG
AL	OF	Francoeur,J.	0.48	0.50	0.03	0.65	0.17	CORRECT
AL	1B	Konerko,P.	0.80	0.67	(0.12)	0.73	(0.07)	CORRECT
AL	1B	Trumbo,M.	-0.19	0.58	0.77	0.55	0.74	CORRECT
AL	OF	Cruz,N.	0.85	0.83	(0.02)	0.62	(0.23)	CORRECT
AL	OF	Hunter,T.	0.63	0.65	0.02	0.57	(0.06)	WRONG
NL	2B	Uggla,D.	0.70	0.67	(0.03)	0.52	(0.18)	CORRECT
NL	OF	Bourn,M.	0.64	0.65	0.01	0.70	0.06	CORRECT
NL	OF	Victorino,S.	0.63	0.64	0.01	0.70	0.08	CORRECT
NL	OF	Hart,C.	0.67	0.62	(0.05)	0.68	0.01	WRONG
AL	OF	Swisher,N.	0.67	0.74	0.07	0.63	(0.04)	WRONG
NL	OF	Young,C.	0.66	0.63	(0.02)	0.58	(0.07)	CORRECT
NL	OF	Holliday,M.	0.76	0.76	(0.00)	0.73	(0.04)	CORRECT
AL	C	Santana,C.	0.72	0.71	(0.01)	0.60	(0.11)	CORRECT
AL	OF	Willingham,J.	0.69	0.66	(0.02)	0.59	(0.10)	CORRECT
NL	SS	Castro,S.	0.59	0.61	0.02	0.64	0.05	CORRECT
NL	SS	Rollins,J.	0.56	0.65	0.08	0.62	0.06	CORRECT
NL	SS	Reyes,J.	0.63	0.73	0.11	0.85	0.22	CORRECT

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	P	Verlander,J.	2.00	2.01	0.01	2.48	0.48	CORRECT
NL	P	Kershaw,C.	2.00	2.08	0.08	2.42	0.42	CORRECT
NL	P	Halladay,R.	1.91	1.82	(0.09)	2.16	0.25	WRONG
NL	P	Lee,C.	1.94	1.73	(0.21)	2.09	0.15	WRONG
AL	P	Weaver,J.	1.88	1.86	(0.02)	2.20	0.32	WRONG
NL	P	Kennedy,I.	1.62	1.49	(0.13)	2.14	0.52	WRONG
AL	P	Shields,J.	0.69	1.24	0.54	2.02	1.33	CORRECT
AL	P	Sabathia,C.	1.91	1.91	(0.00)	1.74	(0.17)	CORRECT
AL	P	Haren,D.	1.27	1.55	0.28	1.97	0.70	CORRECT
NL	P	Hamels,C.	1.63	1.85	0.21	2.15	0.51	CORRECT
AL	P	Romero,R.	1.72	1.64	(0.07)	1.88	0.17	WRONG
AL	P	Wilson,C.	2.03	1.88	(0.14)	1.95	(0.08)	CORRECT
NL	P	Gallardo,Y.	1.61	1.84	0.23	1.60	(0.01)	WRONG
AL	P	Beckett,J.	0.72	1.47	0.75	2.11	1.39	CORRECT
NL	P	Lincecum,T.	1.69	1.91	0.23	1.85	0.17	CORRECT
NL	P	Hudson,T.	1.95	1.80	(0.15)	1.93	(0.02)	CORRECT
AL	P	Hernandez,F.	2.07	2.12	0.05	1.65	(0.43)	WRONG
NL	P	Hudson,D.	2.37	1.64	(0.73)	1.66	(0.72)	CORRECT
NL	P	Cain,M.	1.93	1.96	0.03	2.11	0.18	CORRECT
NL	P	Bumgarner,M.	1.32	1.29	(0.02)	1.62	0.30	WRONG
AL	P	Gonzalez,G.	1.78	1.77	(0.00)	1.69	(0.09)	CORRECT
AL	P	Price,D.	2.06	1.98	(0.07)	1.77	(0.28)	CORRECT
AL	P	Fister,D.	1.21	1.43	0.22	1.92	0.71	CORRECT
AL	P	Lester,J.	2.04	1.91	(0.12)	1.72	(0.31)	CORRECT
NL	P	Greinke,Z.	1.46	1.72	0.26	1.72	0.26	CORRECT
AL	P	Santana,E.	1.42	1.36	(0.06)	1.57	0.15	WRONG
NL	P	Kuroda,H.	1.70	1.69	(0.01)	1.43	(0.27)	CORRECT
NL	P	Garza,M.	1.50	1.46	(0.04)	1.62	0.12	WRONG
NL	P	Carpenter,C.	1.78	1.73	(0.05)	1.53	(0.24)	CORRECT
NL	P	Marcum,S.	1.67	1.66	(0.01)	1.80	0.13	WRONG
NL	P	Latos,M.	2.02	1.84	(0.18)	1.70	(0.32)	CORRECT
AL	P	Hellickson,J.	2.00	1.62	(0.38)	1.90	(0.09)	CORRECT
NL	P	Lohse,K.	0.19	0.96	0.77	1.75	1.57	CORRECT
AL	P	Harrison,M.	1.10	1.06	(0.05)	1.64	0.54	WRONG
NL	P	Vogelsong,R.	#N/A	#N/A	#N/A	1.74	#N/A	N/A
NL	P	Worley,V.	2.42	1.49	(0.93)	1.92	(0.50)	CORRECT
AL	P	Masterson,J.	1.01	1.26	0.25	1.63	0.62	CORRECT
AL	P	Pineda,M.	#N/A	1.51	#N/A	1.90	#N/A	N/A
AL	P	McCarthy,B.	#N/A	1.30	#N/A	1.71	#N/A	N/A
NL	P	Cueto,J.	1.53	1.63	0.10	2.15	0.62	CORRECT
NL	P	Hernandez,D.	1.36	1.46	0.10	2.21	0.85	CORRECT
AL	P	Lewis,C.	1.68	1.55	(0.13)	1.42	(0.26)	CORRECT
NL	P	Vazquez,J.	1.01	1.58	0.56	1.62	0.61	CORRECT
NL	P	Rodriguez,W.	1.52	1.77	0.25	1.36	(0.15)	WRONG
NL	P	Zimmermann,J.	0.81	1.37	0.57	1.64	0.84	CORRECT
NL	P	Collmenter,J.	#N/A	#N/A	#N/A	1.77	#N/A	N/A
NL	P	Jurrjens,J.	1.25	1.63	0.38	1.75	0.50	CORRECT
NL	P	Luebke,C.	1.25	1.14	(0.10)	1.96	0.72	WRONG
AL	P	Holland,D.	1.32	1.25	(0.07)	1.46	0.14	WRONG
NL	P	Sanchez,A.	1.54	1.69	0.15	1.47	(0.07)	WRONG
AL	P	Garcia,J.	1.72	1.51	(0.21)	1.45	(0.28)	CORRECT
NL	P	Chacin,J.	1.72	1.64	(0.08)	1.53	(0.19)	CORRECT
NL	P	Lilly,T.	1.62	1.68	0.07	1.54	(0.08)	WRONG
NL	P	Leake,M.	0.95	1.13	0.18	1.54	0.60	CORRECT
AL	P	Baker,S.	1.17	1.44	0.28	1.63	0.47	CORRECT
NL	P	Wolf,R.	1.24	1.44	0.20	1.39	0.15	CORRECT

AL	2B	Kendrick,H.	0.55	0.62	0.07	0.63	0.08	CORRECT	NL	P	Dickey,R.	1.70	1.71	0.01	1.48	(0.23)	WRONG
AL	SS	Hardy,J.	0.52	0.59	0.07	0.58	0.07	CORRECT	AL	P	Buehrle,M.	1.11	1.37	0.25	1.34	0.23	CORRECT
NL	2B	Roberts,R.	0.30	0.45	0.15	0.60	0.31	CORRECT	AL	P	Scherzer,M.	1.63	1.80	0.17	1.22	(0.41)	WRONG
AL	C	Napoli,M.	0.55	0.62	0.08	0.88	0.34	CORRECT	NL	P	Harang,A.	0.59	1.31	0.72	1.37	0.78	CORRECT
NL	OF	Soriano,A.	0.61	0.68	0.07	0.52	(0.09)	WRONG	NL	P	Karstens,J.	0.62	0.85	0.23	1.38	0.76	CORRECT
NL	1B	Pena,C.	0.50	0.63	0.13	0.60	0.10	CORRECT	NL	P	Beachy,B.	0.97	1.33	0.37	1.72	0.75	CORRECT
AL	1B	Butler,B.	0.70	0.71	0.02	0.64	(0.05)	WRONG	AL	P	Floyd,G.	1.26	1.54	0.28	1.60	0.34	CORRECT
AL	SS	Andrus,E.	0.52	0.60	0.07	0.61	0.09	CORRECT	NL	P	Stauffer,T.	2.17	1.58	(0.59)	1.43	(0.74)	CORRECT
AL	1B	Hosmer,E.	#N/A	#N/A	#N/A	0.64	#N/A	N/A	AL	P	Nova,I.	1.12	1.33	0.21	1.67	0.55	CORRECT
AL	OF	Damon,J.	0.59	0.61	0.02	0.58	(0.02)	WRONG	AL	P	Humber,P.	1.64	1.44	(0.20)	1.68	0.04	WRONG
NL	OF	Stubbs,D.	0.65	0.63	(0.02)	0.56	(0.09)	CORRECT	NL	P	Saunders,J.	0.85	1.04	0.20	1.27	0.43	CORRECT
AL	1B	Lind,A.	0.46	0.62	0.15	0.51	0.04	CORRECT	AL	P	Morrow,B.	1.58	1.75	0.17	1.51	(0.07)	WRONG
AL	OF	Wells,V.	0.65	0.62	(0.03)	0.42	(0.23)	CORRECT	AL	P	Niemann,J.	1.51	1.68	0.18	1.50	(0.01)	WRONG
AL	OF	Markakis,N.	0.65	0.71	0.06	0.59	(0.05)	WRONG	AL	P	Cahill,T.	2.07	1.74	(0.33)	1.23	(0.85)	CORRECT
AL	SS	Jeter,D.	0.54	0.62	0.08	0.60	0.06	CORRECT	AL	P	Vargas,J.	1.47	1.35	(0.11)	1.28	(0.18)	CORRECT
AL	OF	Cuddyer,M.	0.57	0.60	0.03	0.64	0.07	CORRECT	NL	P	Jackson,E.	1.24	1.50	0.26	1.18	(0.06)	WRONG
NL	2B	Espinosa,D.	0.45	0.57	0.12	0.53	0.08	CORRECT	AL	P	Tomlin,J.	1.45	1.20	(0.24)	1.65	0.21	WRONG
NL	3B	Sandoval,P.	0.53	0.67	0.13	0.74	0.21	CORRECT	AL	P	Chen,B.	1.41	1.00	(0.41)	1.45	0.04	WRONG
AL	OF	Joyce,M.	0.63	0.70	0.07	0.67	0.05	CORRECT	AL	P	Garcia,F.	1.17	0.99	(0.18)	1.36	0.19	WRONG
NL	C	McCann,B.	0.64	0.69	0.05	0.62	(0.02)	WRONG	NL	P	Capuano,C.	1.31	1.23	(0.08)	1.10	(0.21)	CORRECT
AL	C	Martinez,V.	0.67	0.69	0.02	0.71	0.04	CORRECT	NL	P	Norris,B.	1.17	1.56	0.39	1.26	0.09	WRONG
NL	2B	Walker,N.	0.63	0.60	(0.02)	0.56	(0.07)	CORRECT	AL	P	Colon,B.	#N/A	1.35	#N/A	1.22	#N/A	N/A
NL	1B	Freeman,F.	0.17	0.58	0.42	0.60	0.44	CORRECT	AL	P	Hochevar,L.	1.21	1.29	0.08	1.41	0.21	WRONG
NL	OF	Lee,C.	0.48	0.58	0.10	0.60	0.12	CORRECT	NL	P	Billingsley,C.	1.73	1.81	0.08	1.33	(0.41)	WRONG
AL	SS	Peralta,J.	0.49	0.57	0.08	0.64	0.15	CORRECT	NL	P	Lannan,J.	0.81	1.49	0.68	1.17	0.36	CORRECT
AL	C	Avila,A.	0.43	0.53	0.09	0.73	0.30	CORRECT	NL	P	Maholm,P.	0.75	1.09	0.34	1.38	0.63	CORRECT
NL	OF	Morrison,L.	0.65	0.63	(0.02)	0.58	(0.08)	CORRECT	NL	P	Narveson,C.	1.26	1.36	0.10	1.38	0.12	CORRECT
AL	OF	Suzuki,I.	0.69	0.67	(0.02)	0.54	(0.15)	CORRECT	NL	P	Gee,D.	1.97	1.58	(0.39)	1.52	(0.45)	CORRECT
AL	SS	Ramirez,A.	0.57	0.58	0.00	0.53	(0.04)	WRONG	NL	P	Myers,B.	1.65	1.54	(0.11)	1.09	(0.55)	CORRECT
NL	1B	Sanchez,G.	0.60	0.59	(0.01)	0.59	(0.02)	CORRECT	AL	P	Guthrie,J.	1.56	1.51	(0.04)	1.14	(0.41)	CORRECT
AL	OF	Gardner,B.	0.75	0.72	(0.02)	0.65	(0.09)	CORRECT	NL	P	Nolasco,R.	1.25	1.41	0.16	1.00	(0.24)	WRONG
AL	C	Wieters,M.	0.48	0.60	0.12	0.57	0.09	CORRECT	NL	P	Dempster,R.	1.50	1.71	0.22	1.09	(0.41)	WRONG
NL	2B	Weeks,R.	0.63	0.65	0.02	0.64	0.01	CORRECT	AL	P	Jimenez,U.	2.26	2.11	(0.15)	1.28	(0.98)	CORRECT
AL	2B	Johnson,K.	0.70	0.70	(0.01)	0.51	(0.19)	CORRECT	AL	P	Davis,W.	1.28	1.48	0.20	1.22	(0.06)	WRONG
AL	OF	Quentin,C.	0.57	0.62	0.05	0.59	0.01	CORRECT	NL	P	Morton,C.	-0.28	0.15	0.43	1.25	1.53	CORRECT
AL	C	Arencibia,J.	0.20	0.59	0.39	0.46	0.26	CORRECT	AL	P	Pavano,C.	1.52	1.20	(0.32)	1.00	(0.52)	CORRECT
AL	OF	Pierre,J.	0.61	0.62	0.01	0.51	(0.10)	WRONG	AL	P	Burnett,A.	0.85	1.42	0.57	1.08	0.23	CORRECT
NL	OF	Bonifacio,E.	0.56	0.51	(0.04)	0.69	0.13	WRONG	AL	P	Porcello,R.	1.02	1.40	0.38	1.15	0.13	CORRECT
AL	SS	Aybar,E.	0.47	0.52	0.05	0.62	0.15	CORRECT	NL	P	Niese,J.	1.02	1.18	0.17	1.12	0.11	CORRECT
AL	OF	Jackson,A.	0.63	0.64	0.00	0.53	(0.10)	WRONG	AL	P	Bedard,E.	#N/A	1.72	#N/A	1.43	#N/A	N/A
NL	C	Montero,M.	0.56	0.63	0.07	0.62	0.06	CORRECT	NL	P	McDonald,J.	1.40	1.17	(0.23)	1.05	(0.35)	CORRECT
NL	OF	Maybin,C.	0.47	0.56	0.09	0.64	0.17	CORRECT	AL	P	Danks,J.	1.76	1.69	(0.07)	1.15	(0.60)	CORRECT
NL	OF	Werth,J.	0.77	0.72	(0.06)	0.54	(0.23)	CORRECT	NL	P	McClellan,K.	1.79	1.54	(0.25)	1.33	(0.46)	CORRECT
AL	3B	Youkilis,K.	0.81	0.74	(0.07)	0.63	(0.18)	CORRECT	NL	P	Oswalt,R.	2.06	1.78	(0.28)	1.27	(0.79)	CORRECT
AL	OF	Crisp,C.	0.78	0.69	(0.09)	0.63	(0.15)	CORRECT	AL	P	Arrieta,J.	1.11	1.45	0.34	1.12	0.01	CORRECT
NL	OF	Ibanez,R.	0.61	0.65	0.04	0.48	(0.13)	WRONG	NL	P	Hernandez,L.	1.39	1.22	(0.18)	1.04	(0.35)	CORRECT
NL	OF	Smith,S.	0.56	0.64	0.07	0.67	0.11	CORRECT	AL	P	Duensing,B.	1.83	1.23	(0.60)	0.71	(1.12)	CORRECT
AL	3B	Encarnacion,E.	0.56	0.60	0.04	0.61	0.05	CORRECT	AL	P	Carmona,F.	1.49	1.42	(0.07)	0.97	(0.51)	CORRECT
NL	OF	Pagan,A.	0.68	0.65	(0.03)	0.59	(0.09)	CORRECT	AL	P	Penny,B.	1.24	1.16	(0.07)	0.71	(0.53)	CORRECT
AL	SS	Escobar,Y.	0.47	0.60	0.13	0.60	0.14	CORRECT	NL	P	Hammel,J.	1.12	1.28	0.16	1.06	(0.06)	WRONG
NL	SS	Desmond,I.	0.54	0.60	0.06	0.49	(0.04)	WRONG	NL	P	Volstad,C.	1.26	1.34	0.07	0.82	(0.44)	WRONG
NL	C	Molina,Y.	0.48	0.53	0.05	0.63	0.15	CORRECT	NL	P	Happ,J.	1.67	1.65	(0.01)	0.88	(0.78)	CORRECT
AL	3B	Valencia,D.	0.64	0.54	(0.10)	0.45	(0.19)	CORRECT	AL	P	Wakefield,T.	0.97	1.23	0.25	1.04	0.07	CORRECT
AL	OF	Bourjos,P.	0.42	0.62	0.20	0.61	0.19	CORRECT	AL	P	Carrasco,C.	1.15	1.35	0.19	1.19	0.03	CORRECT
AL	OF	Crawford,C.	0.80	0.77	(0.03)	0.52	(0.28)	CORRECT	NL	P	McCutchen,D.	0.31	0.90	0.59	1.36	1.05	CORRECT
NL	OF	Fowler,D.	0.59	0.71	0.11	0.62	0.03	CORRECT	NL	P	Marquis,J.	0.03	1.09	1.05	1.05	1.02	CORRECT
AL	C	Olivo,M.	0.58	0.52	(0.06)	0.40	(0.18)	CORRECT	NL	P	Minor,M.	0.60	1.25	0.65	1.14	0.54	CORRECT
NL	3B	Wright,D.	0.71	0.76	0.06	0.62	(0.09)	WRONG	NL	P	Wells,R.	1.10	1.46	0.36	1.06	(0.04)	WRONG
AL	C	Martin,R.	0.50	0.62	0.12	0.53	0.03	CORRECT	NL	P	Sanchez,J.	1.90	1.89	(0.01)	1.52	(0.38)	CORRECT
AL	SS	Escobar,A.	0.41	0.56	0.15	0.48	0.07	CORRECT	NL	P	Richard,C.	1.40	1.28	(0.12)	1.15	(0.25)	CORRECT
AL	SS	Pennington,C.	0.56	0.53	(0.03)	0.51	(0.05)	CORRECT	AL	P	Anderson,B.	1.68	1.72	0.05	1.22	(0.45)	WRONG
NL	OF	Parra,G.	0.46	0.51	0.05	0.66	0.19	CORRECT	AL	P	Litsch,J.	0.63	1.09	0.46	1.55	0.92	CORRECT
AL	OF	Abreu,B.	0.64	0.69	0.05	0.59	(0.05)	WRONG	AL	P	Francis,J.	1.05	1.06	0.00	0.75	(0.30)	WRONG
NL	2B	Hill,A.	0.39	0.60	0.21	0.48	0.09	CORRECT	AL	P	Cecil,B.	1.48	1.06	(0.42)	0.99	(0.49)	CORRECT
NL	3B	Jones,C.	0.65	0.72	0.07	0.62	(0.03)	WRONG	AL	P	Coke,P.	1.51	1.23	(0.28)	1.11	(0.40)	CORRECT
AL	DH	Boesch,B.	0.54	0.59	0.05	0.61	0.07	CORRECT	NL	P	LeBlanc,W.	0.89	1.08	0.19	1.21	0.32	CORRECT
NL	OF	Rivera,J.	0.50	0.59	0.09	0.50	0.01	CORRECT	AL	P	Liriano,F.	1.72	1.83	0.11	1.28	(0.44)	WRONG
AL	OF	Brantley,M.	0.46	0.60	0.14	0.54	0.08	CORRECT	NL	P	Moseley,D.	0.96	0.95	(0.02)	1.34	0.37	WRONG
AL	DH	Guerrero,V.	0.65	0.59	(0.06)	0.53	(0.12)	CORRECT	AL	P	Buchholz,C.	2.07	1.91	(0.17)	1.57	(0.50)	CORRECT
NL	1B	Loney,J.	0.54	0.60	0.06	0.58	0.04	CORRECT	AL	P	Paulino,F.	1.02	0.92	(0.10)	1.08	0.06	WRONG
NL	SS	Betancourt,Y.	0.47	0.45	(0.02)	0.42	(0.04)	CORRECT									
AL	3B	Callaspo,A.	0.47	0.54	0.06	0.59	0.12	CORRECT									
AL	OF	Rios,A.	0.68	0.62	(0.06)	0.39	(0.29)	CORRECT									
AL	OF	Revere,B.	0.10	0.31	0.21	0.52	0.42	CORRECT									
NL	2B	Ellis,M.	0.57	0.50	(0.07)	0.42	(0.14)	CORRECT									
NL	1B	Lee,D.	0.57	0.64	0.07	0.56	(0.01)	WRONG									
AL	OF	Murphy,D.	0.68	0.73	0.05	0.55	(0.13)	WRONG									

Total Accuracy 67%

NL	OF	Bay,J.	0.59	0.68	0.09	0.53	(0.06)	WRONG
AL	OF	Rasmus,C.	0.69	0.67	(0.03)	0.47	(0.23)	CORRECT
AL	3B	Rodriguez,A.	0.66	0.71	0.06	0.64	(0.01)	WRONG
NL	2B	Utley,C.	0.67	0.77	0.10	0.60	(0.07)	WRONG
NL	3B	Wigginton,T.	0.50	0.56	0.07	0.53	0.03	CORRECT
NL	2B	Infante,O.	0.63	0.58	(0.04)	0.50	(0.12)	CORRECT
NL	SS	Barney,D.	0.36	0.44	0.08	0.48	0.12	CORRECT
NL	OF	Prado,M.	0.64	0.66	0.02	0.47	(0.17)	WRONG
NL	OF	Ethier,A.	0.68	0.74	0.06	0.60	(0.08)	WRONG
NL	SS	Bartlett,J.	0.49	0.59	0.10	0.45	(0.04)	WRONG
NL	1B	Helton,T.	0.54	0.59	0.05	0.68	0.14	CORRECT
AL	2B	Weeks,J.	#N/A	#N/A	#N/A	0.64	#N/A	N/A
AL	SS	Andino,R.	0.61	0.55	(0.06)	0.51	(0.10)	CORRECT
NL	OF	Ludwick,R.	0.51	0.57	0.06	0.45	(0.06)	WRONG
NL	OF	Jones,G.	0.51	0.61	0.09	0.55	0.03	CORRECT
NL	2B	Hudson,O.	0.54	0.58	0.04	0.55	0.01	CORRECT
NL	OF	Venable,W.	0.63	0.64	0.01	0.59	(0.04)	WRONG
NL	OF	Heyward,J.	0.69	0.76	0.07	0.51	(0.18)	WRONG
NL	SS	Gonzalez,A.	0.50	0.47	(0.03)	0.40	(0.10)	CORRECT
NL	OF	Jay,J.	0.60	0.54	(0.06)	0.58	(0.01)	CORRECT
AL	1B	Moreland,M.	0.66	0.64	(0.02)	0.52	(0.13)	CORRECT
NL	OF	Morgan,N.	0.49	0.60	0.11	0.63	0.14	CORRECT
NL	3B	Zimmerman,R.	0.74	0.75	0.01	0.62	(0.11)	WRONG
NL	3B	Headley,C.	0.54	0.60	0.06	0.66	0.12	CORRECT
NL	OF	Ross,C.	0.55	0.54	(0.01)	0.52	(0.03)	CORRECT
AL	2B	Getz,C.	0.46	0.56	0.10	0.47	0.01	CORRECT
NL	SS	Bloomquist,W.	0.51	0.60	0.10	0.51	0.01	CORRECT
NL	OF	Tabata,J.	0.63	0.60	(0.04)	0.58	(0.05)	CORRECT
NL	OF	Patterson,C.	0.63	0.59	(0.03)	0.44	(0.18)	CORRECT
AL	1B	Kotchman,C.	0.37	0.48	0.12	0.62	0.25	CORRECT
NL	2B	Carroll,J.	0.61	0.56	(0.05)	0.56	(0.04)	CORRECT
AL	DH	Matsui,H.	0.63	0.68	0.05	0.49	(0.14)	WRONG
NL	1B	Huff,A.	0.72	0.66	(0.06)	0.47	(0.26)	CORRECT
AL	OF	Young,D.	0.65	0.67	0.02	0.49	(0.16)	WRONG
NL	1B	Murphy,D.	#N/A	0.59	#N/A	0.65	#N/A	N/A
AL	2B	Izturis,M.	0.51	0.60	0.09	0.54	0.02	CORRECT
NL	3B	McGehee,C.	0.61	0.64	0.03	0.38	(0.23)	WRONG
AL	SS	Scutaro,M.	0.53	0.56	0.03	0.62	0.09	CORRECT
NL	C	Lucroy,J.	0.43	0.50	0.07	0.50	0.07	CORRECT
NL	2B	Turner,J.	-0.17	0.61	0.78	0.49	0.65	CORRECT
AL	2B	Ryan,B.	0.37	0.49	0.12	0.46	0.09	CORRECT
NL	2B	Cabrera,O.	0.48	0.51	0.04	0.35	(0.12)	WRONG
NL	C	Soto,G.	0.71	0.68	(0.02)	0.48	(0.23)	CORRECT
NL	OF	Ankiel,R.	0.50	0.61	0.11	0.47	(0.03)	WRONG
AL	2B	Sizemore,S.	0.40	0.49	0.09	0.55	0.15	CORRECT
AL	2B	Kennedy,A.	0.51	0.60	0.09	0.42	(0.09)	WRONG
NL	C	Iannetta,C.	0.45	0.65	0.19	0.60	0.14	CORRECT
NL	SS	Ramirez,H.	0.76	0.83	0.07	0.57	(0.19)	WRONG
NL	OF	Mayberry,J.	0.96	0.65	(0.31)	0.69	(0.27)	CORRECT
NL	OF	Heisey,C.	0.52	0.54	0.02	0.60	0.08	CORRECT
AL	C	Pierzynski,A.	0.47	0.51	0.05	0.53	0.06	CORRECT
NL	3B	Polanco,P.	0.55	0.52	(0.03)	0.50	(0.06)	CORRECT
AL	C	Suzuki,K.	0.43	0.52	0.09	0.45	0.02	CORRECT
NL	SS	Barnes,C.	0.43	0.45	0.03	0.47	0.04	CORRECT
NL	C	Buck,J.	0.59	0.52	(0.07)	0.44	(0.14)	CORRECT
AL	OF	DeJesus,D.	0.67	0.65	(0.02)	0.47	(0.20)	CORRECT
NL	C	Ramos,W.	0.49	0.49	(0.00)	0.57	0.08	WRONG
AL	1B	Smoak,J.	0.44	0.65	0.20	0.49	0.05	CORRECT
NL	OF	Schierholtz,N.	0.46	0.54	0.09	0.57	0.12	CORRECT
AL	3B	Betemit,W.	0.71	0.64	(0.06)	0.63	(0.08)	CORRECT
AL	2B	Ackley,D.	#N/A	0.56	#N/A	0.61	#N/A	N/A
AL	DH	Nunez,E.	0.67	0.61	(0.06)	0.60	(0.07)	CORRECT
AL	OF	Choo,S.	0.76	0.77	0.01	0.57	(0.18)	WRONG
NL	OF	Gwynn,T.	0.45	0.62	0.17	0.54	0.09	CORRECT
NL	OF	Torres,A.	0.69	0.65	(0.04)	0.49	(0.20)	CORRECT
AL	3B	Aviles,M.	0.62	0.61	(0.01)	0.55	(0.07)	CORRECT
NL	OF	Bourgeois,J.	0.48	0.57	0.09	0.71	0.24	CORRECT
AL	OF	Jennings,D.	0.41	0.71	0.30	0.71	0.29	CORRECT
NL	OF	Gomez,C.	0.52	0.56	0.04	0.54	0.02	CORRECT
NL	2B	Miles,A.	0.42	0.43	0.01	0.46	0.05	CORRECT
NL	3B	Dobbs,G.	0.32	0.54	0.22	0.49	0.18	CORRECT

Total Accuracy 74%