



Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season. We could tell you that we exactly predicted David Wright's 93 RBIs in 2012, but in essence projecting any exact statistic is pure luck. On the other hand, predicting that Wright's production would increase in 2012 verses his prior season....was not.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2012

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Pitchers in 2012

Year 2012 - Projecting Top 200 Hitters - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
NL	OF	Braun,R.	0.93	0.80	(0.13)	0.89	(0.04)	CORRECT
AL	3B	Cabrera,M.	0.90	0.86	(0.04)	0.84	(0.06)	CORRECT
AL	OF	Trout,M.	0.47	0.64	0.17	0.95	0.48	CORRECT
NL	OF	McCutchen,A.	0.67	0.73	0.06	0.83	0.17	CORRECT
NL	3B	Headley,C.	0.66	0.61	(0.04)	0.73	0.07	WRONG
AL	OF	Hamilton,J.	0.72	0.76	0.04	0.74	0.02	CORRECT
AL	OF	Rios,A.	0.39	0.58	0.19	0.72	0.33	CORRECT
AL	DH	Encarnacion,E.	0.61	0.61	0.00	0.77	0.17	CORRECT
AL	2B	Cano,R.	0.71	0.77	0.06	0.75	0.04	CORRECT
NL	2B	Hill,A.	0.48	0.57	0.09	0.72	0.25	CORRECT
NL	3B	Ramirez,A.	0.69	0.65	(0.03)	0.73	0.04	WRONG
AL	OF	Jones,A.	0.60	0.61	0.00	0.66	0.06	CORRECT
NL	OF	Heyward,J.	0.51	0.69	0.18	0.66	0.15	CORRECT
NL	OF	Gonzalez,C.	0.76	0.80	0.03	0.76	0.00	CORRECT
AL	OF	Granderson,C.	0.76	0.71	(0.05)	0.60	(0.16)	CORRECT
AL	3B	Beltre,A.	0.70	0.64	(0.05)	0.76	0.06	WRONG
NL	OF	Holliday,M.	0.73	0.74	0.01	0.70	(0.03)	WRONG
NL	OF	Beltran,C.	0.74	0.69	(0.05)	0.66	(0.08)	CORRECT
AL	1B	Pujols,A.	0.75	0.79	0.04	0.68	(0.07)	WRONG
NL	3B	Zimmerman,R.	0.62	0.70	0.08	0.64	0.02	CORRECT
NL	OF	Bruce,J.	0.61	0.66	0.06	0.64	0.03	CORRECT
NL	SS	Rollins,J.	0.62	0.59	(0.03)	0.60	(0.01)	CORRECT
NL	OF	Pence,H.	0.73	0.68	(0.05)	0.53	(0.20)	CORRECT
NL	3B	Ramirez,H.	0.57	0.77	0.21	0.59	0.02	CORRECT
AL	OF	Reddick,J.	0.58	0.53	(0.05)	0.57	(0.02)	CORRECT
NL	3B	Wright,D.	0.62	0.70	0.09	0.74	0.13	CORRECT
AL	OF	Cruz,N.	0.62	0.67	0.05	0.58	(0.05)	WRONG
NL	OF	Harper,B.	#N/A	0.73	#N/A	0.66	#N/A	#N/A
AL	OF	Willingham,J.	0.59	0.60	0.01	0.67	0.08	CORRECT
AL	1B	Fielder,P.	0.80	0.77	(0.03)	0.76	(0.04)	CORRECT
NL	C	Posey,B.	0.59	0.66	0.06	0.81	0.22	CORRECT
NL	OF	Hart,C.	0.68	0.66	(0.02)	0.63	(0.05)	CORRECT
NL	OF	Soriano,A.	0.52	0.53	0.01	0.61	0.09	CORRECT
AL	OF	Cespedes,Y.	#N/A	0.64	#N/A	0.72	#N/A	#N/A
AL	DH	Dunn,A.	0.31	0.63	0.32	0.56	0.26	CORRECT
AL	DH	Butler,B.	0.64	0.68	0.03	0.71	0.07	CORRECT
AL	2B	Kinsler,I.	0.69	0.74	0.06	0.57	(0.12)	WRONG
NL	C	Molina,Y.	0.63	0.57	(0.06)	0.74	0.11	WRONG
NL	1B	LaRoche,A.	0.31	0.57	0.26	0.65	0.34	CORRECT
NL	OF	Upton,J.	0.74	0.78	0.04	0.64	(0.10)	WRONG
NL	SS	Desmond,I.	0.49	0.54	0.05	0.71	0.21	CORRECT
AL	OF	Upton,B.	0.64	0.65	0.01	0.61	(0.02)	WRONG
NL	1B	Freeman,F.	0.60	0.59	(0.01)	0.59	(0.01)	CORRECT
NL	OF	Stanton,M.	0.68	0.75	0.07	0.78	0.10	CORRECT
AL	2B	Zobrist,B.	0.67	0.67	(0.00)	0.68	0.01	WRONG
NL	1B	Goldschmidt,P.	0.64	0.62	(0.01)	0.72	0.08	WRONG
AL	1B	Trumbo,M.	0.55	0.60	0.04	0.59	0.04	CORRECT
AL	OF	Swisher,N.	0.63	0.64	0.01	0.64	0.01	CORRECT
NL	OF	Craig,A.	0.79	0.64	(0.15)	0.70	(0.09)	CORRECT
NL	2B	Phillips,B.	0.65	0.59	(0.06)	0.58	(0.07)	CORRECT
AL	OF	Jackson,A.	0.53	0.60	0.07	0.70	0.17	CORRECT
AL	1B	Davis,C.	0.50	0.51	0.01	0.61	0.11	CORRECT
NL	OF	Kemp,M.	0.92	0.82	(0.10)	0.75	(0.17)	CORRECT
AL	SS	Jeter,D.	0.60	0.57	(0.03)	0.64	0.03	WRONG
AL	OF	Gordon,A.	0.73	0.65	(0.08)	0.66	(0.08)	CORRECT
NL	SS	Castro,S.	0.64	0.66	0.02	0.60	(0.04)	WRONG
AL	OF	Choo,S.	0.57	0.69	0.11	0.66	0.09	CORRECT

Year 2012 - Projecting Top 120 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
NL	P	Dickey,R.	1.48	1.55	0.07	2.09	0.61	CORRECT
AL	P	Verlander,J.	2.48	2.02	(0.46)	2.11	(0.37)	CORRECT
AL	P	Price,D.	1.77	1.84	0.07	2.17	0.40	CORRECT
NL	P	Gonzalez,G.	1.69	1.79	0.10	2.31	0.62	CORRECT
NL	P	Kershaw,C.	2.42	2.17	(0.25)	2.21	(0.21)	CORRECT
NL	P	Cain,M.	2.11	2.07	(0.04)	2.11	0.00	WRONG
NL	P	Cueto,J.	2.15	1.88	(0.27)	1.84	(0.31)	CORRECT
NL	P	Hameis,C.	2.15	2.04	(0.11)	1.86	(0.29)	CORRECT
AL	P	Sale,C.	2.03	1.70	(0.34)	1.92	(0.12)	CORRECT
AL	P	Weaver,J.	2.20	2.07	(0.14)	2.23	0.03	WRONG
NL	P	Bumgarner,M.	1.62	1.73	0.12	1.82	0.20	CORRECT
AL	P	Sabathia,C.	1.74	1.87	0.13	1.79	0.04	CORRECT
NL	P	Strasburg,S.	2.85	1.95	(0.90)	1.95	(0.90)	CORRECT
AL	P	Hernandez,F.	1.65	1.82	0.17	1.88	0.23	CORRECT
AL	P	Shields,J.	2.02	1.81	(0.21)	1.70	(0.32)	CORRECT
AL	P	Kuroda,H.	1.43	1.53	0.10	1.66	0.23	CORRECT
AL	P	Greinke,Z.	1.72	1.88	0.16	1.78	0.06	CORRECT
NL	P	Lohse,K.	1.75	1.44	(0.31)	1.96	0.20	WRONG
AL	P	Peavy,J.	1.40	1.41	0.02	1.72	0.33	CORRECT
NL	P	Latos,M.	1.70	1.96	0.27	1.84	0.15	CORRECT
NL	P	Miley,W.	0.75	1.22	0.47	1.69	0.94	CORRECT
AL	P	Scherzer,M.	1.22	1.53	0.32	1.57	0.35	CORRECT
AL	P	Harrison,M.	1.64	1.54	(0.10)	1.56	(0.08)	CORRECT
NL	P	Burnett,A.	1.08	1.48	0.40	1.67	0.59	CORRECT
NL	P	Vogelsong,R.	1.74	1.53	(0.21)	1.73	(0.01)	CORRECT
AL	P	Perkins,G.	1.83	1.53	(0.30)	2.03	0.19	WRONG
NL	P	Gallardo,Y.	1.60	1.71	0.11	1.56	(0.04)	WRONG
NL	P	Zimmermann,J.	1.64	1.66	0.02	1.69	0.05	CORRECT
AL	P	Darvish,Y.	#N/A	1.83	#N/A	1.90	#N/A	#N/A
NL	P	Niese,J.	1.12	1.35	0.23	1.67	0.55	CORRECT
NL	P	Lynn,L.	#N/A	#N/A	#N/A	1.66	#N/A	#N/A
NL	P	Lee,C.	2.09	1.95	(0.13)	1.50	(0.58)	CORRECT
NL	P	Kennedy,I.	2.14	1.89	(0.25)	1.28	(0.86)	CORRECT
NL	P	Wainwright,A.	#N/A	1.78	#N/A	1.56	#N/A	#N/A
AL	P	Dempster,R.	1.09	1.25	0.16	1.71	0.63	CORRECT
AL	P	Morrow,B.	1.51	1.69	0.19	2.01	0.50	CORRECT
AL	P	Vargas,J.	1.28	1.50	0.21	1.50	0.22	CORRECT
NL	P	Bailey,H.	1.31	1.24	(0.07)	1.45	0.14	WRONG
NL	P	Capuano,C.	1.10	1.28	0.18	1.49	0.39	CORRECT
AL	P	Hughes,P.	0.96	1.56	0.60	1.20	0.23	CORRECT
AL	P	Parker,J.	2.56	1.45	(1.11)	1.78	(0.78)	CORRECT
NL	P	Hudson,T.	1.93	1.87	(0.06)	1.82	(0.11)	CORRECT
NL	P	Buehrle,M.	1.34	1.18	(0.16)	1.48	0.14	WRONG
NL	P	Jackson,E.	1.18	1.33	0.15	1.53	0.35	CORRECT
NL	P	Maholm,P.	1.38	1.38	0.01	1.58	0.20	CORRECT
AL	P	Hellicksion,J.	1.90	1.70	(0.20)	1.42	(0.48)	CORRECT
NL	P	Samardzija,J.	2.08	1.65	(0.43)	1.52	(0.56)	CORRECT
NL	P	Detwiler,R.	1.45	1.13	(0.32)	1.68	0.23	WRONG
AL	P	Fister,D.	1.92	1.74	(0.18)	1.58	(0.34)	CORRECT
AL	P	Wilson,C.	1.95	1.91	(0.04)	1.58	(0.37)	CORRECT
NL	P	Arroyo,B.	0.68	1.07	0.38	1.38	0.70	CORRECT
NL	P	Cahill,T.	1.23	1.58	0.36	1.60	0.38	CORRECT
AL	P	Sanchez,A.	1.47	1.67	0.19	1.33	(0.14)	WRONG
AL	P	Milone,T.	1.54	1.28	(0.26)	1.27	(0.27)	CORRECT
NL	P	Minor,M.	1.14	1.53	0.39	1.66	0.52	CORRECT
NL	P	Richard,C.	1.15	1.41	0.26	1.29	0.14	CORRECT
NL	P	Rodriguez,W.	1.36	1.55	0.19	1.41	0.05	CORRECT

AL	OF	Hunter,T.	0.57	0.61	0.04	0.67	0.10	CORRECT	AL	P	Chen,W.	#N/A	#N/A	#N/A	1.35	#N/A	#N/A
AL	SS	Hardy,J.	0.58	0.51	(0.08)	0.43	(0.16)	CORRECT	AL	P	Moore,M.	1.77	1.78	0.02	1.51	(0.26)	WRONG
AL	2B	Kipnis,J.	0.69	0.58	(0.11)	0.59	(0.10)	CORRECT	AL	P	Colon,B.	1.22	1.13	(0.09)	1.39	0.17	WRONG
NL	1B	Jones,G.	0.55	0.60	0.05	0.63	0.08	CORRECT	NL	P	Billingsley,C.	1.33	1.58	0.25	1.53	0.20	CORRECT
NL	OF	Pagan,A.	0.59	0.63	0.04	0.67	0.07	CORRECT	NL	P	Johnson,J.	2.55	1.86	(0.69)	1.49	(1.06)	CORRECT
NL	OF	Bourn,M.	0.70	0.69	(0.01)	0.65	(0.05)	CORRECT	NL	P	Zito,B.	1.06	1.29	0.23	1.39	0.32	CORRECT
AL	1B	Konerko,P.	0.73	0.67	(0.05)	0.68	(0.05)	CORRECT	NL	P	McDonald,J.	1.05	1.18	0.13	1.65	0.60	CORRECT
NL	OF	Ethier,A.	0.60	0.65	0.05	0.61	0.01	CORRECT	AL	P	Hammel,J.	1.06	1.26	0.20	1.76	0.71	CORRECT
AL	C	Wieters,M.	0.57	0.63	0.06	0.55	(0.01)	WRONG	NL	P	Blanton,J.	0.70	1.09	0.39	1.11	0.41	CORRECT
NL	OF	Kubel,J.	0.57	0.58	0.01	0.61	0.05	CORRECT	AL	P	Holland,D.	1.46	1.57	0.11	1.42	(0.03)	WRONG
AL	OF	Ross,C.	0.52	0.60	0.07	0.59	0.07	CORRECT	AL	P	Diamond,S.	0.19	0.91	0.72	1.42	1.23	CORRECT
AL	OF	Rasmus,C.	0.47	0.61	0.14	0.44	(0.02)	WRONG	NL	P	Kendrick,K.	1.53	1.31	(0.22)	1.38	(0.15)	CORRECT
NL	1B	Davis,I.	0.75	0.66	(0.09)	0.53	(0.22)	CORRECT	AL	P	Cobb,A.	1.71	1.59	(0.11)	1.62	(0.08)	CORRECT
AL	1B	Teixeira,M.	0.62	0.67	0.05	0.59	(0.02)	WRONG	NL	P	Volquez,E.	0.88	1.79	0.91	1.51	0.62	CORRECT
NL	2B	Scutaro,M.	0.62	0.58	(0.04)	0.60	(0.02)	CORRECT	NL	P	Harang,A.	1.37	1.36	(0.01)	1.47	0.10	WRONG
NL	1B	Gonzalez,A.	0.81	0.76	(0.05)	0.63	(0.18)	CORRECT	NL	P	Westbrook,J.	1.05	1.22	0.17	1.31	0.26	CORRECT
NL	SS	Reyes,J.	0.85	0.78	(0.07)	0.69	(0.16)	CORRECT	AL	P	Floyd,G.	1.60	1.60	(0.00)	1.28	(0.32)	CORRECT
AL	C	Mauer,J.	#N/A	0.71	#N/A	0.73	#N/A	#N/A	NL	P	Halladay,R.	2.16	2.07	(0.10)	1.50	(0.66)	CORRECT
AL	2B	Pedroia,D.	0.76	0.71	(0.05)	0.66	(0.10)	CORRECT	NL	P	Wood,T.	1.08	1.39	0.31	1.40	0.32	CORRECT
NL	OF	Cabrera,M.	0.67	0.58	(0.09)	0.81	0.14	WRONG	NL	P	Nolasco,R.	1.00	1.30	0.29	1.17	0.16	CORRECT
AL	3B	Seager,K.	0.49	0.51	0.01	0.55	0.06	CORRECT	AL	P	Lester,J.	1.72	1.87	0.15	1.10	(0.62)	WRONG
NL	2B	Weeks,R.	0.64	0.66	0.02	0.53	(0.11)	WRONG	AL	P	Buchholz,C.	1.57	1.69	0.11	1.34	(0.23)	WRONG
AL	C	Pierzynski,A.	0.53	0.51	(0.02)	0.61	0.08	WRONG	NL	P	Lincecum,T.	1.85	2.01	0.16	1.10	(0.75)	WRONG
NL	OF	Prado,M.	0.47	0.59	0.12	0.67	0.21	CORRECT	AL	P	Santana,E.	1.57	1.65	0.08	1.13	(0.44)	WRONG
NL	2B	Espinosa,D.	0.53	0.59	0.06	0.53	(0.00)	WRONG	NL	P	Correia,K.	0.96	0.84	(0.12)	1.32	0.37	WRONG
NL	3B	Alvarez,P.	0.30	0.56	0.26	0.56	0.26	CORRECT	NL	P	Fiers,M.	0.50	#N/A	#N/A	1.46	0.96	#N/A
NL	OF	Ludwick,R.	0.45	0.54	0.09	0.66	0.21	CORRECT	NL	P	Hernandez,D.	2.21	2.10	(0.12)	2.20	(0.01)	CORRECT
NL	C	Rosario,W.	0.41	0.58	0.17	0.63	0.22	CORRECT	AL	P	Masterson,J.	1.63	1.60	(0.03)	1.19	(0.45)	CORRECT
AL	SS	Andrus,E.	0.61	0.66	0.05	0.58	(0.03)	WRONG	AL	P	Haren,D.	1.97	1.89	(0.08)	1.10	(0.87)	CORRECT
AL	OF	Suzuki,I.	0.54	0.64	0.10	0.57	0.03	CORRECT	NL	P	Hanson,T.	1.81	1.94	0.13	1.06	(0.75)	WRONG
AL	DH	Morales,K.	#N/A	0.63	#N/A	0.57	#N/A	#N/A	AL	P	Happ,J.	0.88	1.37	0.48	1.17	0.29	CORRECT
AL	3B	Viciedo,D.	0.44	0.55	0.11	0.51	0.07	CORRECT	AL	P	Iwakuma,H.	#N/A	#N/A	#N/A	1.51	#N/A	#N/A
NL	2B	Uggla,D.	0.52	0.64	0.12	0.52	0.00	CORRECT	AL	P	Tillman,C.	0.65	0.81	0.16	2.09	1.44	CORRECT
NL	2B	Altuve,J.	0.48	0.53	0.05	0.63	0.15	CORRECT	NL	P	Beachy,B.	1.72	1.69	(0.03)	2.41	0.69	WRONG
NL	OF	Aoki,N.	#N/A	#N/A	#N/A	0.68	#N/A	#N/A	AL	P	Chen,B.	1.45	1.22	(0.24)	0.89	(0.57)	CORRECT
NL	3B	Freese,D.	0.60	0.58	(0.02)	0.66	0.06	WRONG	AL	P	Saunders,J.	1.27	1.15	(0.13)	1.06	(0.22)	CORRECT
AL	OF	Jennings,D.	0.71	0.70	(0.00)	0.58	(0.12)	CORRECT	AL	P	Nova,I.	1.67	1.39	(0.28)	0.90	(0.77)	CORRECT
NL	OF	Gomez,C.	0.54	0.64	0.10	0.69	0.14	CORRECT	AL	P	Lewis,C.	1.42	1.41	(0.01)	1.55	0.13	WRONG
AL	3B	Reynolds,M.	0.57	0.59	0.02	0.52	(0.05)	WRONG	NL	P	Stammen,C.	3.39	#N/A	#N/A	2.04	(1.34)	#N/A
AL	2B	Kendrick,H.	0.63	0.60	(0.03)	0.56	(0.06)	CORRECT	AL	P	Herrera,K.	-1.00	#N/A	#N/A	1.80	2.80	#N/A
AL	SS	Ramirez,A.	0.53	0.60	0.07	0.48	(0.05)	WRONG	AL	P	Pettitte,A.	#N/A	1.59	#N/A	1.79	#N/A	#N/A
AL	SS	Cabrera,A.	0.62	0.61	(0.01)	0.57	(0.05)	CORRECT	NL	P	Norris,B.	1.26	1.46	0.19	1.14	(0.12)	WRONG
AL	OF	De Aza,A.	0.87	0.50	(0.37)	0.63	(0.24)	CORRECT	AL	P	Beavan,B.	1.18	0.97	(0.21)	1.15	(0.03)	CORRECT
AL	3B	Moustakas,M.	0.47	0.57	0.10	0.48	0.01	CORRECT	NL	P	Marcum,S.	1.80	1.76	(0.03)	1.52	(0.28)	CORRECT
AL	3B	Rodriguez,A.	0.64	0.71	0.07	0.62	(0.02)	WRONG	AL	P	McCarthy,B.	1.71	1.63	(0.09)	1.48	(0.24)	CORRECT
AL	OF	Saunders,M.	0.18	0.36	0.18	0.58	0.40	CORRECT	AL	P	Phelps,D.	#N/A	#N/A	#N/A	1.67	#N/A	#N/A
AL	DH	Ortiz,D.	0.78	0.69	(0.09)	0.86	0.07	WRONG	NL	P	Stults,E.	#N/A	#N/A	#N/A	1.84	#N/A	#N/A
AL	3B	Bautista,J.	0.89	0.78	(0.12)	0.68	(0.21)	CORRECT	AL	P	Davis,W.	1.22	1.17	(0.05)	2.28	1.06	WRONG
AL	SS	Escobar,A.	0.48	0.55	0.07	0.62	0.14	CORRECT	AL	P	Collins,T.	1.62	1.49	(0.13)	1.73	0.11	WRONG
AL	OF	Brantley,M.	0.54	0.58	0.04	0.59	0.05	CORRECT	AL	P	Ross,R.	#N/A	#N/A	#N/A	2.15	#N/A	#N/A
NL	OF	Victorino,S.	0.70	0.69	(0.01)	0.60	(0.11)	CORRECT	AL	P	Hochevar,L.	1.41	1.43	0.02	0.88	(0.53)	WRONG
AL	2B	Infante,O.	0.50	0.57	0.06	0.56	0.06	CORRECT	AL	P	Porcello,R.	1.15	1.34	0.19	0.74	(0.41)	WRONG
NL	C	Montero,M.	0.62	0.60	(0.02)	0.64	0.02	WRONG	AL	P	Liriano,F.	1.28	1.79	0.51	1.18	(0.10)	WRONG
AL	OF	Murphy,D.	0.55	0.59	0.04	0.71	0.15	CORRECT	NL	P	Gee,D.	1.52	1.24	(0.28)	1.42	(0.10)	CORRECT
AL	2B	Ackley,D.	0.61	0.65	0.04	0.42	(0.19)	WRONG	NL	P	Garza,M.	1.62	1.69	0.07	1.53	(0.09)	WRONG
AL	3B	Lawrie,B.	0.83	0.69	(0.13)	0.55	(0.28)	CORRECT	AL	P	Lincoln,B.	1.02	1.20	0.19	1.58	0.56	CORRECT
AL	1B	Hosmer,E.	0.64	0.58	(0.05)	0.48	(0.16)	CORRECT	AL	P	Delabar,S.	1.71	1.39	(0.32)	1.86	0.15	WRONG
AL	OF	Crisp,C.	0.63	0.58	(0.05)	0.67	0.04	WRONG	AL	P	Romero,R.	1.88	1.74	(0.14)	0.75	(1.13)	CORRECT
NL	OF	Stubbs,D.	0.56	0.61	0.04	0.46	(0.11)	WRONG	NL	P	Leake,M.	1.54	1.48	(0.06)	1.03	(0.52)	CORRECT
NL	3B	Johnson,C.	0.42	0.53	0.11	0.58	0.16	CORRECT	AL	P	Jimenez,U.	1.28	1.75	0.46	0.71	(0.57)	WRONG
NL	OF	Fowler,D.	0.62	0.65	0.03	0.73	0.11	CORRECT	NL	P	Beckett,J.	2.11	1.88	(0.22)	1.15	(0.96)	CORRECT
AL	1B	Morneau,J.	#N/A	0.63	#N/A	0.57	#N/A	#N/A	AL	P	Millwood,K.	1.24	0.90	(0.34)	1.19	(0.05)	CORRECT
AL	C	Santana,C.	0.60	0.67	0.06	0.59	(0.01)	WRONG	AL	P	McAllister,Z.	0.08	#N/A	#N/A	1.04	0.96	#N/A
NL	OF	Colvin,T.	0.20	0.57	0.38	0.68	0.48	CORRECT	NL	P	Garcia,J.	1.45	1.59	0.14	1.29	(0.16)	WRONG
AL	OF	Davis,R.	0.55	0.66	0.11	0.63	0.08	CORRECT	AL	P	Blackley,T.	#N/A	#N/A	#N/A	1.73	#N/A	#N/A
NL	SS	Frazier,T.	0.48	0.57	0.09	0.63	0.14	CORRECT	NL	P	Kelly,J.	#N/A	#N/A	#N/A	1.23	#N/A	#N/A
AL	SS	Plouffe,T.	0.47	0.51	0.04	0.51	0.04	CORRECT	AL	P	Smyly,D.	#N/A	#N/A	#N/A	1.48	#N/A	#N/A
AL	C	Saltalamacchia,	0.49	0.49	(0.01)	0.48	(0.01)	CORRECT	NL	P	Karstens,J.	1.38	1.07	(0.31)	1.65	0.27	WRONG
AL	DH	Young,M.	0.72	0.68	(0.05)	0.48	(0.25)	CORRECT	NL	P	Collmenter,J.	1.77	1.33	(0.44)	1.34	(0.42)	CORRECT
NL	2B	Murphy,D.	0.65	0.60	(0.06)	0.57	(0.08)	CORRECT	NL	P	Hughes,J.	1.54	1.78	0.23	1.78	0.24	CORRECT
AL	OF	Young,D.	0.49	0.59	0.10	0.48	(0.01)	WRONG	AL	P	Guthrie,J.	1.14	1.46	0.32	0.81	(0.33)	WRONG
AL	OF	Revere,B.	0.52	0.56	0.04	0.62	0.10	CORRECT	AL	P	Williams,J.	1.47	1.07	(0.39)	1.31	(0.16)	CORRECT
AL	SS	Aybar,E.	0.62	0.56	(0.06)	0.59	(0.03)	CORRECT	AL	P	Quintana,J.	#N/A	#N/A	#N/A	1.28	#N/A	#N/A
AL	DH	Doumit,R.	0.63	0.55	(0.08)	0.57	(0.06)	CORRECT	NL	P	Worley,V.	1.92	1.53	(0.39)	0.89	(1.03)	CORRECT
NL	2B	Walker,N.	0.56	0.60	0.04	0.59	0.03	CORRECT	NL	P	Santana,C.	#N/A	1.53	#N/A	1.15	#N/A	#N/A
AL	3B	Aviles,M.	0.55	0.52	(0.03)	0.46	(0.08)	CORRECT	AL	P	DeVries,J.	#N/A	#N/A	#N/A	1.21	#N/A	#N/A
AL	2B	Johnson,K.	0.51	0.62	0.11	0.49	(0.02)	WRONG	NL	P	Gorzelanny,T.	1.27	1.18	(0.09)	1.62	0.35	WRONG
NL	C	McCann,B.	0.62	0.64	0.02	0.48	(0.15)	WRONG	NL	P	Brach,B.	-0.56	#N/A	#N/A	1.54	2.11	#N/A

NL	OF	Hairston,S.	0.53	0.57	0.04	0.61	0.08	CORRECT
AL	OF	Span,D.	0.52	0.56	0.04	0.60	0.08	CORRECT
NL	OF	Lee,C.	0.60	0.58	(0.02)	0.50	(0.09)	CORRECT
NL	OF	Jay,J.	0.58	0.54	(0.04)	0.64	0.06	WRONG
NL	C	Ruiz,C.	0.56	0.58	0.01	0.77	0.21	CORRECT
AL	1B	Pena,C.	0.60	0.63	0.03	0.44	(0.16)	WRONG
AL	DH	Ibanez,R.	0.48	0.51	0.03	0.54	0.06	CORRECT
AL	C	Martin,R.	0.53	0.50	(0.03)	0.47	(0.06)	CORRECT
AL	C	Napoli,M.	0.88	0.73	(0.16)	0.58	(0.31)	CORRECT
NL	OF	DeJesus,D.	0.47	0.60	0.13	0.55	0.08	CORRECT
NL	SS	Furcal,R.	0.44	0.60	0.16	0.50	0.06	CORRECT
NL	OF	Maybin,C.	0.64	0.63	(0.01)	0.51	(0.13)	CORRECT
NL	OF	Pierre,J.	0.51	0.49	(0.02)	0.70	0.19	WRONG
NL	1B	Belt,B.	0.49	0.58	0.09	0.64	0.15	CORRECT
NL	OF	Venable,W.	0.59	0.62	0.03	0.64	0.05	CORRECT
AL	3B	Roberts,R.	0.60	0.59	(0.02)	0.46	(0.14)	CORRECT
AL	3B	Youkilis,K.	0.63	0.70	0.07	0.49	(0.14)	WRONG
NL	SS	Cabrera,E.	0.50	#N/A	#N/A	0.62	0.12	#N/A
NL	OF	Cuddyer,M.	0.64	0.67	0.02	0.62	(0.02)	WRONG
NL	OF	Ruggiano,J.	0.44	0.42	(0.03)	0.80	0.35	WRONG
NL	1B	Alonso,Y.	0.79	0.60	(0.19)	0.56	(0.23)	CORRECT
NL	C	Pacheco,J.	0.48	0.45	(0.03)	0.61	0.13	WRONG
NL	2B	Barney,D.	0.48	0.46	(0.03)	0.44	(0.04)	CORRECT
NL	SS	Cozart,Z.	0.64	0.57	(0.06)	0.46	(0.17)	CORRECT
NL	1B	Votto,J.	0.79	0.84	0.04	0.91	0.11	CORRECT
AL	2B	Beckham,G.	0.39	0.49	0.10	0.43	0.04	CORRECT
NL	OF	Morse,M.	0.71	0.65	(0.06)	0.59	(0.12)	CORRECT
AL	DH	Boesch,B.	0.61	0.58	(0.03)	0.43	(0.18)	CORRECT
NL	OF	Parra,G.	0.66	0.64	(0.02)	0.57	(0.09)	CORRECT
AL	OF	Joyce,M.	0.67	0.64	(0.03)	0.55	(0.13)	CORRECT
AL	SS	Pennington,C.	0.51	0.50	(0.01)	0.39	(0.12)	CORRECT
AL	C	Montero,J.	0.82	0.62	(0.21)	0.47	(0.36)	CORRECT
AL	OF	Francoeur,J.	0.65	0.58	(0.07)	0.42	(0.23)	CORRECT
AL	SS	Carroll,J.	0.56	0.53	(0.03)	0.49	(0.07)	CORRECT
NL	3B	Jones,C.	0.62	0.59	(0.03)	0.66	0.04	WRONG
AL	1B	Smoak,J.	0.49	0.59	0.10	0.41	(0.08)	WRONG
NL	OF	Denorfia,C.	0.57	0.55	(0.03)	0.66	0.09	WRONG
AL	2B	Weeks,J.	0.64	0.64	0.00	0.43	(0.21)	WRONG
NL	1B	Rizzo,A.	0.25	0.59	0.33	0.62	0.36	CORRECT
NL	OF	Blanco,G.	#N/A	0.59	#N/A	0.57	#N/A	#N/A
NL	OF	Maxwell,J.	#N/A	0.42	#N/A	0.55	#N/A	#N/A
AL	SS	Escobar,Y.	0.60	0.57	(0.03)	0.43	(0.17)	CORRECT
AL	3B	Callaspo,A.	0.59	0.56	(0.03)	0.50	(0.10)	CORRECT
NL	3B	Sandoval,P.	0.74	0.69	(0.05)	0.59	(0.14)	CORRECT
AL	1B	Kotchman,C.	0.62	0.55	(0.07)	0.37	(0.25)	CORRECT
NL	C	Lucroy,J.	0.50	0.45	(0.05)	0.73	0.23	WRONG
NL	SS	Theriot,R.	0.46	0.49	0.04	0.49	0.03	CORRECT
AL	DH	Smith,S.	0.67	0.62	(0.05)	0.53	(0.14)	CORRECT
NL	2B	Utley,C.	0.60	0.70	0.10	0.63	0.03	CORRECT
AL	OF	Dyson,J.	0.74	0.66	(0.07)	0.62	(0.11)	CORRECT
NL	OF	Young,C.	0.58	0.61	0.03	0.54	(0.04)	WRONG
NL	SS	Tejada,R.	0.53	0.52	(0.01)	0.50	(0.04)	CORRECT
AL	SS	Peralta,J.	0.64	0.56	(0.08)	0.46	(0.18)	CORRECT
AL	OF	Markakis,N.	0.59	0.64	0.04	0.65	0.06	CORRECT
NL	C	Ellis,A.	0.56	0.53	(0.03)	0.59	0.03	WRONG
NL	OF	Mayberry,J.	0.69	0.64	(0.04)	0.47	(0.22)	CORRECT
NL	OF	Duda,L.	0.66	0.68	0.01	0.50	(0.16)	WRONG
NL	OF	Heisey,C.	0.60	0.56	(0.04)	0.51	(0.09)	CORRECT
NL	OF	Werth,J.	0.54	0.67	0.12	0.70	0.16	CORRECT
AL	1B	Moreland,M.	0.52	0.55	0.03	0.58	0.05	CORRECT
AL	OF	Ellsbury,J.	0.84	0.77	(0.08)	0.55	(0.29)	CORRECT
AL	3B	Longoria,E.	0.63	0.75	0.12	0.71	0.07	CORRECT
AL	3B	Middlebrooks,W	#N/A	#N/A	#N/A	0.65	#N/A	#N/A
AL	OF	Moss,B.	-0.50	#N/A	#N/A	0.75	1.25	#N/A
AL	SS	Ciriaco,P.	0.65	0.57	(0.08)	0.62	(0.03)	CORRECT
AL	OF	Berry,Q.	#N/A	#N/A	#N/A	0.59	#N/A	#N/A
AL	OF	Gomes,J.	0.50	0.67	0.17	0.66	0.17	CORRECT
NL	OF	Bogusevic,B.	0.65	0.63	(0.02)	0.40	(0.24)	CORRECT
AL	2B	Johnson,E.	0.36	0.51	0.15	0.52	0.16	CORRECT
NL	2B	Greene,T.	0.54	0.59	0.05	0.487654	(0.06)	WRONG
NL	SS	Gordon,D.	0.67	0.63	(0.04)	0.481424	(0.19)	CORRECT
NL	OF	Bonifacio,E.	0.69	0.62	(0.07)	0.656716	(0.03)	CORRECT
AL	OF	Wise,D.	0.34	0.42	0.08	0.640426	0.30	CORRECT
NL	2B	Ellis,M.	0.42	0.48	0.05	0.5	0.08	CORRECT
NL	SS	Nelson,C.	0.45	0.51	0.05	0.637097	0.19	CORRECT
NL	OF	Martinez,J.	0.53	0.44	(0.09)	0.456322	(0.07)	CORRECT
AL	C	Avila,A.	0.73	0.67	(0.06)	0.528037	(0.20)	CORRECT

Total Accuracy 74%

AL	P	Crow,A.	1.40	1.23	(0.17)	1.98	0.58	WRONG
AL	P	Alvarez,H.	1.39	1.18	(0.21)	0.80	(0.59)	CORRECT
NL	P	Zambrano,C.	1.12	1.83	0.71	1.36	0.23	CORRECT
NL	P	Bedard,E.	1.43	1.58	0.15	0.99	(0.44)	WRONG

Total Accuracy 70%