



# Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season. We could tell you that we exactly predicted Joey Votto's HRs in 2013, but in essence projecting any exact statistic is pure luck. On the other hand, predicting that Votto's production would decrease in 2013 verses his prior season....was not.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2013

Fantastics Correctly Predicted the Fantasy Direction on 8 out of 10 Pitchers in 2013

## Year 2013 - Projecting Top 200 Hitters - Directional (based on FPI)

## Year 2013 - Projecting Top 120 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	3B	Cabrera,M.	0.84	0.81	(0.04)	0.94	0.09	WRONG
NL	1B	Goldschmidt,P.	0.72	0.69	(0.03)	0.81	0.09	WRONG
AL	OF	Trout,M.	0.95	0.82	(0.13)	0.91	(0.04)	CORRECT
AL	1B	Davis,C.	0.61	0.51	(0.10)	0.81	0.20	WRONG
AL	OF	Jones,A.	0.66	0.64	(0.02)	0.63	(0.03)	CORRECT
NL	OF	Pence,H.	0.53	0.60	0.07	0.68	0.15	CORRECT
AL	OF	Soriano,A.	0.61	0.57	(0.04)	0.60	(0.01)	CORRECT
AL	1B	Encarnacion,E.	0.77	0.69	(0.08)	0.72	(0.05)	CORRECT
NL	OF	Bruce,J.	0.64	0.68	0.04	0.61	(0.03)	WRONG
NL	OF	Holliday,M.	0.70	0.69	(0.01)	0.70	0.01	WRONG
AL	2B	Cano,R.	0.75	0.77	0.02	0.74	(0.01)	WRONG
NL	1B	Votto,J.	0.91	0.83	(0.07)	0.79	(0.12)	CORRECT
NL	1B	Freeman,F.	0.59	0.62	0.03	0.73	0.14	CORRECT
AL	3B	Donaldson,J.	0.46	0.51	0.05	0.71	0.26	CORRECT
AL	1B	Ortiz,D.	0.86	0.71	(0.15)	0.80	(0.06)	CORRECT
NL	OF	Werth,J.	0.70	0.67	(0.03)	0.81	0.11	WRONG
AL	3B	Beltre,A.	0.76	0.71	(0.04)	0.71	(0.05)	CORRECT
NL	OF	McCutchen,A.	0.83	0.77	(0.06)	0.81	(0.02)	CORRECT
NL	OF	Upton,J.	0.64	0.73	0.09	0.63	(0.00)	WRONG
AL	OF	Trumbo,M.	0.59	0.54	(0.05)	0.51	(0.08)	CORRECT
AL	3B	Longoria,E.	0.71	0.68	(0.03)	0.64	(0.07)	CORRECT
NL	OF	Gomez,C.	0.69	0.64	(0.05)	0.76	0.07	WRONG
AL	2B	Kipnis,J.	0.59	0.67	0.07	0.71	0.12	CORRECT
NL	3B	Zimmerman,R.	0.64	0.69	0.05	0.62	(0.02)	WRONG
AL	1B	Felder,P.	0.76	0.77	0.01	0.61	(0.15)	WRONG
AL	OF	Rios,A.	0.72	0.65	(0.07)	0.66	(0.06)	CORRECT
AL	OF	Gordon,A.	0.66	0.65	(0.00)	0.55	(0.10)	CORRECT
NL	OF	Beltran,C.	0.66	0.59	(0.08)	0.65	(0.02)	CORRECT
NL	OF	Choo,S.	0.66	0.68	0.02	0.73	0.07	CORRECT
AL	3B	Seager,K.	0.55	0.54	(0.01)	0.57	0.02	WRONG
NL	OF	Brown,D.	0.48	0.67	0.19	0.63	0.15	CORRECT
NL	2B	Murphy,D.	0.57	0.59	0.01	0.60	0.02	CORRECT
NL	SS	Desmond,I.	0.71	0.63	(0.07)	0.63	(0.08)	CORRECT
NL	OF	Byrd,M.	0.19	0.37	0.18	0.65	0.46	CORRECT
NL	OF	Gonzalez,C.	0.76	0.77	0.01	0.86	0.10	CORRECT
AL	OF	Bautista,J.	0.68	0.70	0.02	0.66	(0.02)	WRONG
NL	2B	Carpenter,M.	0.66	0.65	(0.01)	0.72	0.06	WRONG
AL	2B	Pedroia,D.	0.66	0.73	0.07	0.65	(0.01)	WRONG
AL	1B	Hosmer,E.	0.48	0.67	0.19	0.65	0.16	CORRECT
NL	OF	Cuddyer,M.	0.62	0.66	0.04	0.80	0.18	CORRECT
AL	C	Napoli,M.	0.58	0.59	0.02	0.64	0.06	CORRECT
AL	OF	Cespedes,Y.	0.72	0.70	(0.02)	0.50	(0.22)	CORRECT
AL	1B	Moss,B.	0.75	0.58	(0.17)	0.64	(0.11)	CORRECT
AL	OF	Ellsbury,J.	0.55	0.71	0.15	0.76	0.20	CORRECT
NL	1B	Gonzalez,A.	0.63	0.71	0.08	0.62	(0.01)	WRONG
NL	1B	Rizzo,A.	0.62	0.60	(0.02)	0.51	(0.10)	CORRECT
NL	3B	Alvarez,P.	0.56	0.59	0.03	0.52	(0.04)	WRONG
NL	OF	Venable,W.	0.64	0.56	(0.07)	0.66	0.02	WRONG
AL	OF	Hunter,T.	0.67	0.63	(0.04)	0.61	(0.06)	CORRECT
AL	1B	Morales,K.	0.57	0.60	0.03	0.58	0.01	CORRECT
AL	OF	De Aza,A.	0.63	0.61	(0.03)	0.56	(0.07)	CORRECT
AL	SS	Hardy,J.	0.43	0.51	0.08	0.53	0.10	CORRECT
NL	2B	Phillips,B.	0.58	0.60	0.02	0.49	(0.09)	WRONG
NL	SS	Tulowitzki,T.	0.66	0.77	0.11	0.76	0.10	CORRECT
AL	OF	Crisp,C.	0.67	0.70	0.03	0.63	(0.04)	WRONG
AL	3B	Machado,M.	0.51	0.55	0.04	0.55	0.04	CORRECT
AL	SS	Andrus,E.	0.58	0.62	0.03	0.57	(0.02)	WRONG

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
NL	P	Kershaw,C.	2.21	2.18	(0.03)	2.49	0.28	WRONG
AL	P	Scherzer,M.	1.57	1.67	0.10	2.47	0.89	CORRECT
NL	P	Wainwright,A.	1.56	1.91	0.35	1.98	0.42	CORRECT
NL	P	Lee,C.	1.50	1.76	0.26	1.97	0.47	CORRECT
AL	P	Iwakuma,H.	1.51	1.44	(0.07)	2.05	0.54	WRONG
AL	P	Darvish,Y.	1.90	1.86	(0.04)	2.10	0.20	WRONG
NL	P	Zimmermann,J.	1.69	1.68	(0.00)	1.94	0.25	WRONG
AL	P	Sanchez,A.	1.33	1.54	0.21	2.01	0.68	CORRECT
NL	P	Harvey,M.	1.94	1.82	(0.11)	2.38	0.45	WRONG
NL	P	Fernandez,J.	#N/A	#N/A	#N/A	2.49	#N/A	#N/A
NL	P	Bumgarner,M.	1.82	1.77	(0.06)	2.18	0.36	WRONG
NL	P	Greinke,Z.	1.78	1.77	(0.01)	2.07	0.29	WRONG
AL	P	Sale,C.	1.92	1.78	(0.14)	1.79	(0.13)	CORRECT
NL	P	Latos,M.	1.84	1.78	(0.07)	1.78	(0.07)	CORRECT
AL	P	Hernandez,F.	1.88	1.75	(0.13)	1.83	(0.04)	CORRECT
NL	P	Miller,S.	2.78	1.75	(1.03)	1.72	(1.06)	CORRECT
AL	P	Wilson,C.	1.58	1.77	0.20	1.67	0.10	CORRECT
NL	P	Corbin,P.	1.11	1.13	0.02	1.79	0.68	CORRECT
NL	P	Minor,M.	1.66	1.75	0.08	1.85	0.18	CORRECT
NL	P	Medlen,K.	2.53	1.77	(0.76)	1.57	(0.96)	CORRECT
AL	P	Masterson,J.	1.19	1.51	0.33	1.95	0.76	CORRECT
NL	P	Ryu,H.	#N/A	#N/A	#N/A	1.73	#N/A	#N/A
AL	P	Colon,B.	1.39	1.27	(0.12)	1.78	0.39	WRONG
NL	P	Teheran,J.	2.37	1.56	(0.81)	1.67	(0.70)	CORRECT
NL	P	Strasburg,S.	1.95	2.06	0.11	2.06	0.11	CORRECT
NL	P	Liriano,F.	1.18	1.46	0.28	2.01	0.83	CORRECT
AL	P	Shields,J.	1.70	1.69	(0.00)	1.64	(0.06)	CORRECT
NL	P	Bailey,H.	1.45	1.50	0.05	1.77	0.32	CORRECT
AL	P	Griffin,A.	1.89	1.46	(0.44)	1.61	(0.28)	CORRECT
AL	P	Tillman,C.	2.09	1.27	(0.82)	1.62	(0.48)	CORRECT
NL	P	Burnett,A.	1.67	1.56	(0.12)	1.80	0.13	WRONG
AL	P	Moore,M.	1.51	1.68	0.17	2.14	0.62	CORRECT
AL	P	Buchholz,C.	1.34	1.57	0.23	2.63	1.29	CORRECT
NL	P	Gonzalez,G.	2.31	1.90	(0.41)	1.75	(0.56)	CORRECT
AL	P	Verlander,J.	2.11	2.06	(0.05)	1.48	(0.63)	CORRECT
AL	P	Lester,J.	1.10	1.58	0.48	1.58	0.48	CORRECT
AL	P	Holland,D.	1.42	1.34	(0.09)	1.48	0.06	WRONG
AL	P	Santana,E.	1.13	1.49	0.36	1.62	0.49	CORRECT
NL	P	Arroyo,B.	1.38	1.23	(0.15)	1.44	0.05	WRONG
NL	P	Lynn,L.	1.66	1.48	(0.19)	1.67	0.01	WRONG
NL	P	Wood,T.	1.40	1.30	(0.10)	1.83	0.43	WRONG
AL	P	Kuroda,H.	1.66	1.57	(0.09)	1.65	(0.01)	CORRECT
NL	P	Nolasco,R.	1.17	1.37	0.20	1.64	0.47	CORRECT
NL	P	Leake,M.	1.03	1.31	0.29	1.52	0.50	CORRECT
AL	P	Price,D.	2.17	2.06	(0.11)	1.75	(0.42)	CORRECT
AL	P	Jimenez,U.	0.71	1.48	0.77	1.61	0.89	CORRECT
NL	P	Cashner,A.	1.44	1.62	0.18	1.89	0.45	CORRECT
AL	P	Cobb,A.	1.62	1.61	(0.02)	1.99	0.36	WRONG
NL	P	Hamels,C.	1.86	1.95	0.09	1.58	(0.28)	WRONG
AL	P	Quintana,J.	1.28	1.19	(0.09)	1.56	0.27	WRONG
NL	P	Chacin,J.	0.62	1.13	0.51	1.69	1.07	CORRECT
NL	P	Lohse,K.	1.96	1.60	(0.36)	1.54	(0.42)	CORRECT
AL	P	Weaver,J.	2.23	2.06	(0.17)	1.74	(0.50)	CORRECT
AL	P	Hochevar,L.	0.88	1.15	0.27	2.59	1.71	CORRECT
AL	P	Dickey,R.	2.09	1.69	(0.40)	1.42	(0.67)	CORRECT
AL	P	Lackey,J.	#N/A	1.22	#N/A	1.35	#N/A	#N/A
NL	P	Cingrani,T.	1.19	1.39	0.20	2.05	0.87	CORRECT

AL	2B	Kinsler,I.	0.57	0.67	0.10	0.58	0.01	CORRECT	AL	P	Fister,D.	1.58	1.61	0.03	1.40	(0.18)	WRONG
AL	OF	Victorino,S.	0.60	0.68	0.09	0.65	0.05	CORRECT	NL	P	Miley,W.	1.69	1.28	(0.42)	1.40	(0.29)	CORRECT
AL	1B	Dunn,A.	0.56	0.58	0.01	0.62	(0.04)	WRONG	AL	P	Feldman,S.	0.97	1.30	0.33	1.69	0.72	CORRECT
AL	1B	Carter,C.	0.64	0.63	(0.01)	0.54	(0.11)	CORRECT	AL	P	Gonzalez,M.	1.76	1.38	(0.38)	1.53	(0.22)	CORRECT
AL	OF	Cruz,N.	0.58	0.62	0.05	0.63	0.06	CORRECT	NL	P	de la Rosa,J.	-1.64	1.63	3.27	1.58	3.22	CORRECT
NL	SS	Segura,J.	0.51	0.65	0.13	0.67	0.16	CORRECT	AL	P	Peavy,J.	1.72	1.53	(0.20)	1.74	0.01	WRONG
NL	OF	Marte,S.	0.61	0.56	(0.05)	0.68	0.07	WRONG	AL	P	Archer,C.	1.67	1.54	(0.13)	1.82	0.15	WRONG
AL	2B	Zobrist,B.	0.68	0.67	(0.02)	0.59	(0.09)	CORRECT	NL	P	Gee,D.	1.42	1.37	(0.05)	1.30	(0.11)	CORRECT
AL	OF	Brantley,M.	0.59	0.58	(0.01)	0.59	(0.00)	CORRECT	AL	P	Parker,J.	1.78	1.79	0.01	1.60	(0.18)	WRONG
AL	OF	Jackson,A.	0.70	0.69	(0.01)	0.58	(0.12)	CORRECT	AL	P	Garza,M.	1.53	1.63	0.10	1.51	(0.02)	WRONG
NL	C	Lucroy,J.	0.73	0.62	(0.11)	0.63	(0.10)	CORRECT	AL	P	Kluber,C.	0.63	0.64	0.02	1.50	0.87	CORRECT
AL	OF	Hamilton,J.	0.74	0.74	(0.00)	0.53	(0.22)	CORRECT	AL	P	Guthrie,J.	0.81	1.10	0.29	1.06	0.25	CORRECT
AL	C	Santana,C.	0.59	0.70	0.11	0.65	0.06	CORRECT	NL	P	Stults,E.	1.84	1.26	(0.58)	1.32	(0.52)	CORRECT
NL	2B	Utley,C.	0.63	0.70	0.06	0.65	0.02	CORRECT	NL	P	Lincecum,T.	1.10	1.56	0.45	1.41	0.30	CORRECT
AL	OF	Jennings,D.	0.58	0.66	0.08	0.59	0.01	CORRECT	NL	P	Cain,M.	2.11	1.90	(0.21)	1.65	(0.46)	CORRECT
AL	C	Wieters,M.	0.55	0.60	0.05	0.48	(0.07)	WRONG	NL	P	Locke,J.	0.86	1.05	0.20	1.66	0.80	CORRECT
AL	2B	Dozier,B.	0.41	0.53	0.12	0.53	0.12	CORRECT	AL	P	Kazmir,S.	#N/A	1.35	#N/A	1.31	#N/A	#N/A
AL	1B	Lind,A.	0.51	0.57	0.06	0.66	0.15	CORRECT	AL	P	Milone,T.	1.27	1.09	(0.17)	1.29	0.02	WRONG
AL	OF	Swisher,N.	0.64	0.60	(0.04)	0.54	(0.10)	CORRECT	AL	P	Straily,D.	1.04	1.29	0.25	1.65	0.60	CORRECT
AL	OF	Rasmus,C.	0.44	0.56	0.12	0.63	0.19	CORRECT	AL	P	Nova,I.	0.90	1.15	0.25	1.63	0.73	CORRECT
AL	SS	Ramirez,A.	0.48	0.53	0.06	0.57	0.09	CORRECT	NL	P	Estrada,M.	1.53	1.53	0.01	1.77	0.24	CORRECT
NL	3B	Prado,M.	0.67	0.66	(0.01)	0.55	(0.12)	CORRECT	NL	P	Ross,T.	0.10	1.27	1.17	1.84	1.73	CORRECT
NL	1B	Craig,A.	0.70	0.65	(0.05)	0.66	(0.04)	CORRECT	AL	P	Chen,B.	0.89	1.06	0.18	1.79	0.91	CORRECT
NL	1B	Belt,B.	0.64	0.64	0.01	0.66	0.02	CORRECT	AL	P	Sabathia,C.	1.79	1.65	(0.13)	1.17	(0.62)	CORRECT
AL	OF	Gardner,B.	0.72	0.71	(0.01)	0.62	(0.10)	CORRECT	AL	P	Pettitte,A.	1.79	1.50	(0.28)	1.30	(0.49)	CORRECT
NL	C	Rosario,W.	0.63	0.60	(0.03)	0.61	(0.02)	CORRECT	NL	P	Kelly,J.	1.23	1.26	0.02	1.56	0.33	CORRECT
NL	3B	Wright,D.	0.74	0.72	(0.03)	0.78	0.03	WRONG	NL	P	Gallardo,Y.	1.56	1.73	0.17	1.38	(0.18)	WRONG
NL	3B	Frazier,T.	0.63	0.58	(0.05)	0.49	(0.14)	CORRECT	AL	P	Porcello,R.	0.74	1.09	0.35	1.43	0.69	CORRECT
NL	2B	Gyorko,J.	#N/A	0.56	#N/A	0.51	#N/A	#N/A	NL	P	Samardzija,J.	1.52	1.69	0.17	1.26	(0.26)	WRONG
NL	OF	Harper,B.	0.66	0.70	0.04	0.68	0.02	CORRECT	AL	P	Buehrle,M.	1.48	1.30	(0.19)	1.18	(0.31)	CORRECT
AL	C	Martinez,V.	#N/A	0.68	#N/A	0.59	#N/A	#N/A	NL	P	Hudson,T.	1.82	1.67	(0.16)	1.74	(0.09)	CORRECT
AL	2B	Altuve,J.	0.63	0.64	0.01	0.57	(0.07)	WRONG	NL	P	Villanueva,C.	1.33	1.23	(0.10)	1.60	0.28	WRONG
AL	SS	Lowrie,J.	0.56	0.59	0.03	0.60	0.05	CORRECT	NL	P	Alvarez,H.	0.80	0.99	0.19	2.09	1.29	CORRECT
NL	OF	Aoki,N.	0.68	0.63	(0.05)	0.58	(0.10)	CORRECT	NL	P	Peralta,W.	2.16	1.58	(0.58)	1.18	(0.98)	CORRECT
NL	C	Molina,Y.	0.74	0.67	(0.07)	0.67	(0.07)	CORRECT	AL	P	Hellickson,J.	1.42	1.64	0.22	1.18	(0.24)	WRONG
NL	OF	Jay,J.	0.64	0.61	(0.04)	0.53	(0.11)	CORRECT	NL	P	Haren,D.	1.10	1.54	0.43	1.11	0.01	CORRECT
AL	OF	McLouth,N.	0.54	0.57	0.02	0.61	0.06	CORRECT	AL	P	Doubront,F.	1.11	1.58	0.47	1.42	0.31	CORRECT
NL	OF	Puig,Y.	#N/A	#N/A	#N/A	0.79	#N/A	#N/A	NL	P	Rosenthal,T.	2.12	1.73	(0.38)	1.94	(0.18)	CORRECT
NL	OF	Schierholtz,N.	0.55	0.54	(0.01)	0.55	0.01	WRONG	AL	P	Norris,B.	1.14	1.35	0.21	1.02	(0.12)	WRONG
AL	OF	Ibanez,R.	0.54	0.52	(0.02)	0.55	0.02	WRONG	NL	P	Cole,G.	#N/A	#N/A	#N/A	1.78	#N/A	#N/A
NL	OF	Stanton,G.	0.78	0.72	(0.05)	0.63	(0.15)	CORRECT	AL	P	Hunter,T.	0.56	0.81	0.24	1.93	1.37	CORRECT
NL	OF	Span,D.	0.60	0.62	0.01	0.56	(0.04)	WRONG	AL	P	Smyly,D.	1.48	1.64	0.16	2.31	0.83	CORRECT
AL	1B	Loney,J.	0.40	0.52	0.12	0.60	0.21	CORRECT	NL	P	Roark,T.	#N/A	#N/A	#N/A	2.80	#N/A	#N/A
NL	OF	Parra,G.	0.57	0.54	(0.03)	0.53	(0.04)	CORRECT	AL	P	Vargas,J.	1.50	1.33	(0.17)	1.17	(0.33)	CORRECT
NL	SS	Simmons,A.	0.57	0.59	0.01	0.48	(0.10)	WRONG	AL	P	Perez,M.	0.61	1.04	0.44	1.34	0.74	CORRECT
AL	OF	Bourn,M.	0.65	0.71	0.06	0.53	(0.11)	WRONG	NL	P	Nelson,J.	#N/A	#N/A	#N/A	3.50	#N/A	#N/A
AL	OF	Martin,L.	0.44	0.62	0.18	0.60	0.16	CORRECT	NL	P	Kendrick,K.	1.38	1.37	(0.01)	1.05	(0.33)	CORRECT
AL	1B	Moreland,M.	0.58	0.61	0.03	0.48	(0.09)	WRONG	NL	P	Kennedy,I.	1.28	1.60	0.31	1.18	(0.10)	WRONG
NL	OF	Ruggiano,J.	0.80	0.68	(0.12)	0.49	(0.31)	CORRECT	NL	P	Maholm,P.	1.58	1.52	(0.06)	1.08	(0.50)	CORRECT
AL	1B	Butler,B.	0.71	0.66	(0.05)	0.61	(0.09)	CORRECT	AL	P	McAllister,Z.	1.04	1.37	0.33	1.35	0.31	CORRECT
AL	SS	Aybar,E.	0.59	0.58	(0.01)	0.50	(0.10)	CORRECT	AL	P	Ogando,A.	2.06	1.49	(0.56)	1.79	(0.27)	CORRECT
AL	1B	Morneau,J.	0.57	0.63	0.06	0.51	(0.06)	WRONG	NL	P	Mazzaro,V.	0.81	1.22	0.42	2.03	1.22	CORRECT
AL	OF	Nava,D.	0.54	0.60	0.05	0.65	0.11	CORRECT	NL	P	Cueto,J.	1.84	1.72	(0.12)	2.11	0.27	WRONG
NL	OF	Young,E.	0.78	0.66	(0.12)	0.57	(0.21)	CORRECT	AL	P	Correia,K.	1.32	1.17	(0.16)	0.89	(0.44)	CORRECT
AL	SS	Cabrera,A.	0.57	0.63	0.06	0.48	(0.09)	WRONG	AL	P	Dempsster,R.	1.71	1.42	(0.29)	1.09	(0.63)	CORRECT
NL	1B	LaRoche,A.	0.65	0.62	(0.04)	0.53	(0.13)	CORRECT	AL	P	Williams,J.	1.31	1.19	(0.12)	1.08	(0.23)	CORRECT
AL	1B	Reynolds,M.	0.52	0.62	0.09	0.46	(0.06)	WRONG	NL	P	Morton,C.	0.67	0.50	(0.16)	1.68	1.01	WRONG
NL	2B	Ugla,D.	0.52	0.57	0.05	0.41	(0.10)	WRONG	NL	P	Thornburg,T.	0.36	0.66	0.30	2.17	1.80	CORRECT
AL	OF	Markakis,N.	0.65	0.66	0.01	0.49	(0.16)	WRONG	NL	P	Rodriguez,W.	1.41	1.45	0.03	1.61	0.20	CORRECT
NL	C	Posey,B.	0.81	0.74	(0.08)	0.65	(0.16)	CORRECT	AL	P	Smith,W.	0.54	1.07	0.54	2.04	1.51	CORRECT
NL	SS	Rollins,J.	0.60	0.60	0.00	0.51	(0.09)	WRONG	NL	P	Mejia,J.	0.25	1.08	0.83	1.55	1.30	CORRECT
NL	3B	Sandoval,P.	0.59	0.63	0.04	0.56	(0.03)	WRONG	NL	P	Hand,B.	-2.86	-2.51	0.35	2.25	5.11	CORRECT
AL	C	Perez,S.	0.61	0.58	(0.03)	0.55	(0.06)	CORRECT	AL	P	Chen,W.	1.35	1.29	(0.07)	1.25	(0.10)	CORRECT
AL	3B	Dominguez,M.	0.58	0.48	(0.10)	0.44	(0.14)	CORRECT	NL	P	Niese,J.	1.67	1.62	(0.05)	1.21	(0.47)	CORRECT
AL	C	Saitalamacchia,	0.48	0.50	0.01	0.62	0.13	CORRECT	NL	P	Delgado,R.	1.22	1.48	0.26	1.14	(0.09)	WRONG
NL	OF	Fowler,D.	0.73	0.68	(0.05)	0.64	(0.09)	CORRECT	NL	P	Chatwood,T.	0.67	1.22	0.56	1.43	0.76	CORRECT
NL	SS	Ramirez,H.	0.59	0.64	0.06	0.90	0.32	CORRECT	AL	P	Deduno,S.	1.30	1.54	0.23	1.50	0.19	CORRECT
NL	3B	Johnson,C.	0.58	0.53	(0.05)	0.65	0.07	WRONG	NL	P	Eovaldi,N.	#N/A	1.49	#N/A	1.50	#N/A	#N/A
AL	2B	Kendrick,H.	0.56	0.61	0.05	0.60	0.04	CORRECT	NL	P	Wheeler,Z.	#N/A	1.55	#N/A	1.60	#N/A	#N/A
AL	C	Pierzynski,A.	0.61	0.54	(0.06)	0.49	(0.11)	CORRECT	NL	P	Gomez,J.	0.94	0.78	(0.16)	2.03	1.09	WRONG
AL	OF	Suzuki,I.	0.57	0.58	0.01	0.49	(0.08)	WRONG	NL	P	Ohiendorf,R.	0.44	0.92	0.48	1.70	1.26	CORRECT
NL	OF	Denorfia,C.	0.66	0.61	(0.05)	0.56	(0.11)	CORRECT	AL	P	Cosart,J.	#N/A	#N/A	#N/A	1.85	#N/A	#N/A
NL	OF	Crawford,C.	0.67	0.71	0.04	0.59	(0.08)	WRONG	AL	P	Duffy,D.	1.28	1.63	0.35	2.22	0.94	CORRECT
AL	C	Castro,J.	0.53	0.54	0.01	0.63	0.10	CORRECT	AL	P	Webb,D.	#N/A	#N/A	#N/A	2.16	#N/A	#N/A
NL	OF	Pollock,A.	0.50	0.59	0.09	0.56	0.06	CORRECT	AL	P	Hernandez,R.	-0.14	0.65	0.79	0.93	1.07	CORRECT
AL	SS	Reyes,J.	0.69	0.74	0.05	0.65	(0.04)	WRONG	AL	P	Harang,A.	1.47	1.37	(0.10)	0.84	(0.62)	CORRECT
AL	SS	Drew,S.	0.43	0.59	0.16	0.57	0.14	CORRECT	NL	P	Hefner,J.	0.98	1.12	0.14	1.14	0.16	CORRECT
NL	C	Martin,R.	0.47	0.50	0.03	0.48	0.01	CORRECT	NL	P	Marquis,J.	0.70	0.94	0.24	1.21	0.51	CORRECT

AL	OF	Joyce,M.	0.55	0.58	0.03	0.55	0.00	CORRECT
AL	OF	Saunders,M.	0.58	0.59	0.01	0.55	(0.03)	WRONG
NL	SS	Castro,S.	0.60	0.64	0.04	0.40	(0.20)	WRONG
NL	SS	Cozart,Z.	0.46	0.52	0.06	0.43	(0.03)	WRONG
AL	SS	Escobar,A.	0.62	0.57	(0.05)	0.38	(0.25)	CORRECT
NL	3B	Headley,C.	0.73	0.67	(0.06)	0.55	(0.17)	CORRECT
NL	OF	Blanco,G.	0.57	0.54	(0.03)	0.54	(0.03)	CORRECT
NL	2B	LeMahieu,D.	0.57	0.47	(0.10)	0.54	(0.03)	CORRECT
NL	SS	Cabrera,E.	0.62	0.60	(0.02)	0.70	0.07	WRONG
AL	1B	Pujols,A.	0.68	0.72	0.04	0.56	(0.12)	WRONG
AL	2B	Bonifacio,E.	0.66	0.62	(0.03)	0.50	(0.16)	CORRECT
AL	OF	Stubbs,D.	0.46	0.55	0.10	0.51	0.05	CORRECT
AL	SS	Peralta,J.	0.46	0.51	0.05	0.64	0.19	CORRECT
AL	3B	Plouffe,T.	0.51	0.46	(0.05)	0.49	(0.02)	CORRECT
AL	1B	Smoak,J.	0.41	0.57	0.16	0.53	0.12	CORRECT
AL	3B	Lawrie,B.	0.55	0.65	0.11	0.51	(0.03)	WRONG
AL	OF	Barnes,B.	0.25	0.39	0.14	0.40	0.15	CORRECT
NL	OF	Revere,B.	0.62	0.63	0.02	0.62	0.00	CORRECT
AL	C	Doumit,R.	0.57	0.54	(0.03)	0.50	(0.07)	CORRECT
NL	2B	Walker,N.	0.59	0.57	(0.03)	0.50	(0.09)	CORRECT
AL	OF	Dirks,A.	0.69	0.47	(0.22)	0.50	(0.19)	CORRECT
NL	3B	Uribe,J.	0.26	0.26	0.00	0.59	0.33	WRONG
AL	1B	Overbay,L.	0.52	0.57	0.05	0.47	(0.05)	WRONG
AL	OF	Myers,W.	#N/A	#N/A	#N/A	0.67	#N/A	#N/A
NL	1B	Helton,T.	0.54	0.57	0.04	0.51	(0.03)	WRONG
NL	OF	Heyward,J.	0.66	0.70	0.04	0.55	(0.10)	WRONG
AL	3B	Sogard,E.	0.21	0.34	0.13	0.51	0.29	CORRECT
NL	1B	Jones,G.	0.63	0.57	(0.06)	0.48	(0.15)	CORRECT
AL	OF	Reddick,J.	0.57	0.56	(0.00)	0.49	(0.08)	CORRECT
NL	C	Gattis,E.	#N/A	#N/A	#N/A	0.52	#N/A	#N/A
AL	2B	Johnson,K.	0.49	0.59	0.10	0.50	0.01	CORRECT
AL	3B	Middlebrooks,W.	0.65	0.56	(0.10)	0.46	(0.19)	CORRECT
NL	2B	Scutaro,M.	0.60	0.56	(0.04)	0.56	(0.04)	CORRECT
NL	3B	Arenado,N.	#N/A	#N/A	#N/A	0.50	#N/A	#N/A
AL	SS	Escobar,Y.	0.43	0.49	0.06	0.50	0.07	CORRECT
NL	SS	Hechavarria,A.	0.41	0.54	0.13	0.33	(0.08)	WRONG
AL	1B	Konerko,P.	0.68	0.69	0.01	0.45	(0.23)	WRONG
AL	3B	Moustakas,M.	0.48	0.59	0.11	0.40	(0.08)	WRONG
NL	1B	Alonso,Y.	0.56	0.63	0.07	0.56	0.00	CORRECT
NL	C	Buck,J.	0.39	0.57	0.18	0.39	0.00	CORRECT
NL	OF	Pierre,J.	0.70	0.60	(0.10)	0.46	(0.24)	CORRECT
AL	OF	Dyson,J.	0.62	0.67	0.05	0.75	0.13	CORRECT
NL	3B	Young,M.	0.48	0.52	0.05	0.53	0.06	CORRECT
NL	3B	Freese,D.	0.66	0.61	(0.04)	0.50	(0.16)	CORRECT
AL	3B	Callaspo,A.	0.50	0.58	0.08	0.49	(0.01)	WRONG
AL	OF	DeJesus,D.	0.55	0.54	(0.02)	0.51	(0.04)	CORRECT
NL	OF	Lagares,J.	#N/A	#N/A	#N/A	0.42	#N/A	#N/A
NL	SS	Mercer,J.	0.35	0.43	0.08	0.57	0.23	CORRECT
NL	OF	Ross,C.	0.59	0.57	(0.02)	0.56	(0.04)	CORRECT
NL	1B	Adams,M.	0.43	0.52	0.09	0.63	0.19	CORRECT
AL	SS	Franklin,N.	#N/A	0.57	#N/A	0.48	#N/A	#N/A
NL	3B	Francisco,J.	0.47	0.48	0.02	0.47	0.01	CORRECT
NL	2B	Rutledge,J.	0.60	0.57	(0.03)	0.47	(0.12)	CORRECT
AL	OF	Gentry,C.	0.63	0.58	(0.05)	0.67	0.04	WRONG
NL	OF	Schafer,J.	0.48	0.56	0.09	0.62	0.14	CORRECT
NL	2B	Johnson,E.	0.52	0.42	(0.09)	0.43	(0.08)	CORRECT
AL	DH	Villar,J.	#N/A	#N/A	#N/A	0.57	#N/A	#N/A
AL	2B	Getz,C.	0.55	0.52	(0.03)	0.45	(0.09)	CORRECT
NL	SS	Crawford,B.	0.42	0.46	0.03	0.45	0.03	CORRECT
AL	SS	Iglesias,J.	0.04	0.48	0.44	0.56	0.52	CORRECT
NL	C	Castillo,W.	0.54	0.53	(0.01)	0.54	(0.00)	CORRECT
NL	2B	Barney,D.	0.44	0.47	0.03	0.31	(0.13)	WRONG
AL	3B	Gillaspie,C.	0.00	0.15	0.15	0.47	0.47	CORRECT
AL	2B	Beckham,G.	0.43	0.51	0.07	0.51	0.07	CORRECT
AL	OF	Murphy,D.	0.71	0.65	(0.05)	0.40	(0.30)	CORRECT
NL	2B	Hill,A.	0.72	0.67	(0.06)	0.63	(0.09)	CORRECT
NL	C	Montero,M.	0.64	0.63	(0.01)	0.44	(0.20)	CORRECT
NL	C	Ellis,A.	0.59	0.55	(0.04)	0.44	(0.16)	CORRECT
AL	OF	Lough,D.	0.39	0.65	0.26	0.54	0.15	CORRECT
NL	SS	Kozma,P.	0.85	0.55	(0.30)	0.323129	(0.53)	CORRECT
NL	2B	Solano,D.	0.58	0.48	(0.11)	0.386544	(0.20)	CORRECT
AL	OF	Willingham,J.	0.67	0.64	(0.03)	0.466667	(0.20)	CORRECT

Total Accuracy 71%

NL	P	Stauffer,T.	-0.20	1.56	1.76	1.88	2.08	CORRECT
NL	P	Garcia,J.	1.29	1.46	0.17	1.49	0.20	CORRECT
AL	P	Matusz,B.	0.64	1.66	1.02	1.92	1.28	CORRECT
NL	P	Petit,Y.	-0.10	1.21	1.32	1.81	1.92	CORRECT
AL	P	Bedard,E.	0.99	1.25	0.26	1.02	0.03	CORRECT
AL	P	Hughes,P.	1.20	1.14	(0.06)	0.59	(0.60)	CORRECT
AL	P	Davis,W.	2.28	1.65	(0.63)	0.55	(1.73)	CORRECT
NL	P	Slowey,K.	#N/A	0.63	#N/A	0.93	#N/A	#N/A
AL	P	Warren,A.	-7.52	-6.75	0.77	1.16	8.68	CORRECT
AL	P	Albers,A.	#N/A	#N/A	#N/A	1.31	#N/A	#N/A
NL	P	Jordan,T.	#N/A	#N/A	#N/A	1.14	#N/A	#N/A
NL	P	Beachy,B.	2.41	1.43	(0.98)	1.72	(0.69)	CORRECT
AL	P	Odorizzi,J.	0.41	0.59	0.19	1.47	1.06	CORRECT
NL	P	Billingsley,C.	1.53	1.52	(0.01)	1.58	0.06	WRONG
AL	P	Keuchel,D.	0.65	0.98	0.33	0.66	0.01	CORRECT
AL	P	Hammel,J.	1.76	1.65	(0.11)	0.88	(0.88)	CORRECT

Total Accuracy 76%