



Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season. We could tell you that we exactly predicted Michael Brantley's HRs in 2014, but in essence projecting any exact statistic is pure luck. On the other hand, predicting that Brantley's production would decrease in 2014 versus his prior season....was not.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2014

Fantastics Correctly Predicted the Fantasy Direction on 8 out of 10 Pitchers in 2014

Year 2014 - Projecting Top 200 Hitters - Directional (based on FPI)

Year 2014 - Projecting Top 120 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	2B	Altuve,J.	0.57	0.59	0.02	0.83	0.26	CORRECT
AL	OF	Brantley,M.	0.59	0.63	0.04	0.79	0.21	CORRECT
AL	3B	Cabrera,M.	0.94	0.86	(0.07)	0.73	(0.21)	CORRECT
AL	2B	Kinsler,I.	0.58	0.58	0.01	0.55	(0.03)	WRONG
AL	DH	Martinez,V.	0.59	0.66	0.07	0.83	0.23	CORRECT
AL	2B	Cano,R.	0.74	0.71	(0.03)	0.70	(0.05)	CORRECT
NL	OF	Revere,B.	0.62	0.63	0.01	0.64	0.02	CORRECT
NL	OF	Span,D.	0.56	0.61	0.05	0.68	0.12	CORRECT
AL	2B	Kendrick,H.	0.60	0.57	(0.03)	0.59	(0.01)	CORRECT
AL	OF	Jones,A.	0.63	0.59	(0.04)	0.58	(0.05)	CORRECT
NL	OF	Pence,H.	0.68	0.64	(0.04)	0.60	(0.08)	CORRECT
AL	3B	Beitre,A.	0.71	0.67	(0.03)	0.72	0.02	WRONG
NL	1B	McGehee,C.	-	0.49	-	0.55	-	-
AL	OF	Markakis,N.	0.49	0.56	0.07	0.54	0.05	CORRECT
AL	SS	Reyes,J.	0.65	0.68	0.03	0.63	(0.02)	WRONG
NL	C	Lucroy,J.	0.63	0.64	0.01	0.67	0.04	CORRECT
AL	1B	Abreu,J.	-	-	-	0.79	-	-
NL	2B	Gordon,D.	0.56	0.67	0.11	0.68	0.12	CORRECT
NL	1B	Freeman,F.	0.73	0.69	(0.04)	0.66	(0.06)	CORRECT
NL	2B	Rendon,A.	0.52	0.58	0.06	0.67	0.15	CORRECT
AL	1B	Loney,J.	0.60	0.55	(0.05)	0.54	(0.06)	CORRECT
AL	OF	Trout,M.	0.91	0.90	(0.02)	0.78	(0.13)	CORRECT
AL	1B	Pujols,A.	0.56	0.66	0.10	0.59	0.03	CORRECT
NL	2B	Murphy,D.	0.60	0.57	(0.03)	0.58	(0.02)	CORRECT
NL	OF	Blackmon,C.	0.65	0.54	(0.11)	0.64	(0.01)	CORRECT
AL	OF	Cabrera,M.	0.49	0.59	0.10	0.64	0.15	CORRECT
AL	SS	Ramirez,A.	0.57	0.54	(0.03)	0.55	(0.01)	CORRECT
NL	OF	McCutchen,A.	0.81	0.75	(0.06)	0.83	0.02	WRONG
NL	C	Posey,B.	0.65	0.70	0.05	0.68	0.03	CORRECT
AL	OF	Cruz,N.	0.63	0.55	(0.09)	0.65	0.01	WRONG
AL	SS	Escobar,A.	0.38	0.49	0.12	0.59	0.21	CORRECT
NL	OF	Yelich,C.	0.70	0.73	0.03	0.63	(0.06)	WRONG
NL	OF	Puig,Y.	0.79	0.69	(0.10)	0.70	(0.09)	CORRECT
NL	3B	Sandoval,P.	0.56	0.62	0.06	0.54	(0.02)	WRONG
NL	1B	Gonzalez,A.	0.62	0.66	0.04	0.62	0.00	CORRECT
NL	OF	Gomez,C.	0.76	0.69	(0.07)	0.71	(0.05)	CORRECT
AL	SS	Aybar,E.	0.50	0.55	0.05	0.53	0.03	CORRECT
AL	SS	Andrus,E.	0.57	0.60	0.03	0.50	(0.07)	WRONG
NL	2B	Carpenter,M.	0.72	0.68	(0.04)	0.58	(0.14)	CORRECT
NL	SS	Harrison,J.	0.48	0.56	0.08	0.70	0.23	CORRECT
NL	3B	Frazier,T.	0.49	0.55	0.06	0.63	0.14	CORRECT
NL	1B	Morneau,J.	0.51	0.58	0.07	0.69	0.18	CORRECT
NL	2B	Utey,C.	0.65	0.62	(0.03)	0.56	(0.09)	CORRECT
AL	3B	Longoria,E.	0.64	0.65	0.01	0.52	(0.12)	WRONG
AL	3B	Seager,K.	0.57	0.60	0.03	0.59	0.01	CORRECT
AL	OF	Bautista,J.	0.66	0.70	0.05	0.75	0.09	CORRECT
AL	OF	Hunter,T.	0.61	0.59	(0.02)	0.57	(0.04)	CORRECT
NL	OF	Byrd,M.	0.65	0.59	(0.05)	0.54	(0.11)	CORRECT
NL	OF	Werth,J.	0.81	0.68	(0.13)	0.70	(0.12)	CORRECT
AL	OF	Cespedes,Y.	0.50	0.64	0.14	0.55	0.05	CORRECT
NL	OF	Holliday,M.	0.70	0.67	(0.03)	0.61	(0.09)	CORRECT
AL	OF	Ellsbury,J.	0.76	0.74	(0.02)	0.66	(0.09)	CORRECT
AL	2B	Zobrist,B.	0.59	0.60	0.01	0.59	(0.01)	WRONG
NL	OF	Stanton,G.	0.63	0.71	0.08	0.80	0.17	CORRECT
AL	3B	Donaldson,J.	0.71	0.64	(0.08)	0.60	(0.11)	CORRECT
NL	OF	Kemp,M.	0.58	0.68	0.10	0.68	0.10	CORRECT
AL	2B	Pedroia,D.	0.65	0.69	0.04	0.53	(0.12)	WRONG

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	P	Price,D.	1.75	1.89	0.14	1.77	0.02	CORRECT
NL	P	Cueto,J.	2.11	1.75	(0.35)	2.37	0.26	WRONG
AL	P	Hernandez,F.	1.83	1.85	0.02	2.40	0.57	CORRECT
AL	P	Kluber,C.	1.50	1.09	(0.41)	2.02	0.53	WRONG
NL	P	Wainwright,A.	1.98	1.74	(0.24)	2.27	0.29	WRONG
AL	P	Shields,J.	1.64	1.74	0.10	1.61	(0.03)	WRONG
NL	P	Teheran,J.	1.67	1.73	0.06	1.86	0.19	CORRECT
AL	P	Scherzer,M.	2.47	1.83	(0.64)	1.92	(0.54)	CORRECT
AL	P	Samardzija,J.	1.26	1.54	0.28	1.78	0.52	CORRECT
AL	P	Lester,J.	1.58	1.54	(0.04)	1.92	0.34	WRONG
AL	P	Gray,S.	2.10	1.66	(0.44)	1.87	(0.24)	CORRECT
NL	P	Bumgarner,M.	2.18	1.92	(0.27)	1.89	(0.29)	CORRECT
AL	P	Dickey,R.	1.42	1.52	0.10	1.59	0.18	CORRECT
NL	P	Strasburg,S.	2.06	2.07	0.02	1.72	(0.34)	WRONG
NL	P	Leake,M.	1.52	1.28	(0.24)	1.37	(0.15)	CORRECT
NL	P	Burnett,A.	1.80	1.71	(0.09)	1.23	(0.57)	CORRECT
AL	P	Weaver,J.	1.74	1.73	(0.01)	1.68	(0.06)	CORRECT
AL	P	Hughes,P.	0.59	1.03	0.44	1.65	1.05	CORRECT
AL	P	Tillman,C.	1.52	1.53	(0.09)	1.71	0.01	CORRECT
AL	P	Verlander,J.	1.48	1.81	0.32	1.27	(0.21)	WRONG
AL	P	Porcello,R.	1.43	1.40	(0.03)	1.48	0.05	WRONG
NL	P	Hamels,C.	1.58	1.70	0.12	1.87	0.29	CORRECT
NL	P	Harang,A.	0.84	1.05	0.20	1.30	0.46	CORRECT
NL	P	Lynn,L.	1.67	1.53	(0.14)	1.76	0.09	WRONG
AL	P	Guthrie,J.	1.06	0.98	(0.08)	1.31	0.25	WRONG
NL	P	Peavy,J.	1.74	1.47	(0.26)	1.34	(0.39)	CORRECT
NL	P	Greinke,Z.	2.07	1.75	(0.32)	1.80	(0.26)	CORRECT
NL	P	Colon,B.	1.78	1.35	(0.43)	1.36	(0.42)	CORRECT
AL	P	Buehrle,M.	1.18	1.35	0.17	1.27	0.10	CORRECT
NL	P	Miley,W.	1.40	1.53	0.12	1.16	(0.25)	WRONG
NL	P	Kennedy,I.	1.18	1.50	0.31	1.56	0.38	CORRECT
AL	P	Quintana,J.	1.56	1.48	(0.08)	1.60	0.05	WRONG
AL	P	Keuchel,D.	0.66	1.12	0.45	1.83	1.17	CORRECT
AL	P	McCarthy,B.	0.94	1.24	0.29	1.12	0.18	CORRECT
NL	P	Zimmerman,J.	1.94	1.73	(0.21)	1.98	0.04	WRONG
NL	P	Eovaldi,N.	1.52	1.50	(0.02)	1.15	(0.37)	CORRECT
AL	P	Kuroda,H.	1.65	1.54	(0.11)	1.65	0.00	WRONG
NL	P	Kendrick,K.	1.05	1.41	0.36	1.10	0.05	CORRECT
NL	P	Peralta,W.	1.18	1.63	0.45	1.44	0.27	CORRECT
NL	P	Roark,T.	2.80	1.42	(1.38)	1.91	(0.89)	CORRECT
NL	P	Kershaw,C.	2.49	2.05	(0.44)	2.73	0.24	WRONG
NL	P	Lohse,K.	1.54	1.49	(0.05)	1.69	0.16	WRONG
NL	P	Lackey,J.	1.35	1.45	0.10	1.36	0.01	CORRECT
NL	RP	Simon,A.	2.05	1.50	(0.54)	1.65	(0.40)	CORRECT
NL	P	Santana,E.	1.62	1.58	(0.04)	1.52	(0.10)	CORRECT
NL	P	Ross,T.	1.84	1.53	(0.31)	1.81	(0.03)	CORRECT
AL	P	Archer,C.	1.82	1.53	(0.29)	1.69	(0.14)	CORRECT
AL	P	Danks,J.	0.77	1.19	0.42	1.10	0.33	CORRECT
NL	P	Volquez,E.	0.83	1.08	0.26	1.81	0.98	CORRECT
NL	P	Gallardo,Y.	1.38	1.50	0.12	1.31	(0.07)	WRONG
NL	P	Koehler,T.	1.29	1.20	(0.10)	1.58	0.28	WRONG
AL	P	Kazmir,S.	1.31	1.46	0.14	1.83	0.52	CORRECT
NL	P	Hudson,T.	1.74	1.70	(0.03)	1.39	(0.34)	CORRECT
NL	P	Niese,J.	1.21	1.59	0.38	1.40	0.19	CORRECT
NL	P	Alvarez,H.	2.09	1.35	(0.74)	1.53	(0.56)	CORRECT
AL	P	Vargas,J.	1.17	1.34	0.17	1.34	0.17	CORRECT
NL	P	Haren,D.	1.11	1.43	0.31	1.47	0.36	CORRECT

NL	1B	Adams,M.	0.63	0.54	(0.08)	0.59	(0.04)	CORRECT	AL	P	Chen,W.	1.25	1.43	0.18	1.50	0.25	CORRECT
NL	SS	Castro,S.	0.40	0.58	0.18	0.58	0.18	CORRECT	NL	P	Wheeler,Z.	1.60	1.67	0.07	1.61	0.01	CORRECT
AL	OF	Jackson,A.	0.58	0.66	0.08	0.50	(0.08)	WRONG	AL	P	Hutchison,D.	-	1.47	-	1.43	-	-
NL	OF	Upton,J.	0.63	0.69	0.05	0.64	0.01	CORRECT	NL	P	Vogelsong,R.	0.65	1.24	0.59	1.40	0.75	CORRECT
NL	3B	Johnson,C.	0.65	0.56	(0.09)	0.45	(0.20)	CORRECT	NL	P	de la Rosa,J.	1.58	1.27	(0.31)	1.67	0.10	WRONG
NL	OF	Ozuna,M.	0.50	0.55	0.05	0.57	0.07	CORRECT	NL	P	Miller,S.	1.72	1.69	(0.03)	1.57	(0.15)	CORRECT
NL	OF	Heyward,J.	0.55	0.67	0.11	0.58	0.03	CORRECT	AL	P	Ventura,Y.	-	1.66	-	1.66	-	-
AL	3B	Prado,M.	0.55	0.64	0.09	0.53	(0.02)	WRONG	NL	P	Cosart,J.	1.85	1.51	(0.34)	1.58	(0.27)	CORRECT
NL	SS	Desmond,I.	0.63	0.62	(0.01)	0.58	(0.05)	CORRECT	AL	P	Feldman,S.	1.69	1.35	(0.34)	1.33	(0.36)	CORRECT
NL	1B	Rizzo,A.	0.51	0.64	0.13	0.72	0.21	CORRECT	AL	P	Gibson,K.	0.20	0.93	0.74	1.53	1.33	CORRECT
AL	OF	Gordon,A.	0.55	0.60	0.04	0.61	0.05	CORRECT	NL	RP	Collmenter,J.	1.82	1.77	(0.05)	1.74	(0.08)	CORRECT
AL	C	Perez,S.	0.55	0.61	0.06	0.47	(0.09)	WRONG	AL	P	Iwakuma,H.	2.05	1.66	(0.40)	1.82	(0.24)	CORRECT
AL	SS	Jeter,D.	0.29	0.57	0.28	0.43	0.14	CORRECT	AL	P	Hammel,J.	0.88	1.32	0.44	1.66	0.78	CORRECT
AL	1B	Butler,B.	0.61	0.65	0.04	0.49	(0.12)	WRONG	NL	P	Stults,E.	1.32	1.30	(0.02)	0.85	(0.47)	CORRECT
NL	SS	Hechavarria,A.	0.33	0.40	0.07	0.48	0.14	CORRECT	AL	P	Wilson,C.	1.67	1.63	(0.04)	1.37	(0.30)	CORRECT
NL	SS	Peralta,J.	0.64	0.54	(0.10)	0.58	(0.07)	CORRECT	AL	P	Sale,C.	1.79	1.85	0.07	2.34	0.55	CORRECT
AL	OF	Eaton,A.	0.47	0.62	0.14	0.63	0.16	CORRECT	NL	P	Wood,T.	1.83	1.55	(0.28)	0.88	(0.95)	CORRECT
AL	OF	Martin,L.	0.60	0.68	0.08	0.57	(0.02)	WRONG	AL	RP	Noesi,H.	-0.22	-	-	1.01	1.23	-
AL	2B	Dozier,B.	0.53	0.54	0.01	0.59	0.06	CORRECT	NL	P	Wood,A.	1.62	1.62	(0.00)	1.76	0.14	WRONG
NL	3B	Wright,D.	0.78	0.73	(0.05)	0.51	(0.27)	CORRECT	AL	P	Lewis,C.	-	1.13	-	0.61	-	-
AL	OF	Gardner,B.	0.62	0.61	(0.01)	0.59	(0.03)	CORRECT	AL	P	Buchholz,C.	2.63	1.85	(0.78)	1.16	(1.47)	CORRECT
NL	OF	Marte,S.	0.68	0.65	(0.03)	0.68	0.00	WRONG	AL	P	Richards,G.	1.32	1.20	(0.12)	2.43	1.11	WRONG
AL	OF	Cain,L.	0.48	0.55	0.07	0.67	0.19	CORRECT	AL	P	Odorizzi,J.	1.47	1.26	(0.21)	1.43	(0.03)	CORRECT
AL	SS	Hardy,J.	0.53	0.55	0.02	0.47	(0.06)	WRONG	AL	P	Cobb,A.	1.99	1.76	(0.22)	1.92	(0.07)	CORRECT
NL	OF	Hamilton,B.	1.98	0.74	(1.24)	0.57	(1.40)	CORRECT	AL	P	Norris,B.	1.02	1.36	0.33	1.71	0.69	CORRECT
NL	3B	Ramirez,A.	0.63	0.68	0.05	0.55	(0.08)	WRONG	AL	P	Young,C.	-	1.39	-	1.55	-	-
NL	OF	Braun,R.	0.70	0.75	0.04	0.59	(0.11)	WRONG	NL	P	Hernandez,R.	0.93	1.32	0.38	1.29	0.35	CORRECT
AL	OF	Martinez,J.	0.43	0.40	(0.03)	0.75	0.33	WRONG	NL	P	Fister,D.	1.40	1.61	0.20	1.88	0.47	CORRECT
AL	OF	Aoki,N.	0.58	0.63	0.05	0.56	(0.01)	WRONG	AL	P	Elias,R.	-	-	-	1.47	-	-
NL	OF	Parra,G.	0.53	0.54	0.01	0.47	(0.05)	WRONG	NL	P	Garza,M.	1.51	1.54	0.03	1.78	0.28	CORRECT
AL	3B	Castellanos,N.	0.33	0.57	0.24	0.48	0.15	CORRECT	NL	P	Liriano,F.	2.01	1.72	(0.29)	1.70	(0.31)	CORRECT
AL	OF	Rios,A.	0.66	0.69	0.03	0.55	(0.11)	WRONG	NL	P	Nuno,V.	1.75	1.40	(0.35)	1.14	(0.61)	CORRECT
NL	2B	Walker,N.	0.50	0.57	0.07	0.58	0.08	CORRECT	AL	P	Gonzalez,M.	1.53	1.42	(0.11)	1.29	(0.24)	CORRECT
AL	1B	Hosmer,E.	0.65	0.65	0.00	0.52	(0.12)	WRONG	AL	P	Nolasco,R.	1.64	1.40	(0.24)	0.54	(1.10)	CORRECT
NL	OF	Dickerson,C.	0.56	0.64	0.07	0.78	0.21	CORRECT	NL	P	Gonzalez,G.	1.75	1.85	0.10	1.85	0.10	CORRECT
AL	C	Gomes,Y.	0.63	0.56	(0.08)	0.57	(0.06)	CORRECT	AL	P	Happ,J.	1.17	1.32	0.15	1.23	0.06	CORRECT
AL	DH	Ortiz,D.	0.80	0.74	(0.06)	0.65	(0.15)	CORRECT	NL	P	Morton,C.	1.68	1.26	(0.42)	1.58	(0.10)	CORRECT
AL	3B	Plouffe,T.	0.49	0.48	(0.00)	0.54	0.05	WRONG	NL	P	Arrieta,J.	1.51	1.38	(0.13)	2.42	0.90	WRONG
AL	OF	Calhoun,K.	0.63	0.70	0.07	0.58	(0.05)	WRONG	NL	P	Lincecum,T.	1.41	1.50	0.09	1.33	(0.08)	WRONG
AL	C	Navarro,D.	0.67	0.57	(0.10)	0.53	(0.14)	CORRECT	AL	P	McHugh,C.	-1.17	-	-	2.13	3.30	-
AL	3B	Chisenhall,L.	0.43	0.52	0.09	0.57	0.14	CORRECT	NL	P	Correia,K.	0.89	1.15	0.26	0.57	(0.32)	WRONG
NL	SS	Cabrera,A.	0.48	0.57	0.09	0.49	0.01	CORRECT	AL	P	Smyly,D.	2.31	1.47	(0.83)	1.63	(0.68)	CORRECT
AL	2B	Infante,O.	0.63	0.53	(0.11)	0.44	(0.20)	CORRECT	AL	P	Bauer,T.	0.65	1.24	0.59	1.25	0.60	CORRECT
NL	SS	Simmons,A.	0.48	0.55	0.08	0.39	(0.08)	WRONG	NL	P	Ryu,H.	1.73	1.74	0.01	1.79	0.06	CORRECT
NL	2B	LeMahieu,D.	0.54	0.59	0.05	0.47	(0.07)	WRONG	NL	P	Estrada,M.	1.77	1.60	(0.17)	1.38	(0.39)	CORRECT
NL	SS	Rollins,J.	0.51	0.56	0.05	0.58	0.07	CORRECT	AL	P	Duffy,D.	2.22	1.31	(0.91)	1.95	(0.27)	CORRECT
AL	3B	Gillaspie,C.	0.47	0.50	0.03	0.55	0.08	CORRECT	AL	P	Chavez,J.	1.74	1.61	(0.13)	1.38	(0.35)	CORRECT
AL	C	Suzuki,K.	0.40	0.43	0.03	0.53	0.13	CORRECT	NL	P	Bailey,H.	1.77	1.67	(0.10)	1.64	(0.13)	CORRECT
NL	OF	Duda,L.	0.52	0.57	0.05	0.61	0.09	CORRECT	NL	P	Minor,M.	1.85	1.72	(0.13)	0.78	(1.06)	CORRECT
AL	OF	Davis,R.	0.70	0.68	(0.02)	0.64	(0.06)	CORRECT	AL	P	Darvish,Y.	2.10	1.99	(0.12)	1.68	(0.42)	CORRECT
AL	SS	Bogaerts,X.	0.54	0.62	0.08	0.42	(0.12)	WRONG	AL	P	Oberholtzer,B.	1.68	1.06	(0.63)	0.93	(0.75)	CORRECT
NL	SS	Mercer,J.	0.57	0.54	(0.03)	0.48	(0.10)	CORRECT	NL	P	Morales,F.	1.30	1.57	0.27	0.56	(0.75)	WRONG
AL	SS	Santana,D.	-	-	-	0.73	-	-	NL	P	Jackson,E.	0.91	1.25	0.34	0.49	(0.42)	WRONG
NL	2B	Gennett,S.	0.70	0.54	(0.16)	0.59	(0.11)	CORRECT	AL	P	Martinez,N.	-	-	-	0.90	-	-
NL	OF	Granderson,C.	0.55	0.58	0.02	0.51	(0.05)	WRONG	NL	P	Degrom,J.	-	-	-	2.02	-	-
AL	1B	Encarnacion,E.	0.72	0.73	0.01	0.70	(0.03)	WRONG	NL	P	Cole,G.	1.78	1.82	0.04	1.80	0.02	CORRECT
NL	1B	LaRoche,A.	0.53	0.58	0.06	0.63	0.10	CORRECT	NL	P	Gee,D.	1.30	1.32	0.01	1.46	0.16	CORRECT
NL	SS	Ramirez,H.	0.90	0.68	(0.22)	0.67	(0.24)	CORRECT	AL	P	Tanaka,M.	-	1.85	-	1.94	-	-
NL	1B	Howard,R.	0.57	0.57	0.00	0.45	(0.12)	WRONG	AL	P	Shoemaker,M.	-	1.26	-	2.04	-	-
AL	C	Mauer,J.	0.72	0.70	(0.02)	0.56	(0.16)	CORRECT	AL	P	Carrasco,C.	0.24	1.10	0.86	2.23	1.99	CORRECT
AL	2B	Holt,B.	0.32	0.58	0.26	0.56	0.24	CORRECT	AL	P	Peacock,B.	1.14	1.44	0.30	0.82	(0.32)	WRONG
AL	SS	Lowrie,J.	0.60	0.53	(0.07)	0.46	(0.14)	CORRECT	NL	P	Locke,J.	1.66	1.46	(0.20)	1.43	(0.22)	CORRECT
AL	C	Santana,C.	0.65	0.64	(0.01)	0.59	(0.05)	CORRECT	AL	P	Stroman,M.	-	-	-	1.87	-	-
NL	SS	Segura,J.	0.67	0.63	(0.05)	0.43	(0.24)	CORRECT	AL	P	Carroll,S.	-	-	-	0.84	-	-
NL	3B	Arenado,N.	0.50	0.60	0.10	0.64	0.14	CORRECT	NL	P	Masterson,J.	1.95	1.79	(0.16)	0.90	(1.05)	CORRECT
NL	OF	Jay,J.	0.53	0.62	0.09	0.56	0.03	CORRECT	AL	P	Santiago,H.	1.27	1.51	0.23	1.30	0.03	CORRECT
AL	2B	Ackley,D.	0.45	0.51	0.06	0.48	0.03	CORRECT	NL	P	Lyles,J.	0.82	1.09	0.27	1.42	0.59	CORRECT
AL	SS	Escobar,Y.	0.50	0.54	0.04	0.45	(0.05)	WRONG	AL	P	Sanchez,A.	2.01	1.68	(0.33)	2.08	0.06	WRONG
NL	2B	Solarte,Y.	-	-	-	0.51	-	-	AL	P	Tepesch,N.	1.07	1.20	0.13	1.09	0.02	CORRECT
NL	OF	Morse,M.	0.39	0.60	0.22	0.60	0.21	CORRECT	AL	P	Jimenez,U.	1.61	1.49	(0.12)	1.22	(0.38)	CORRECT
NL	1B	Jones,G.	0.48	0.57	0.09	0.49	0.02	CORRECT	NL	P	Cashner,A.	1.89	1.79	(0.09)	1.80	(0.09)	CORRECT
NL	OF	Davis,K.	0.76	0.60	(0.16)	0.52	(0.24)	CORRECT	AL	P	Milone,T.	1.29	1.18	(0.10)	1.10	(0.19)	CORRECT
NL	1B	Goldschmidt,P.	0.81	0.76	(0.05)	0.79	(0.02)	CORRECT	NL	P	Buchanan,D.	-	-	-	1.32	-	-
NL	2B	Hill,A.	0.63	0.61	(0.02)	0.42	(0.21)	CORRECT	NL	P	Matzek,T.	-	-	-	1.22	-	-
AL	3B	Dominguez,M.	0.44	0.49	0.05	0.32	(0.12)	WRONG	NL	P	Beckett,J.	0.37	1.17	0.80	1.65	1.28	CORRECT
NL	2B	Phillips,B.	0.49	0.54	0.04	0.45	(0.05)	WRONG	NL	P	Williams,J.	1.08	1.22	0.14	1.15	0.07	CORRECT
AL	OF	Viciedo,D.	0.51	0.54	0.03	0.43	(0.08)	WRONG	NL	P	Petit,Y.	1.81	1.46	(0.35)	1.89	0.07	WRONG
AL	2B	Kipnis,J.	0.71	0.66	(0.05)	0.49	(0.22)	CORRECT	NL	P	Anderson,C.	-	-	-	1.22	-	-

NL	SS	Crawford,B.	0.45	0.47	0.02	0.51	0.06	CORRECT
AL	3B	Freese,D.	0.50	0.59	0.09	0.48	(0.02)	WRONG
NL	3B	Uribe,J.	0.59	0.49	(0.10)	0.59	0.00	WRONG
AL	OF	De Aza,A.	0.56	0.59	0.03	0.52	(0.04)	WRONG
AL	OF	Fowler,D.	0.64	0.65	0.01	0.63	(0.01)	WRONG
NL	C	Montero,M.	0.44	0.60	0.17	0.47	0.04	CORRECT
NL	3B	Vaibuena,L.	0.47	0.53	0.06	0.56	0.09	CORRECT
AL	SS	Escobar,E.	0.38	0.46	0.08	0.51	0.13	CORRECT
NL	OF	Smith,S.	0.50	0.52	0.03	0.61	0.12	CORRECT
AL	1B	Moss,B.	0.64	0.59	(0.05)	0.54	(0.10)	CORRECT
AL	OF	Jennings,D.	0.59	0.63	0.04	0.51	(0.08)	WRONG
NL	OF	Inciarte,E.	-	-	-	0.55	-	-
NL	OF	Lagares,J.	0.42	0.51	0.09	0.54	0.11	CORRECT
AL	OF	Carter,C.	0.54	0.54	0.01	0.56	0.03	CORRECT
NL	OF	Pagan,A.	0.62	0.66	0.05	0.62	0.01	CORRECT
AL	C	McCann,B.	0.57	0.63	0.06	0.44	(0.13)	WRONG
AL	OF	Bourn,M.	0.53	0.64	0.10	0.49	(0.05)	WRONG
AL	OF	Crisp,C.	0.63	0.64	0.01	0.56	(0.07)	WRONG
AL	3B	Headley,C.	0.55	0.62	0.07	0.49	(0.06)	WRONG
NL	C	Molina,Y.	0.67	0.66	(0.01)	0.51	(0.16)	CORRECT
NL	SS	Cozart,Z.	0.43	0.49	0.06	0.33	(0.10)	WRONG
NL	OF	Stubbs,D.	0.51	0.59	0.08	0.72	0.21	CORRECT
NL	OF	Brown,D.	0.63	0.59	(0.04)	0.42	(0.21)	CORRECT
AL	OF	Choo,S.	0.73	0.74	0.00	0.48	(0.25)	WRONG
AL	OF	Murphy,D.	0.40	0.58	0.18	0.50	0.10	CORRECT
NL	OF	Coghlan,C.	0.49	0.46	(0.03)	0.64	0.15	WRONG
NL	OF	Upton,B.	0.34	0.58	0.25	0.43	0.09	CORRECT
NL	C	Martin,R.	0.48	0.53	0.05	0.65	0.17	CORRECT
NL	OF	Bruce,J.	0.61	0.61	0.00	0.44	(0.17)	WRONG
NL	SS	Tulowitzki,T.	0.76	0.72	(0.04)	0.88	0.13	WRONG
AL	OF	Joyce,M.	0.55	0.58	0.04	0.53	(0.02)	WRONG
NL	C	Mesoraco,D.	0.41	0.48	0.06	0.67	0.26	CORRECT
AL	1B	Napoli,M.	0.64	0.65	0.01	0.60	(0.04)	WRONG
NL	OF	Blanco,G.	0.54	0.59	0.05	0.57	0.03	CORRECT
NL	2B	Bonifacio,E.	0.50	0.58	0.09	0.55	0.05	CORRECT
AL	C	Castro,J.	0.63	0.56	(0.07)	0.39	(0.24)	CORRECT
AL	C	Norris,D.	0.58	0.57	(0.00)	0.57	(0.01)	CORRECT
NL	OF	Crawford,C.	0.59	0.64	0.05	0.68	0.09	CORRECT
NL	C	Rosario,W.	0.61	0.62	0.01	0.53	(0.08)	WRONG
AL	OF	Suzuki,I.	0.49	0.52	0.03	0.54	0.05	CORRECT
NL	OF	Amarista,A.	0.40	0.44	0.04	0.42	0.02	CORRECT
AL	2B	Beckham,G.	0.51	0.50	(0.01)	0.36	(0.14)	CORRECT
NL	3B	Asche,C.	0.47	0.58	0.12	0.48	0.01	CORRECT
AL	2B	Odor,R.	-	-	-	0.47	-	-
NL	2B	Wong,K.	0.17	0.62	0.45	0.53	0.36	CORRECT
AL	OF	Pearce,S.	0.57	0.51	(0.06)	0.76	0.18	WRONG
AL	1B	Craig,A.	0.66	0.65	(0.01)	0.33	(0.33)	CORRECT
NL	2B	Turner,J.	0.50	0.45	(0.05)	0.78	0.29	WRONG
AL	C	Flowers,T.	0.32	0.43	0.11	0.44	0.12	CORRECT
AL	OF	Nava,D.	0.65	0.57	(0.08)	0.51	(0.14)	CORRECT
NL	C	Gattis,E.	0.52	0.55	0.02	0.57	0.05	CORRECT
AL	OF	Reddick,J.	0.49	0.58	0.09	0.55	0.06	CORRECT
NL	OF	Harper,B.	0.68	0.72	0.05	0.57	(0.10)	WRONG
AL	3B	Moustakas,M.	0.40	0.53	0.12	0.37	(0.03)	CORRECT
NL	C	Ruiz,C.	0.47	0.54	0.07	0.51	0.04	CORRECT
AL	3B	Schoop,J.	-	0.41	-	0.31	-	-
AL	1B	Dunn,A.	0.52	0.54	0.02	0.53	0.00	CORRECT
AL	1B	Teixeira,M.	0.32	0.61	0.29	0.47	0.15	CORRECT
NL	OF	Peralta,D.	-	-	-	0.59	-	-
AL	1B	Lind,A.	0.66	0.59	(0.07)	0.70	0.04	WRONG
AL	OF	Beltran,C.	0.65	0.65	0.00	0.47	(0.18)	WRONG
NL	C	d'Arnaud,T.	0.31	0.59	0.27	0.49	0.17	CORRECT
NL	3B	Alvarez,P.	0.52	0.49	(0.03)	0.52	0.00	WRONG
NL	OF	Venable,W.	0.66	0.64	(0.02)	0.41	(0.25)	CORRECT
NL	C	Ramos,W.	0.57	0.55	(0.02)	0.48	(0.09)	CORRECT
AL	3B	Machado,M.	0.55	0.65	0.09	0.56	0.00	CORRECT
NL	C	Pena,B.	0.51	0.41	(0.10)	0.43	(0.08)	CORRECT
AL	OF	Hamilton,J.	0.53	0.68	0.15	0.54	0.01	CORRECT
AL	1B	Davis,C.	0.81	0.72	(0.09)	0.44	(0.36)	CORRECT
AL	C	Zunino,M.	0.37	0.49	0.12	0.34	(0.03)	WRONG
AL	1B	Morrison,L.	0.49	0.63	0.14	0.53	0.04	CORRECT
NL	OF	Ludwick,R.	0.39	0.56	0.17	0.45	0.06	CORRECT

Total Accuracy 70%

AL	P	Gausman,K.	0.92	1.46	0.54	1.53	0.61	CORRECT
AL	P	Skaggs,T.	1.03	1.45	0.41	1.63	0.59	CORRECT
AL	P	Phelps,D.	1.28	1.37	0.09	1.20	(0.08)	WRONG
NL	P	Hand,B.	2.25	1.48	(0.77)	1.22	(1.03)	CORRECT
NL	P	Turner,J.	1.18	1.36	0.18	0.52	(0.66)	WRONG
NL	P	Cahill,T.	1.33	1.59	0.26	0.74	(0.59)	WRONG
NL	P	Worley,V.	-0.82	0.90	1.72	1.64	2.46	CORRECT
AL	P	Salazar,D.	1.63	1.70	0.07	1.11	(0.52)	WRONG
NL	P	Wacha,M.	2.47	1.94	(0.53)	1.78	(0.69)	CORRECT
AL	P	Tomlin,J.	-	1.16	-	0.87	-	-
NL	P	Latos,M.	1.78	1.68	(0.09)	1.73	(0.04)	CORRECT
AL	RP	House,T.	-	-	-	1.25	-	-
AL	RP	de la Rosa,R.	-0.05	1.13	1.18	0.83	0.88	CORRECT
AL	P	Deduno,S.	1.50	1.33	(0.16)	1.27	(0.22)	CORRECT
AL	P	Capuano,C.	0.92	1.24	0.33	1.22	0.30	CORRECT
NL	P	Mejia,J.	1.55	1.39	(0.16)	1.16	(0.40)	CORRECT

Total Accuracy 75%