



Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season. We could tell you that we exactly predicted Ian Kinsler's HRs in 2015, but in essence projecting any exact statistic is pure luck. On the other hand, predicting that Kinsler's production would decrease in 2015 verses his prior season....was not.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2015

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Pitchers in 2015

Year 2015 - Projecting Top 200 Hitters - Directional (based on FPI)

Year 2015 - Projecting Top 120 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	OF	Trout,M.	0.78	0.84	0.05	0.82	0.03	CORRECT
NL	OF	Stanton,G.	0.80	0.75	(0.05)	0.75	(0.05)	CORRECT
AL	OF	Bautista,J.	0.75	0.68	(0.07)	0.72	(0.03)	CORRECT
AL	DH	Martinez,V.	0.83	0.70	(0.12)	0.43	(0.39)	CORRECT
NL	OF	McCutchen,A.	0.83	0.81	(0.02)	0.73	(0.10)	CORRECT
NL	OF	Gomez,C.	0.71	0.76	0.06	0.54	(0.17)	WRONG
NL	3B	Frazier,T.	0.63	0.58	(0.05)	0.60	(0.03)	CORRECT
AL	3B	Donaldson,J.	0.60	0.63	0.03	0.76	0.16	CORRECT
AL	OF	Brantley,M.	0.79	0.69	(0.11)	0.74	(0.05)	CORRECT
AL	3B	Cabrera,M.	0.73	0.78	0.06	0.83	0.11	CORRECT
AL	OF	Jones,A.	0.58	0.64	0.06	0.56	(0.02)	WRONG
AL	1B	Abreu,J.	0.79	0.73	(0.06)	0.64	(0.15)	CORRECT
AL	OF	Cruz,N.	0.65	0.58	(0.07)	0.75	0.10	WRONG
AL	OF	Cespedes,Y.	0.55	0.61	0.07	0.67	0.13	CORRECT
AL	2B	Dozier,B.	0.59	0.61	0.02	0.54	(0.05)	WRONG
NL	2B	Rendon,A.	0.67	0.62	(0.05)	0.51	(0.16)	CORRECT
AL	1B	Pujols,A.	0.59	0.58	(0.01)	0.54	(0.05)	CORRECT
NL	OF	Kemp,M.	0.68	0.62	(0.06)	0.57	(0.11)	CORRECT
NL	OF	Upton,J.	0.64	0.62	(0.02)	0.63	(0.02)	CORRECT
AL	2B	Kinsler,I.	0.55	0.53	(0.02)	0.60	0.06	WRONG
NL	SS	Desmond,I.	0.58	0.66	0.08	0.47	(0.11)	WRONG
NL	OF	Pence,H.	0.60	0.67	0.07	0.63	0.03	CORRECT
NL	1B	Gonzalez,A.	0.62	0.64	0.02	0.62	(0.00)	WRONG
AL	3B	Longoria,E.	0.52	0.60	0.08	0.56	0.05	CORRECT
NL	1B	Rizzo,A.	0.72	0.69	(0.03)	0.72	(0.00)	CORRECT
AL	3B	Seager,K.	0.59	0.55	(0.03)	0.57	(0.01)	CORRECT
NL	OF	Dickerson,C.	0.78	0.64	(0.13)	0.69	(0.09)	CORRECT
AL	2B	Altuve,J.	0.83	0.74	(0.09)	0.73	(0.10)	CORRECT
NL	OF	Blackmon,C.	0.64	0.61	(0.03)	0.70	0.06	WRONG
NL	OF	Gordon,A.	0.61	0.64	0.04	0.60	(0.01)	WRONG
AL	1B	Encarnacion,E.	0.70	0.71	0.01	0.73	0.03	CORRECT
NL	1B	LaRoche,A.	0.63	0.55	(0.08)	0.38	(0.25)	CORRECT
NL	C	Posey,B.	0.68	0.66	(0.02)	0.69	0.01	WRONG
NL	OF	Puig,Y.	0.70	0.72	0.02	0.53	(0.17)	WRONG
NL	OF	Byrd,M.	0.54	0.50	(0.04)	0.51	(0.03)	CORRECT
NL	OF	Holliday,M.	0.61	0.67	0.06	0.63	0.02	CORRECT
NL	OF	Ozuna,M.	0.57	0.56	(0.01)	0.47	(0.10)	CORRECT
NL	OF	Duda,L.	0.61	0.56	(0.06)	0.60	(0.01)	CORRECT
AL	OF	Carter,C.	0.56	0.48	(0.09)	0.48	(0.09)	CORRECT
NL	1B	Freeman,F.	0.66	0.66	(0.01)	0.65	(0.01)	CORRECT
AL	SS	Ramirez,A.	0.55	0.51	(0.04)	0.46	(0.09)	CORRECT
NL	OF	Werth,J.	0.70	0.68	(0.02)	0.44	(0.25)	CORRECT
AL	OF	Martinez,J.	0.75	0.63	(0.12)	0.68	(0.08)	CORRECT
AL	DH	Ortiz,D.	0.65	0.65	(0.00)	0.70	0.05	WRONG
AL	2B	Cano,R.	0.70	0.69	(0.01)	0.58	(0.12)	CORRECT
AL	2B	Kendrick,H.	0.59	0.58	(0.01)	0.58	(0.01)	CORRECT
AL	SS	Reyes,J.	0.63	0.63	0.00	0.57	(0.06)	WRONG
NL	2B	Gordon,D.	0.68	0.68	0.00	0.77	0.09	CORRECT
NL	2B	Walker,N.	0.58	0.57	(0.01)	0.55	(0.03)	CORRECT
AL	C	Santana,C.	0.59	0.66	0.07	0.58	(0.02)	WRONG
AL	OF	Ellsbury,J.	0.66	0.72	0.05	0.51	(0.16)	WRONG
AL	OF	Gardner,B.	0.59	0.64	0.05	0.59	(0.00)	WRONG
NL	OF	Braun,R.	0.59	0.66	0.08	0.74	0.15	CORRECT
NL	1B	Howard,R.	0.45	0.47	0.02	0.46	0.01	CORRECT
NL	OF	Span,D.	0.68	0.64	(0.03)	0.71	0.04	WRONG
AL	3B	Beltre,A.	0.72	0.73	0.01	0.60	(0.13)	WRONG
AL	OF	Cabrera,M.	0.64	0.62	(0.02)	0.51	(0.13)	CORRECT

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
NL	P	Arrieta,J.	2.42	1.75	(0.67)	2.73	0.31	WRONG
NL	P	Kershaw,C.	2.73	2.35	(0.38)	2.49	(0.24)	CORRECT
NL	P	Cueto,J.	2.37	2.01	(0.37)	1.67	(0.70)	CORRECT
AL	P	Kluber,C.	2.02	1.73	(0.29)	1.78	(0.25)	CORRECT
AL	P	Hernandez,F.	2.40	2.00	(0.40)	1.77	(0.63)	CORRECT
NL	P	Wainwright,A.	2.27	2.05	(0.22)	2.23	(0.03)	CORRECT
NL	P	Greinke,Z.	1.80	1.71	(0.09)	2.67	0.87	WRONG
NL	P	Bumgarner,M.	1.89	1.89	(0.00)	2.08	0.19	WRONG
AL	P	Price,D.	1.77	1.89	0.12	2.07	0.30	CORRECT
AL	P	Lester,J.	1.92	1.79	(0.13)	1.79	(0.13)	CORRECT
AL	P	Scherzer,M.	1.92	2.00	0.08	2.10	0.18	CORRECT
NL	P	Strasburg,S.	1.72	2.04	0.33	1.80	0.08	CORRECT
AL	P	Sale,C.	2.34	2.11	(0.22)	1.78	(0.56)	CORRECT
NL	P	Teheran,J.	1.86	1.71	(0.15)	1.42	(0.43)	CORRECT
AL	P	Richards,G.	2.43	1.91	(0.52)	1.71	(0.73)	CORRECT
NL	P	Zimmermann,J.	1.98	1.83	(0.15)	1.47	(0.51)	CORRECT
AL	P	Hughes,P.	1.65	1.44	(0.21)	0.93	(0.71)	CORRECT
AL	P	Iwakuma,H.	1.82	1.83	0.01	1.76	(0.06)	WRONG
NL	P	Hamels,C.	1.87	1.88	0.02	1.73	(0.14)	WRONG
NL	P	Ross,T.	1.81	1.94	0.13	1.70	(0.11)	WRONG
NL	P	Lynn,L.	1.76	1.65	(0.10)	1.45	(0.30)	CORRECT
AL	P	Weaver,J.	1.68	1.52	(0.16)	1.18	(0.50)	CORRECT
NL	P	Roark,T.	1.91	1.47	(0.44)	1.09	(0.82)	CORRECT
AL	P	Gray,S.	1.87	1.78	(0.08)	2.08	0.21	WRONG
AL	P	Tanaka,M.	1.94	1.78	(0.16)	1.89	(0.05)	CORRECT
AL	P	McHugh,C.	2.13	1.51	(0.62)	1.61	(0.52)	CORRECT
AL	P	Kazmir,S.	1.83	1.54	(0.29)	1.57	(0.26)	CORRECT
AL	P	Shields,J.	1.61	1.78	0.17	1.36	(0.25)	WRONG
NL	P	Wood,A.	1.76	1.77	0.01	1.34	(0.42)	WRONG
AL	P	Shoemaker,M.	2.04	1.28	(0.75)	1.15	(0.89)	CORRECT
NL	P	Fister,D.	1.88	1.43	(0.45)	0.89	(0.99)	CORRECT
NL	P	Simon,A.	1.65	1.34	(0.31)	1.08	(0.57)	CORRECT
AL	P	Keuchel,D.	1.83	1.54	(0.29)	2.22	0.39	WRONG
NL	P	Degrom,J.	2.02	1.78	(0.24)	2.19	0.17	WRONG
AL	P	Carrasco,C.	2.23	1.85	(0.38)	1.91	(0.32)	CORRECT
AL	P	Dickey,R.	1.59	1.58	(0.01)	1.59	(0.00)	CORRECT
AL	P	Chen,W.	1.50	1.24	(0.27)	1.37	(0.13)	CORRECT
AL	P	Tillman,C.	1.71	1.61	(0.10)	1.25	(0.46)	CORRECT
NL	P	Peralta,W.	1.44	1.56	0.12	0.64	(0.80)	WRONG
AL	P	Norris,B.	1.71	1.46	(0.26)	0.28	(1.43)	CORRECT
AL	P	Archer,C.	1.69	1.84	0.16	1.83	0.14	CORRECT
AL	P	Ventura,Y.	1.66	1.81	0.15	1.62	(0.04)	WRONG
AL	P	Hammel,J.	1.66	1.48	(0.18)	1.60	(0.06)	CORRECT
NL	P	Lackey,J.	1.36	1.23	(0.13)	1.58	0.22	WRONG
AL	P	Duffy,D.	1.95	1.62	(0.34)	1.25	(0.70)	CORRECT
NL	P	Colon,B.	1.36	1.26	(0.10)	1.22	(0.14)	CORRECT
AL	P	Samardzija,J.	1.78	1.80	0.02	1.17	(0.60)	WRONG
NL	P	Kennedy,I.	1.56	1.64	0.08	1.07	(0.50)	WRONG
AL	P	Porcello,R.	1.48	1.39	(0.09)	0.89	(0.59)	CORRECT
NL	P	Lohse,K.	1.69	1.63	(0.06)	0.53	(1.16)	CORRECT
NL	P	Volquez,E.	1.81	1.46	(0.35)	1.59	(0.22)	CORRECT
NL	P	Gonzalez,G.	1.85	1.85	0.00	1.45	(0.40)	WRONG
AL	P	Quintana,J.	1.60	1.65	0.05	1.40	(0.20)	WRONG
NL	P	Cole,G.	1.80	1.81	0.01	2.08	0.28	CORRECT
AL	P	Smyly,D.	1.63	1.51	(0.13)	1.67	0.03	WRONG
NL	P	Leake,M.	1.37	1.42	0.04	1.65	0.28	CORRECT
NL	P	Haren,D.	1.47	1.32	(0.15)	1.51	0.04	WRONG

NL	OF	Yelich,C.	0.63	0.68	0.04	0.66	0.02	CORRECT	NL	P	Santana,E.	1.52	1.69	0.17	1.48	(0.04)	WRONG		
NL	OF	Davis,K.	0.52	0.62	0.10	0.62	0.10	CORRECT	NL	P	Collmenter,J.	1.74	1.37	(0.37)	1.14	(0.60)	CORRECT		
AL	1B	Moss,B.	0.54	0.57	0.02	0.46	(0.08)	WRONG	NL	P	Alvarez,H.	1.53	1.44	(0.09)	0.38	(1.15)	CORRECT		
AL	SS	Aybar,E.	0.53	0.50	(0.03)	0.46	(0.07)	CORRECT	AL	P	Odorizzi,J.	1.43	1.65	0.22	1.71	0.28	CORRECT		
NL	SS	Harrison,J.	0.70	0.58	(0.12)	0.55	(0.15)	CORRECT	NL	P	de la Rosa,J.	1.67	1.50	(0.17)	1.48	(0.19)	CORRECT		
AL	OF	Hunter,T.	0.57	0.55	(0.02)	0.46	(0.11)	CORRECT	AL	P	Buehrle,M.	1.27	1.21	(0.06)	1.41	0.14	WRONG		
NL	SS	Rollins,J.	0.58	0.59	0.00	0.42	(0.16)	WRONG	NL	P	Niese,J.	1.40	1.40	(0.00)	1.12	(0.28)	CORRECT		
NL	1B	Goldschmidt,P.	0.79	0.78	(0.01)	0.90	0.11	WRONG	AL	P	McCarthy,B.	1.12	1.57	0.45	0.93	(0.19)	WRONG		
AL	C	McCann,B.	0.44	0.52	0.08	0.51	0.07	CORRECT	AL	P	Young,C.	1.55	1.30	(0.25)	2.04	0.49	WRONG		
NL	C	Mesoraco,D.	0.67	0.58	(0.09)	0.28	(0.39)	CORRECT	NL	P	Liriano,F.	1.70	1.87	0.17	1.89	0.18	CORRECT		
AL	1B	Davis,C.	0.44	0.70	0.26	0.70	0.26	CORRECT	NL	P	Miller,S.	1.57	1.72	0.15	1.57	(0.01)	WRONG		
NL	2B	Utley,C.	0.56	0.56	(0.00)	0.38	(0.19)	CORRECT	AL	P	Vargas,J.	1.34	1.23	(0.11)	1.41	0.06	WRONG		
NL	OF	Marte,S.	0.68	0.67	(0.02)	0.64	(0.04)	CORRECT	NL	P	Petit,Y.	1.89	1.69	(0.19)	1.40	(0.49)	CORRECT		
AL	OF	Calhoun,K.	0.58	0.58	(0.00)	0.52	(0.06)	CORRECT	NL	P	Koehler,T.	1.58	1.52	(0.05)	1.29	(0.29)	CORRECT		
NL	OF	Granderson,C.	0.51	0.55	0.04	0.63	0.13	CORRECT	NL	P	Hudson,T.	1.39	1.35	(0.05)	1.15	(0.24)	CORRECT		
AL	SS	Escobar,A.	0.59	0.55	(0.03)	0.42	(0.16)	CORRECT	AL	P	Gonzalez,M.	1.29	1.49	0.21	0.98	(0.31)	WRONG		
NL	2B	Carpenter,M.	0.58	0.67	0.09	0.68	0.09	CORRECT	NL	P	Cashner,A.	1.80	1.65	(0.15)	0.95	(0.85)	CORRECT		
AL	2B	Zobrist,B.	0.59	0.64	0.06	0.62	0.04	CORRECT	NL	P	Garza,M.	1.78	1.69	(0.09)	0.51	(1.27)	CORRECT		
NL	OF	Heyward,J.	0.58	0.65	0.07	0.68	0.10	CORRECT	AL	P	Elias,R.	1.47	1.43	(0.04)	1.35	(0.12)	CORRECT		
NL	SS	Peralta,J.	0.58	0.60	0.02	0.54	(0.04)	WRONG	NL	P	Gallardo,Y.	1.31	1.39	0.08	1.30	(0.01)	WRONG		
NL	OF	Hamilton,B.	0.57	0.70	0.13	0.55	(0.02)	WRONG	AL	P	Sanchez,A.	2.08	1.73	(0.35)	1.21	(0.86)	CORRECT		
NL	SS	Ramirez,H.	0.67	0.74	0.07	0.51	(0.16)	WRONG	AL	P	Hutchison,D.	1.43	1.64	0.21	0.95	(0.48)	WRONG		
NL	OF	Bruce,J.	0.44	0.61	0.17	0.51	0.07	CORRECT	NL	P	Harang,A.	1.30	1.05	(0.25)	0.85	(0.45)	CORRECT		
NL	OF	Revere,B.	0.64	0.57	(0.07)	0.63	(0.01)	CORRECT	AL	P	Guthrie,J.	1.31	1.13	(0.18)	0.48	(0.83)	CORRECT		
AL	OF	Markakis,N.	0.54	0.58	0.04	0.58	0.04	CORRECT	NL	P	Peavy,J.	1.34	1.40	0.05	1.79	0.45	CORRECT		
NL	C	Lucroy,J.	0.67	0.67	(0.00)	0.53	(0.14)	CORRECT	NL	P	Cosart,J.	1.58	1.47	(0.11)	1.21	(0.37)	CORRECT		
NL	2B	Murphy,D.	0.58	0.59	0.02	0.57	(0.00)	WRONG	AL	P	Chavez,J.	1.38	1.53	0.15	1.09	(0.30)	WRONG		
NL	1B	Morneau,J.	0.69	0.57	(0.11)	0.64	(0.04)	CORRECT	NL	P	Vogelsong,R.	1.40	1.38	(0.03)	1.06	(0.35)	CORRECT		
NL	SS	Cabrera,A.	0.49	0.55	0.06	0.55	0.06	CORRECT	NL	P	Verlander,J.	1.27	1.55	0.28	1.78	0.51	CORRECT		
AL	1B	Teixeira,M.	0.47	0.54	0.07	0.69	0.22	CORRECT	NL	P	Morton,C.	1.58	1.52	(0.06)	1.22	(0.35)	CORRECT		
AL	OF	Eaton,A.	0.63	0.63	0.00	0.64	0.01	CORRECT	AL	P	Gibson,K.	1.53	1.35	(0.18)	1.50	(0.03)	CORRECT		
AL	OF	Martin,L.	0.57	0.58	0.01	0.39	(0.18)	WRONG	AL	P	Feldman,S.	1.33	1.59	0.26	1.24	(0.09)	WRONG		
AL	C	Gomes,Y.	0.57	0.55	(0.02)	0.39	(0.18)	CORRECT	NL	P	Estrada,M.	1.38	1.60	0.22	2.03	0.65	CORRECT		
AL	3B	Plouffe,T.	0.54	0.58	0.04	0.51	(0.03)	WRONG	AL	P	Wilson,C.	1.37	1.61	0.24	1.62	0.25	CORRECT		
AL	OF	Davis,R.	0.64	0.61	(0.03)	0.60	(0.04)	CORRECT	NL	P	Lincecum,T.	1.33	1.21	(0.12)	1.39	0.06	WRONG		
NL	OF	Stubbs,D.	0.72	0.59	(0.13)	0.46	(0.25)	CORRECT	NL	P	Burnett,A.	1.23	1.53	0.30	1.38	0.15	CORRECT		
NL	C	Gattis,E.	0.57	0.53	(0.04)	0.51	(0.07)	CORRECT	NL	P	Miley,W.	1.16	1.38	0.22	1.31	0.16	CORRECT		
NL	3B	Sandoval,P.	0.54	0.62	0.07	0.43	(0.12)	WRONG	NL	P	Kendrick,K.	1.10	1.28	0.18	0.34	(0.76)	WRONG		
NL	1B	Adams,M.	0.59	0.55	(0.04)	0.43	(0.16)	CORRECT	NL	P	Latos,M.	1.73	1.66	(0.07)	1.16	(0.58)	CORRECT		
AL	OF	Cain,L.	0.67	0.61	(0.06)	0.73	0.06	WRONG	AL	P	Salazar,D.	1.11	1.57	0.46	1.80	0.68	CORRECT		
NL	3B	Ramirez,A.	0.55	0.58	0.03	0.49	(0.06)	WRONG	AL	P	Buchholz,C.	1.16	1.54	0.38	1.62	0.46	CORRECT		
AL	2B	Ackley,D.	0.48	0.53	0.05	0.48	(0.00)	WRONG	AL	P	Bauer,T.	1.25	1.61	0.36	1.48	0.23	CORRECT		
AL	OF	Crisp,C.	0.56	0.59	0.03	0.23	(0.33)	WRONG	AL	P	Santiago,H.	1.30	1.13	(0.18)	1.47	0.16	WRONG		
AL	C	Zunino,M.	0.34	0.44	0.10	0.22	(0.12)	WRONG	AL	P	Lewis,C.	0.61	1.17	0.56	1.45	0.84	CORRECT		
NL	1B	McGehee,C.	0.55	0.48	(0.07)	0.27	(0.28)	CORRECT	AL	P	Paxton,J.	2.04	1.67	(0.37)	1.20	(0.84)	CORRECT		
AL	1B	Loney,J.	0.54	0.53	(0.01)	0.48	(0.06)	CORRECT	NL	P	Wood,T.	0.88	1.30	0.42	1.68	0.80	CORRECT		
AL	SS	Andrus,E.	0.50	0.60	0.10	0.51	0.02	CORRECT	AL	P	Gausman,K.	1.53	1.47	(0.06)	1.28	(0.25)	CORRECT		
NL	SS	Castro,S.	0.58	0.58	(0.01)	0.45	(0.13)	CORRECT	NL	P	Locke,J.	1.43	1.28	(0.15)	1.15	(0.29)	CORRECT		
AL	OF	Jackson,A.	0.50	0.59	0.09	0.52	0.02	CORRECT	NL	P	Nuno,V.	1.14	1.34	0.20	1.08	(0.05)	WRONG		
AL	C	Perez,S.	0.47	0.57	0.11	0.47	0.01	CORRECT	NL	P	Despaigne,O.	1.68	1.39	(0.29)	0.94	(0.74)	CORRECT		
NL	3B	Wright,D.	0.51	0.60	0.09	0.66	0.14	CORRECT	NL	P	Buchanan,D.	1.32	1.25	(0.07)	(0.30)	(1.62)	CORRECT		
AL	OF	Aoki,N.	0.56	0.62	0.05	0.60	0.03	CORRECT	AL	P	Tomlin,J.	0.87	1.42	0.55	2.22	1.35	CORRECT		
AL	OF	Rios,A.	0.55	0.57	0.01	0.45	(0.10)	WRONG	NL	P	Wada,T.	1.51	1.38	(0.13)	1.38	(0.13)	CORRECT		
AL	C	Navarro,D.	0.53	0.50	(0.03)	0.47	(0.06)	CORRECT	NL	P	Jackson,E.	0.49	0.93	0.44	1.99	1.49	CORRECT		
AL	2B	Infante,O.	0.44	0.53	0.09	0.29	(0.15)	WRONG	NL	P	Eovaldi,N.	1.15	1.49	0.34	1.37	0.22	CORRECT		
AL	SS	Santana,D.	0.73	0.59	(0.14)	0.29	(0.44)	CORRECT	NL	P	Wacha,M.	1.78	1.90	0.13	1.80	0.02	CORRECT		
AL	OF	Jennings,D.	0.51	0.59	0.08	0.53	0.02	CORRECT	NL	P	Worley,V.	1.64	1.25	(0.39)	1.05	(0.59)	CORRECT		
NL	3B	Alvarez,P.	0.52	0.59	0.07	0.57	0.04	CORRECT	NL	P	Matzek,T.	1.22	1.46	0.24	1.11	(0.11)	WRONG		
NL	1B	Reynolds,M.	0.44	0.55	0.10	0.48	0.04	CORRECT	NL	P	Lyles,J.	1.42	1.30	(0.11)	1.05	(0.37)	CORRECT		
NL	3B	Arenado,N.	0.64	0.68	0.04	0.69	0.06	CORRECT	AL	P	Jimenez,U.	1.22	1.39	0.16	1.39	0.17	CORRECT		
AL	OF	De Aza,A.	0.52	0.59	0.07	0.56	0.05	CORRECT	AL	P	Pineda,M.	2.38	1.70	(0.67)	1.28	(1.10)	CORRECT		
NL	OF	Upton,B.	0.43	0.51	0.08	0.61	0.18	CORRECT	NL	P	Anderson,C.	1.22	1.52	0.30	1.30	0.07	CORRECT		
NL	2B	Wong,K.	0.53	0.55	0.03	0.51	(0.01)	WRONG	NL	P	Hahn,J.	2.08	1.59	(0.49)	1.81	(0.27)	CORRECT		
AL	OF	Pearce,S.	0.76	0.62	(0.14)	0.44	(0.32)	CORRECT									Total Accuracy		70%
AL	2B	Pedroia,D.	0.53	0.64	0.11	0.63	0.10	CORRECT											
AL	3B	Prado,M.	0.53	0.53	0.00	0.54	0.01	CORRECT											
NL	OF	Parra,G.	0.47	0.45	(0.03)	0.62	0.15	WRONG											
AL	3B	Castellanos,N.	0.48	0.52	0.04	0.49	0.01	CORRECT											
AL	3B	Chisenhall,L.	0.57	0.53	(0.04)	0.46	(0.11)	CORRECT											
AL	2B	Holt,B.	0.56	0.49	(0.07)	0.57	0.01	WRONG											
AL	2B	Kipnis,J.	0.49	0.61	0.12	0.67	0.18	CORRECT											
NL	SS	Crawford,B.	0.51	0.55	0.04	0.56	0.05	CORRECT											
AL	OF	Fowler,D.	0.63	0.61	(0.02)	0.59	(0.03)	CORRECT											
NL	OF	Inciarte,E.	0.55	0.52	(0.03)	0.62	0.07	WRONG											
NL	OF	Lagares,J.	0.54	0.57	0.03	0.44	(0.10)	WRONG											
NL	OF	Pagan,A.	0.62	0.58	(0.04)	0.46	(0.16)	CORRECT											
AL	3B	Headley,C.	0.49	0.60	0.11	0.47	(0.02)	WRONG											
NL	OF	Brown,D.	0.42	0.55	0.13	0.41	(0.01)	WRONG											

NL	C	Martin,R.	0.65	0.54	(0.11)	0.56	(0.09)	CORRECT
NL	SS	Tulowitzki,T.	0.88	0.78	(0.11)	0.58	(0.31)	CORRECT
AL	1B	Napoli,M.	0.60	0.64	0.05	0.50	(0.10)	WRONG
NL	OF	Crawford,C.	0.68	0.65	(0.03)	0.59	(0.09)	CORRECT
NL	3B	Johnson,C.	0.45	0.49	0.04	0.41	(0.04)	WRONG
AL	1B	Butler,B.	0.49	0.58	0.08	0.49	(0.01)	WRONG
NL	2B	Gennett,S.	0.59	0.57	(0.01)	0.44	(0.15)	CORRECT
NL	SS	Segura,J.	0.43	0.58	0.15	0.45	0.02	CORRECT
NL	OF	Morse,M.	0.60	0.63	0.03	0.41	(0.19)	WRONG
NL	C	Montero,M.	0.47	0.54	0.07	0.54	0.07	CORRECT
NL	3B	Valbuena,L.	0.56	0.53	(0.03)	0.50	(0.06)	CORRECT
NL	OF	Blanco,G.	0.57	0.61	0.04	0.66	0.09	CORRECT
AL	OF	Suzuki,I.	0.54	0.50	(0.04)	0.37	(0.17)	CORRECT
AL	OF	Beltran,C.	0.47	0.64	0.17	0.61	0.14	CORRECT
NL	OF	Venable,W.	0.41	0.53	0.12	0.53	0.12	CORRECT
NL	SS	Hechavarria,A.	0.48	0.47	(0.00)	0.51	0.04	WRONG
AL	1B	Hosmer,E.	0.52	0.60	0.08	0.66	0.14	CORRECT
NL	2B	LeMahieu,D.	0.47	0.54	0.06	0.65	0.17	CORRECT
NL	SS	Mercer,J.	0.48	0.53	0.05	0.39	(0.09)	WRONG
NL	OF	Jay,J.	0.56	0.53	(0.03)	0.28	(0.28)	CORRECT
AL	OF	Bourn,M.	0.49	0.58	0.09	0.44	(0.05)	WRONG
NL	OF	Amarista,A.	0.42	0.44	0.02	0.31	(0.11)	WRONG
NL	OF	Pollock,A.	0.75	0.60	(0.15)	0.80	0.05	WRONG
AL	OF	Springer,G.	0.58	0.66	0.08	0.69	0.11	CORRECT
NL	SS	Simmons,A.	0.39	0.54	0.15	0.46	0.07	CORRECT
AL	SS	Bogaerts,X.	0.42	0.53	0.11	0.63	0.21	CORRECT
AL	C	Mauer,J.	0.56	0.64	0.08	0.53	(0.04)	WRONG
NL	2B	Hill,A.	0.42	0.52	0.10	0.45	0.02	CORRECT
NL	2B	Phillips,B.	0.45	0.50	0.06	0.61	0.16	CORRECT
NL	OF	Smith,S.	0.61	0.58	(0.03)	0.55	(0.06)	CORRECT
AL	2B	Odor,R.	0.47	0.54	0.07	0.55	0.08	CORRECT
NL	2B	Turner,J.	0.78	0.56	(0.22)	0.67	(0.11)	CORRECT
AL	C	Flowers,T.	0.44	0.40	(0.04)	0.40	(0.04)	CORRECT
AL	3B	Moustakas,M.	0.37	0.51	0.14	0.61	0.24	CORRECT
AL	3B	Schoop,J.	0.31	0.46	0.15	0.58	0.27	CORRECT
NL	OF	Peralta,D.	0.59	0.55	(0.04)	0.74	0.15	WRONG
AL	OF	Arcia,O.	0.49	0.55	0.06	0.50	0.01	CORRECT
NL	C	Grandal,Y.	0.52	0.61	0.09	0.55	0.03	CORRECT
AL	SS	Aviles,M.	0.44	0.40	(0.05)	0.37	(0.07)	CORRECT
AL	OF	Fuld,S.	0.54	0.60	0.06	0.36	(0.19)	WRONG
NL	OF	Young,E.	0.54	0.57	0.02	0.26	(0.28)	WRONG
NL	OF	Harper,B.	0.57	0.68	0.10	0.95	0.38	CORRECT
AL	SS	Villar,J.	0.46	0.55	0.09	0.66	0.20	CORRECT
NL	OF	Harper,B.	0.57	0.68	0.10	0.95	0.38	CORRECT
AL	C	Suzuki,K.	0.53	0.47	(0.06)	0.37	(0.16)	CORRECT
NL	2B	Solarte,Y.	0.51	0.55	0.04	0.53	0.03	CORRECT
AL	3B	Freese,D.	0.48	0.48	0.00	0.51	0.02	CORRECT
NL	3B	Uribe,J.	0.59	0.49	(0.11)	0.53	(0.07)	CORRECT
NL	SS	Cozart,Z.	0.33	0.44	0.11	0.56	0.23	CORRECT
AL	OF	Murphy,D.	0.50	0.49	(0.00)	0.53	0.04	WRONG
AL	OF	Joyce,M.	0.53	0.53	(0.00)	0.27	(0.26)	CORRECT
NL	OF	Young,C.	0.46	0.52	0.06	0.56	0.10	CORRECT
AL	OF	Gentry,C.	0.51	0.48	(0.03)	0.07	(0.44)	CORRECT
AL	OF	Gose,A.	0.46	0.56	0.10	0.54	0.08	CORRECT
AL	OF	Rasmus,C.	0.51	0.57	0.07	0.56	0.06	CORRECT
NL	OF	Trumbo,M.	0.47	0.58	0.11	0.54	0.07	CORRECT
AL	OF	Choo,S.	0.48	0.67	0.19	0.64	0.16	CORRECT
NL	OF	Coghlan,C.	0.64	0.59	(0.06)	0.61	(0.04)	CORRECT
AL	C	Castro,J.	0.39	0.49	0.10	0.39	0.00	CORRECT
AL	OF	Dyson,J.	0.68	0.67	(0.01)	0.67	(0.00)	CORRECT
NL	OF	Polanco,G.	0.50	0.59	0.09	0.56	0.06	CORRECT
AL	SS	Lowrie,J.	0.46	0.56	0.10	0.47	0.01	CORRECT
AL	SS	Escobar,Y.	0.45	0.52	0.07	0.62	0.16	CORRECT
AL	3B	Machado,M.	0.56	0.56	0.00	0.71	0.15	CORRECT
NL	C	Castillo,W.	0.44	0.53	0.09	0.50	0.06	CORRECT

Total Accuracy 72%