



Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season.

We could tell you that we exactly predicted Kris Bryant's HRs in 2016, but in essence projecting any exact statistic is pure luck. On the other hand, predicting that Bryant's production would increase in 2016 versus his prior season....was not.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantistics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2016

Year 2016 - Projecting Top 200 Hitters - Directional (based on FPI)								
L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual		
					(C)-(A)	Projection		
AL	3B	Donaldson,J.	0.76	0.71	(0.05)	0.78	0.01	WRONG
NL	1B	Goldschmidt,P.	0.90	0.85	(0.05)	0.81	(0.09)	CORRECT
NL	3B	Arenado,N.	0.69	0.68	(0.02)	0.74	0.05	WRONG
NL	OF	Harper,B.	0.95	0.86	(0.09)	0.67	(0.29)	CORRECT
AL	3B	Machado,M.	0.71	0.65	(0.06)	0.68	(0.03)	CORRECT
NL	OF	Cespedes,Y.	0.67	0.62	(0.06)	0.66	(0.01)	CORRECT
NL	3B	Bryant,K.	0.69	0.72	0.03	0.75	0.06	CORRECT
AL	1B	Davis,C.	0.70	0.71	0.01	0.55	(0.15)	WRONG
AL	OF	Trout,M.	0.82	0.81	(0.01)	0.90	0.08	WRONG
AL	OF	Bautista,J.	0.72	0.70	(0.02)	0.61	(0.11)	CORRECT
NL	1B	Rizzo,A.	0.72	0.71	(0.00)	0.72	0.00	WRONG
NL	OF	Pollock,A.	0.80	0.49	(0.32)	0.67	(0.13)	CORRECT
AL	OF	Cruz,N.	0.75	0.61	(0.14)	0.72	(0.03)	CORRECT
AL	OF	Martinez,J.	0.68	0.62	(0.06)	0.73	0.05	WRONG
NL	1B	Votto,J.	0.87	0.77	(0.10)	0.85	(0.02)	CORRECT
AL	1B	Encarnacion,E.	0.73	0.70	(0.03)	0.68	(0.05)	CORRECT
NL	3B	Frazier,T.	0.60	0.60	(0.01)	0.56	(0.04)	CORRECT
AL	1B	Abreu,J.	0.64	0.67	0.04	0.62	(0.01)	WRONG
NL	OF	Gonzalez,C.	0.66	0.67	0.01	0.67	0.01	CORRECT
NL	OF	Braun,R.	0.74	0.67	(0.06)	0.77	0.03	WRONG
NL	2B	Carpenter,M.	0.68	0.69	0.01	0.68	0.00	CORRECT
NL	OF	Upton,J.	0.63	0.70	0.07	0.56	(0.06)	WRONG
AL	2B	Altuve,J.	0.73	0.71	(0.02)	0.84	0.11	WRONG
AL	2B	Dozier,B.	0.54	0.59	0.05	0.72	0.18	CORRECT
AL	1B	Pujols,A.	0.54	0.58	0.04	0.58	0.04	CORRECT
AL	OF	Cain,L.	0.73	0.66	(0.07)	0.62	(0.11)	CORRECT
AL	DH	Ortiz,D.	0.70	0.69	(0.01)	0.85	0.15	WRONG
NL	2B	Gordon,D.	0.77	0.64	(0.13)	0.58	(0.19)	CORRECT
NL	OF	Blackmon,C.	0.70	0.69	(0.01)	0.79	0.09	WRONG
NL	OF	Marte,S.	0.64	0.66	0.01	0.78	0.14	CORRECT
NL	OF	Granderson,C.	0.63	0.61	(0.03)	0.57	(0.06)	CORRECT
AL	OF	Calhoun,K.	0.52	0.52	0.01	0.58	0.07	CORRECT
AL	3B	Seager,K.	0.57	0.62	0.04	0.66	0.09	CORRECT
AL	OF	Betts,M.	0.68	0.74	0.06	0.79	0.11	CORRECT
NL	OF	McCutchen,A.	0.73	0.77	0.04	0.56	(0.17)	WRONG
NL	OF	Kemp,M.	0.57	0.61	0.04	0.59	0.02	CORRECT
NL	OF	Bruce,J.	0.51	0.58	0.07	0.59	0.08	CORRECT
NL	1B	Gonzalez,A.	0.62	0.62	0.00	0.59	(0.03)	WRONG
AL	1B	Hosmer,E.	0.66	0.65	(0.01)	0.56	(0.09)	CORRECT
AL	1B	Morales,K.	0.65	0.61	(0.04)	0.57	(0.08)	CORRECT
AL	OF	Jones,A.	0.56	0.60	0.04	0.53	(0.03)	WRONG
AL	2B	Kinsler,I.	0.60	0.62	0.01	0.65	0.05	CORRECT
AL	SS	Bogaerts,X.	0.63	0.64	0.01	0.65	0.01	CORRECT
AL	OF	Gardner,B.	0.59	0.61	0.02	0.56	(0.03)	WRONG
AL	C	Gattis,E.	0.51	0.51	0.01	0.60	0.09	CORRECT
NL	2B	LeMahieu,D.	0.65	0.61	(0.04)	0.80	0.15	WRONG
AL	OF	Choo,S.	0.64	0.60	(0.04)	0.56	(0.08)	CORRECT
AL	OF	Eaton,A.	0.64	0.66	0.02	0.62	(0.02)	WRONG
NL	2B	Phillips,B.	0.61	0.54	(0.07)	0.57	(0.04)	CORRECT
NL	C	Posey,B.	0.69	0.65	(0.04)	0.63	(0.06)	CORRECT
AL	OF	Brantley,M.	0.74	0.74	(0.00)	0.38	(0.36)	CORRECT
AL	2B	Cano,R.	0.58	0.61	0.03	0.69	0.11	CORRECT
NL	OF	Fowler,D.	0.59	0.63	0.04	0.69	0.09	CORRECT
AL	OF	Revere,B.	0.63	0.66	0.03	0.36	(0.27)	WRONG
NL	SS	Duffy,M.	0.61	0.61	0.00	0.48	(0.13)	WRONG
AL	3B	Beltre,A.	0.60	0.64	0.05	0.69	0.09	CORRECT
NL	OF	Heyward,J.	0.68	0.68	0.00	0.43	(0.25)	WRONG

Fantistics Correctly Predicted the Fantasy Direction on 7 out of 10 Pitchers in 2016

Year 2016 - Projecting Top 120 Pitchers - Directional (based on FPI)								
L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual		
					(C)-(A)	Projection		
NL	P	Arrieta,J.	2.73	2.12	(0.61)	2.28	(0.46)	CORRECT
NL	P	Greinke,Z.	2.67	1.95	(0.73)	1.38	(1.29)	CORRECT
NL	P	Kershaw,C.	2.49	2.41	(0.08)	2.80	0.31	WRONG
AL	P	Keuchel,D.	2.22	1.84	(0.38)	1.29	(0.93)	CORRECT
NL	P	Scherzer,M.	2.10	2.05	(0.05)	2.21	0.11	WRONG
NL	P	Cole,G.	2.08	1.90	(0.17)	1.11	(0.97)	CORRECT
AL	P	Price,D.	2.07	1.85	(0.22)	1.53	(0.54)	CORRECT
NL	P	Bumgarner,M.	2.08	2.01	(0.07)	2.03	(0.05)	CORRECT
NL	P	Degrom,J.	2.19	1.89	(0.30)	1.53	(0.66)	CORRECT
NL	P	Harvey,M.	2.01	2.03	0.01	0.78	(1.23)	WRONG
AL	P	Gray,S.	2.08	1.79	(0.28)	0.68	(1.39)	CORRECT
AL	P	Archer,C.	1.83	1.83	0.00	1.30	(0.53)	WRONG
AL	P	Sale,C.	1.78	1.99	0.21	1.93	0.15	CORRECT
NL	P	Garcia,J.	2.18	1.67	(0.51)	1.05	(1.12)	CORRECT
AL	P	Carrasco,C.	1.91	1.91	0.00	1.61	(0.30)	WRONG
AL	P	Kluber,C.	1.78	1.94	0.16	2.07	0.29	CORRECT
AL	P	Hernandez,F.	1.77	1.87	0.09	1.53	(0.24)	WRONG
AL	P	Salazar,D.	1.80	1.79	(0.00)	1.62	(0.18)	CORRECT
NL	P	Martinez,C.	1.71	1.75	0.04	1.86	0.14	CORRECT
NL	P	Liriano,F.	1.89	1.90	0.01	1.00	(0.89)	WRONG
AL	P	Estrada,M.	2.03	1.65	(0.38)	1.86	(0.17)	CORRECT
NL	P	Lackey,J.	1.58	1.50	(0.08)	1.96	0.38	WRONG
NL	P	Lester,J.	1.79	1.95	0.16	2.24	0.45	CORRECT
NL	P	Wacha,M.	1.80	1.58	(0.22)	0.97	(0.83)	CORRECT
AL	P	McHugh,C.	1.61	1.61	0.00	1.06	(0.55)	WRONG
AL	P	Hamel,C.	1.73	1.72	(0.01)	1.60	(0.13)	CORRECT
NL	P	Syndergaard,N.	1.84	1.90	0.07	1.88	0.04	CORRECT
AL	P	Tanaka,M.	1.89	1.63	(0.26)	1.86	(0.03)	CORRECT
AL	P	Richards,G.	1.71	1.84	0.14	1.49	(0.22)	WRONG
AL	P	Lewis,C.	1.45	1.29	(0.17)	1.58	0.13	WRONG
AL	P	Cueto,J.	1.67	1.80	0.13	2.05	0.38	CORRECT
NL	P	Strasburg,S.	1.80	1.99	0.19	2.11	0.30	CORRECT
AL	P	Young,C.	2.04	1.59	(0.45)	(0.07)	(2.11)	CORRECT
NL	P	Zimmermann,J.	1.47	1.64	0.18	1.11	(0.35)	WRONG
NL	P	Shields,J.	1.36	1.65	0.29	0.31	(1.05)	WRONG
AL	P	Odorizzi,J.	1.71	1.69	(0.02)	1.55	(0.16)	CORRECT
NL	P	Hammel,J.	1.60	1.52	(0.08)	1.60	0.00	WRONG
NL	P	Miller,S.	1.57	1.60	0.04	0.23	(1.33)	WRONG
AL	P	Pineda,M.	1.28	1.48	0.20	1.00	(0.27)	WRONG
AL	P	Chen,W.	1.37	1.56	0.18	1.05	(0.32)	WRONG
AL	P	Ramirez,E.	1.85	1.30	(0.55)	1.14	(0.71)	CORRECT
AL	P	Walker,T.	1.47	1.70	0.23	1.15	(0.32)	WRONG
AL	P	Kazmir,S.	1.57	1.75	0.18	1.31	(0.27)	WRONG
NL	P	Colon,B.	1.22	1.30	0.08	1.46	0.24	CORRECT
AL	P	Volquez,E.	1.59	1.68	0.09	0.84	(0.75)	WRONG
AL	P	Jimenez,U.	1.39	1.43	0.04	0.94	(0.45)	WRONG
AL	P	Dickey,R.	1.59	1.45	(0.14)	1.07	(0.52)	CORRECT
AL	P	Ventura,Y.	1.62	1.70	0.08	1.14	(0.48)	WRONG
AL	P	Iwakuma,H.	1.76	1.55	(0.20)	1.17	(0.59)	CORRECT
AL	P	Santiago,H.	1.47	1.43	(0.04)	1.25	(0.22)	CORRECT
AL	P	Samardzija,J.	1.17	1.63	0.46	1.56	0.39	CORRECT
AL	P	Quintana,J.	1.40	1.56	0.16	1.65	0.25	CORRECT
NL	P	Teheran,J.	1.42	1.70	0.28	1.80	0.37	CORRECT
NL	P	Hendricks,K.	1.69	1.50	(0.19)	2.30	0.61	WRONG
AL	P	Gibson,K.	1.50	1.37	(0.13)	0.65	(0.85)	CORRECT
NL	P	Nelson,J.	1.47	1.34	(0.13)	0.88	(0.59)	CORRECT
AL	RP	Fiers,M.	1.45	1.70	0.25	1.06	(0.40)	WRONG

NL	OF	Duda,L.	0.60	0.61	0.01	0.47	(0.13)	WRONG	NL	P	Leake,M.	1.65	1.61	(0.04)	1.08	(0.57)	CORRECT
AL	C	McCann,B.	0.51	0.53	0.02	0.52	0.01	CORRECT	AL	P	McCullers,L.	1.79	1.76	(0.03)	1.33	(0.46)	CORRECT
NL	OF	Polanco,G.	0.56	0.65	0.09	0.62	0.06	CORRECT	NL	RP	de la Rosa,R.	1.18	1.05	(0.13)	1.45	0.27	WRONG
AL	OF	Pillar,K.	0.58	0.55	(0.03)	0.49	(0.09)	CORRECT	AL	P	Bauer,T.	1.48	1.53	0.05	1.52	0.04	CORRECT
AL	2B	Kipnis,J.	0.67	0.61	(0.06)	0.65	(0.02)	CORRECT	AL	P	Happ,J.	1.51	1.41	(0.10)	1.95	0.43	WRONG
AL	3B	Moustakas,M.	0.61	0.56	(0.05)	0.55	(0.06)	CORRECT	AL	P	Verlander,J.	1.78	1.65	(0.13)	2.07	0.29	WRONG
AL	3B	Longoria,E.	0.56	0.56	(0.01)	0.63	0.06	WRONG	AL	P	Gallardo,Y.	1.30	1.25	(0.05)	0.86	(0.45)	CORRECT
AL	3B	Plouffe,T.	0.51	0.54	0.03	0.51	(0.00)	WRONG	AL	P	Eovaldi,N.	1.37	1.52	0.15	1.18	(0.18)	WRONG
AL	C	Santana,C.	0.58	0.65	0.07	0.67	0.09	CORRECT	NL	P	Gonzalez,G.	1.45	1.72	0.27	1.32	(0.12)	WRONG
AL	OF	Parra,G.	0.62	0.56	(0.07)	0.45	(0.17)	CORRECT	NL	P	Kennedy,I.	1.07	1.47	0.40	1.45	0.38	CORRECT
AL	OF	Reddick,J.	0.61	0.58	(0.03)	0.59	(0.02)	CORRECT	AL	RP	Warren,A.	1.80	1.68	(0.12)	1.47	(0.34)	CORRECT
NL	1B	Lind,A.	0.63	0.60	(0.03)	0.47	(0.15)	CORRECT	AL	P	Rodriguez,E.	1.51	1.36	(0.15)	1.25	(0.26)	CORRECT
NL	1B	Belt,B.	0.66	0.62	(0.04)	0.67	0.01	WRONG	AL	P	Karns,N.	1.53	1.35	(0.18)	1.28	(0.24)	CORRECT
NL	OF	Peralta,D.	0.74	0.70	(0.05)	0.51	(0.24)	CORRECT	AL	P	Tillman,C.	1.25	1.51	0.25	1.71	0.45	CORRECT
NL	3B	Alvarez,P.	0.57	0.58	0.02	0.61	0.04	CORRECT	AL	P	Porcello,R.	0.89	1.37	0.48	2.13	1.24	CORRECT
AL	1B	Teixeira,M.	0.69	0.00	(0.69)	0.41	(0.28)	CORRECT	NL	P	Jungmann,T.	1.63	1.36	(0.27)	0.04	(1.60)	CORRECT
AL	SS	Andrus,E.	0.51	0.56	0.04	0.70	0.18	CORRECT	AL	P	Milone,T.	1.43	1.20	(0.23)	0.42	(1.01)	CORRECT
NL	2B	Wong,K.	0.51	0.60	0.09	0.49	(0.03)	WRONG	AL	P	Gonzalez,M.	0.98	1.27	0.29	1.48	0.51	CORRECT
AL	2B	Forsythe,L.	0.62	0.58	(0.04)	0.57	(0.05)	CORRECT	NL	P	Morton,C.	1.22	1.37	0.15	1.70	0.48	CORRECT
NL	OF	Inciarte,E.	0.62	0.58	(0.04)	0.59	(0.03)	CORRECT	NL	P	Wood,T.	1.68	1.68	0.00	2.07	0.39	CORRECT
AL	OF	Burns,B.	0.61	0.58	(0.03)	0.39	(0.22)	CORRECT	AL	P	Elias,R.	1.35	1.32	(0.03)	(2.21)	(3.57)	CORRECT
NL	SS	Crawford,B.	0.56	0.55	(0.02)	0.60	0.03	WRONG	AL	P	Weaver,J.	1.18	1.17	(0.01)	0.65	(0.53)	CORRECT
NL	OF	Maybin,C.	0.57	0.54	(0.03)	0.70	0.13	WRONG	NL	P	Anderson,C.	1.30	1.41	0.12	1.00	(0.29)	WRONG
AL	SS	Tulowitzki,T.	0.58	0.57	(0.00)	0.54	(0.03)	CORRECT	AL	P	Chavez,J.	1.09	1.36	0.27	1.09	0.00	CORRECT
NL	OF	Pederson,J.	0.53	0.64	0.11	0.64	0.12	CORRECT	NL	P	Bettis,C.	1.29	1.43	0.14	1.30	0.01	CORRECT
AL	OF	Rasmus,C.	0.56	0.52	(0.04)	0.41	(0.15)	CORRECT	AL	P	Shoemaker,M.	1.15	1.54	0.39	1.31	0.16	CORRECT
NL	OF	Davis,K.	0.62	0.54	(0.08)	0.59	(0.04)	CORRECT	AL	RP	May,T.	1.17	1.37	0.20	1.32	0.16	CORRECT
AL	OF	Cabrera,M.	0.51	0.57	0.06	0.62	0.11	CORRECT	AL	P	Sabathia,C.	0.82	0.99	0.17	1.33	0.51	CORRECT
NL	SS	Desmond,I.	0.47	0.58	0.11	0.63	0.16	CORRECT	AL	P	Pomeranz,D.	1.76	1.66	(0.10)	1.69	(0.07)	CORRECT
NL	SS	Peralta,J.	0.54	0.53	(0.01)	0.50	(0.04)	CORRECT	AL	P	Colome,A.	1.50	1.57	0.08	1.92	0.42	CORRECT
NL	2B	Walker,N.	0.55	0.57	0.02	0.64	0.08	CORRECT	NL	P	Iglesias,R.	1.61	1.75	0.14	1.93	0.32	CORRECT
AL	1B	Moreland,M.	0.60	0.54	(0.05)	0.47	(0.13)	CORRECT	AL	P	Heaney,A.	1.62	1.49	(0.13)	0.08	(1.54)	CORRECT
AL	3B	Valbuena,L.	0.50	0.49	(0.01)	0.62	0.11	WRONG	NL	P	Bolsinger,M.	1.41	1.22	(0.18)	0.11	(1.30)	CORRECT
AL	3B	Cabrera,M.	0.83	0.81	(0.02)	0.78	(0.05)	CORRECT	AL	P	Hahn,J.	1.81	1.47	(0.34)	0.37	(1.44)	CORRECT
AL	3B	Lawrie,B.	0.49	0.48	(0.01)	0.52	0.03	WRONG	NL	P	Corbin,P.	1.34	1.61	0.27	0.62	(0.72)	WRONG
NL	SS	Segura,J.	0.45	0.55	0.09	0.77	0.32	CORRECT	NL	P	Garza,M.	0.51	1.26	0.75	0.89	0.37	CORRECT
AL	C	Perez,S.	0.47	0.51	0.03	0.47	(0.01)	WRONG	NL	P	Ray,R.	1.35	1.34	(0.01)	0.91	(0.45)	CORRECT
NL	OF	Herrera,O.	0.61	0.53	(0.08)	0.66	0.05	WRONG	NL	P	Wisler,M.	0.96	1.20	0.24	1.04	0.07	CORRECT
AL	OF	Gose,A.	0.54	0.57	0.03	0.36	(0.18)	WRONG	NL	P	Latos,M.	1.16	1.50	0.35	118.00	116.84	CORRECT
NL	SS	Reyes,J.	0.57	0.61	0.04	0.62	0.05	CORRECT	AL	P	Gausman,K.	1.28	1.50	0.22	1.17	(0.11)	WRONG
NL	OF	Yelich,C.	0.66	0.66	0.01	0.70	0.04	CORRECT	AL	P	Santana,E.	1.48	1.56	0.08	1.50	0.02	CORRECT
AL	1B	Canha,M.	0.53	0.55	0.02	0.06	(0.47)	WRONG	AL	P	Duffy,D.	1.25	1.43	0.18	1.70	0.44	CORRECT
AL	C	Martin,R.	0.56	0.58	0.02	0.51	(0.05)	WRONG	AL	P	Sanchez,A.	1.76	1.87	0.11	2.03	0.27	CORRECT
AL	OF	Gomez,C.	0.54	0.62	0.09	0.50	(0.03)	WRONG	AL	P	Pelfrey,M.	0.91	1.17	0.26	0.20	(0.71)	WRONG
NL	OF	Markakis,N.	0.58	0.58	(0.00)	0.54	(0.03)	CORRECT	AL	P	Martinez,N.	1.05	1.30	0.26	0.40	(0.65)	WRONG
AL	SS	Escobar,A.	0.42	0.53	0.11	0.46	0.04	CORRECT	NL	P	Despaigne,O.	0.94	0.91	(0.03)	0.51	(0.43)	CORRECT
AL	3B	Headley,C.	0.47	0.52	0.04	0.52	0.05	CORRECT	AL	P	Nuno,V.	1.08	1.47	0.39	0.89	(0.19)	WRONG
NL	SS	Semien,M.	0.52	0.52	(0.01)	0.53	0.01	WRONG	NL	P	Perez,W.	0.97	1.28	0.31	1.12	0.15	CORRECT
AL	1B	Butler,B.	0.49	0.52	0.03	0.56	0.07	CORRECT	AL	P	Graveman,K.	0.98	1.22	0.24	1.24	0.26	CORRECT
NL	SS	Escobar,Y.	0.62	0.51	(0.10)	0.56	(0.05)	CORRECT	NL	P	Rusin,C.	0.44	1.05	0.61	1.55	1.11	CORRECT
AL	OF	Trumbo,M.	0.54	0.52	(0.02)	0.63	0.08	WRONG	NL	P	Roark,T.	1.09	0.95	(0.14)	1.94	0.85	WRONG
AL	OF	Kiermaier,K.	0.55	0.57	0.02	0.61	0.05	CORRECT	AL	P	Bassitt,C.	1.45	1.36	(0.09)	0.13	(1.33)	CORRECT
NL	OF	Byrd,M.	0.51	0.46	(0.05)	0.58	0.07	WRONG	NL	P	Williams,J.	0.15	0.71	0.56	0.29	0.14	CORRECT
NL	2B	Murphy,D.	0.57	0.58	0.01	0.84	0.27	CORRECT	NL	P	Peralta,W.	0.64	1.05	0.41	0.65	0.00	CORRECT
AL	OF	Rosario,E.	0.56	0.50	(0.06)	0.53	(0.03)	CORRECT	NL	P	Fister,D.	0.89	1.31	0.42	1.04	0.15	CORRECT
AL	OF	Ellsbury,J.	0.51	0.64	0.13	0.55	0.04	CORRECT	AL	P	Feldman,S.	1.24	1.19	(0.05)	1.16	(0.08)	CORRECT
AL	C	Vogt,S.	0.58	0.57	(0.00)	0.48	(0.09)	CORRECT	AL	P	Nova,I.	0.94	1.16	0.22	1.27	0.33	CORRECT
NL	1B	Freeman,F.	0.65	0.68	0.03	0.80	0.15	CORRECT	NL	P	Foltynewicz,M.	0.28	1.20	0.92	1.34	1.06	CORRECT
NL	OF	Hamilton,B.	0.55	0.64	0.09	0.70	0.14	CORRECT	NL	P	Lorenzen,M.	0.50	1.25	0.75	1.95	1.45	CORRECT
AL	SS	Lindor,F.	0.72	0.62	(0.10)	0.67	(0.05)	CORRECT	NL	P	Hand,B.	0.91	1.28	0.38	2.07	1.16	CORRECT
AL	SS	Correa,C.	0.71	0.70	(0.01)	0.64	(0.07)	CORRECT	NL	P	Phelps,D.	1.15	1.19	0.04	2.13	0.98	CORRECT
AL	SS	Aybar,E.	0.46	0.48	0.02	0.39	(0.06)	WRONG	NL	P	Montgomery,M.	1.13	1.57	0.45	1.87	0.75	CORRECT
AL	C	Mauer,J.	0.53	0.57	0.05	0.57	0.04	CORRECT	NL	P	Cashner,A.	0.95	1.55	0.60	0.77	(0.18)	WRONG
NL	2B	Galvis,F.	0.46	0.48	0.02	0.47	0.01	CORRECT									
AL	OF	Garcia,A.	0.46	0.51	0.06	0.46	0.00	CORRECT									
AL	3B	Castellanos,N.	0.49	0.59	0.10	0.63	0.13	CORRECT									
NL	SS	Castro,S.	0.45	0.55	0.10	0.53	0.08	CORRECT									
NL	2B	Solarte,Y.	0.53	0.55	0.02	0.61	0.07	CORRECT									
AL	2B	Odor,R.	0.55	0.62	0.07	0.61	0.06	CORRECT									
NL	2B	Turner,J.	0.67	0.63	(0.04)	0.64	(0.04)	CORRECT									
NL	SS	Peterson,J.	0.45	0.55	0.10	0.53	0.08	CORRECT									
NL	SS	Flores,W.	0.48	0.44	(0.03)	0.58	0.10	WRONG									
NL	OF	Taylor,M.	0.46	0.49	0.03	0.51	0.05	CORRECT									
NL	1B	Howard,R.	0.46	0.45	(0.02)	0.43	(0.03)	CORRECT									
AL	OF	Springer,G.	0.69	0.65	(0.04)	0.61	(0.08)	CORRECT									
AL	SS	Gregorius,D.	0.48	0.45	(0.03)	0.55	0.08	WRONG									
NL	SS	Owings,C.	0.39	0.43	0.04	0.59	0.20	CORRECT									
NL	3B	Prado,M.	0.54	0.52	(0.03)	0.60	0.06	WRONG									

Total Accuracy 69%

AL	SS	Miller,B.	0.57	0.57	(0.00)	0.56	(0.01)	CORRECT
NL	1B	Bour,J.	0.58	0.53	(0.05)	0.62	0.04	WRONG
NL	OF	Ethier,A.	0.67	0.60	(0.06)	0.38	(0.28)	CORRECT
NL	SS	Simmons,A.	0.46	0.52	0.06	0.53	0.07	CORRECT
NL	SS	Hechavarria,A.	0.51	0.48	(0.03)	0.36	(0.15)	CORRECT
AL	1B	Morrison,L.	0.47	0.55	0.09	0.51	0.04	CORRECT
AL	2B	Holt,B.	0.57	0.56	(0.01)	0.50	(0.06)	CORRECT
NL	C	Realmuto,J.	0.49	0.55	0.06	0.62	0.13	CORRECT
AL	SS	Ramirez,H.	0.51	0.60	0.09	0.69	0.18	CORRECT
AL	OF	Carter,C.	0.48	0.53	0.05	0.58	0.10	CORRECT
AL	3B	Valencia,D.	0.67	0.56	(0.11)	0.60	(0.07)	CORRECT
NL	OF	Pagan,A.	0.46	0.50	0.04	0.60	0.14	CORRECT
NL	C	Ramos,W.	0.37	0.51	0.14	0.67	0.30	CORRECT
AL	3B	Sandoval,P.	0.43	0.55	0.12	-0.21	(0.64)	WRONG
NL	OF	Ozuna,M.	0.47	0.60	0.13	0.55	0.08	CORRECT
NL	C	Cervelli,F.	0.59	0.52	(0.07)	0.54	(0.04)	CORRECT
NL	2B	Hernandez,C.	0.57	0.58	0.00	0.63	0.05	CORRECT
NL	C	Hundley,N.	0.63	0.59	(0.04)	0.54	(0.09)	CORRECT
NL	3B	Zimmerman,R.	0.56	0.61	0.05	0.40	(0.16)	WRONG
AL	OF	Colabello,C.	0.73	0.52	(0.20)	-0.18	(0.90)	CORRECT
NL	C	Molina,Y.	0.47	0.55	0.08	0.61	0.14	CORRECT
NL	1B	Moss,B.	0.46	0.56	0.09	0.52	0.06	CORRECT
AL	2B	Giavotella,J.	0.50	0.46	(0.04)	0.45	(0.05)	CORRECT
NL	OF	Lagares,J.	0.44	0.43	(0.01)	0.48	0.04	WRONG
AL	SS	Iglesias,J.	0.56	0.51	(0.05)	0.44	(0.12)	CORRECT
NL	OF	Tomas,Y.	0.51	0.56	0.05	0.60	0.09	CORRECT
NL	2B	Panik,J.	0.67	0.61	(0.07)	0.49	(0.18)	CORRECT
AL	OF	Hicks,A.	0.56	0.54	(0.03)	0.38	(0.19)	CORRECT
AL	OF	Davis,R.	0.60	0.64	0.04	0.63	0.03	CORRECT
AL	OF	Marisnick,J.	0.52	0.51	(0.01)	0.36	(0.16)	CORRECT
NL	OF	Blanco,G.	0.66	0.60	(0.06)	0.43	(0.23)	CORRECT
AL	DH	Martinez,V.	0.43	0.57	0.13	0.63	0.20	CORRECT
AL	SS	Escobar,E.	0.54	0.57	0.03	0.37	(0.16)	WRONG
NL	C	Pierzynski,A.	0.58	0.53	(0.05)	0.28	(0.29)	CORRECT
AL	1B	Napoli,M.	0.50	0.58	0.09	0.58	0.09	CORRECT
AL	OF	Smith,S.	0.55	0.59	0.04	0.54	(0.02)	WRONG
NL	SS	Suarez,E.	0.56	0.56	(0.01)	0.52	(0.04)	CORRECT
AL	OF	Paredes,J.	0.53	0.44	(0.09)	0.35	(0.17)	CORRECT
AL	OF	Venable,W.	0.53	0.56	0.03	-0.28	(0.81)	WRONG
NL	C	Castillo,W.	0.50	0.55	0.05	0.54	0.04	CORRECT
NL	OF	Grichuk,R.	0.67	0.57	(0.11)	0.53	(0.14)	CORRECT
AL	3B	Sano,M.	0.72	0.65	(0.07)	0.55	(0.16)	CORRECT
AL	SS	Drew,S.	0.39	0.49	0.10	0.64	0.26	CORRECT
NL	C	Lucroy,J.	0.53	0.62	0.10	0.68	0.15	CORRECT
NL	2B	Espinosa,D.	0.51	0.47	(0.04)	0.44	(0.07)	CORRECT
AL	OF	Gordon,A.	0.60	0.59	(0.01)	0.47	(0.13)	CORRECT
NL	C	Grandal,Y.	0.55	0.58	0.04	0.58	0.03	CORRECT
NL	C	Montero,M.	0.54	0.50	(0.05)	0.46	(0.08)	CORRECT
AL	SS	Gonzalez,M.	0.55	0.48	(0.07)	0.49	(0.06)	CORRECT
AL	OF	Guyer,B.	0.56	0.59	0.03	0.53	(0.03)	WRONG
NL	1B	Paulsen,B.	0.58	0.55	(0.03)	0.30	(0.28)	CORRECT
AL	OF	Young,C.	0.56	0.53	(0.03)	0.67	0.10	WRONG
NL	3B	Franco,M.	0.64	0.60	(0.03)	0.51	(0.13)	CORRECT
AL	C	Suzuki,K.	0.37	0.41	0.04	0.47	0.10	CORRECT
NL	3B	Soler,J.	0.52	0.53	0.00	0.54	0.02	CORRECT
NL	OF	De Aza,A.	0.56	0.59	0.03	0.38	(0.19)	WRONG
AL	SS	Hardy,J.	0.31	0.41	0.10	0.51	0.20	CORRECT
AL	C	McCann,J.	0.45	0.45	(0.00)	0.37	(0.08)	CORRECT
NL	OF	Suzuki,I.	0.37	0.46	0.10	0.60	0.23	CORRECT
NL	SS	Mercer,J.	0.39	0.43	0.05	0.49	0.10	CORRECT
AL	P	Sanchez,C.	0.34	0.51	0.18	0.29	(0.04)	WRONG
NL	1B	Reynolds,M.	0.48	0.51	0.03	0.61	0.13	CORRECT
NL	2B	Utley,C.	0.38	0.57	0.19	0.47	0.10	CORRECT
AL	C	Gomes,Y.	0.39	0.50	0.11	0.21	(0.19)	WRONG
NL	3B	Lamb,J.	0.52	0.59	0.06	0.63	0.11	CORRECT

Total Accuracy 73%