



# Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season. We could tell you that we exactly predicted Brian Dozier's HRs in 2017, but in essence projecting any exact statistic is pure luck. On the other hand, predicting that Dozier's production would decrease in 2017 verses his prior season....was not.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantastics Correctly Predicted the Fantasy Direction on 8 out of 10 Hitters in 2017

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Pitchers in 2017

## Year 2017 - Projecting Top 200 Hitters - Directional (based on FPI)

## Year 2017 - Projecting Top 120 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
NL	OF	Blackmon,C.	0.79	0.69	(0.11)	0.87	0.07	WRONG
AL	2B	Altuve,J.	0.84	0.71	(0.13)	0.90	0.06	WRONG
NL	OF	Inciarte,E.	0.59	0.56	(0.03)	0.64	0.05	WRONG
NL	2B	Gordon,D.	0.58	0.68	0.10	0.68	0.10	CORRECT
AL	1B	Hosmer,E.	0.56	0.57	0.00	0.74	0.17	CORRECT
AL	SS	Andrus,E.	0.70	0.62	(0.08)	0.68	(0.02)	CORRECT
AL	1B	Abreu,J.	0.62	0.63	0.01	0.71	0.09	CORRECT
NL	2B	LeMahieu,D.	0.80	0.70	(0.10)	0.63	(0.18)	CORRECT
NL	OF	Ozuna,M.	0.55	0.60	0.05	0.74	0.19	CORRECT
NL	3B	Arenado,N.	0.74	0.71	(0.03)	0.78	0.04	WRONG
AL	2B	Ramirez,J.	0.71	0.64	(0.07)	0.83	0.12	WRONG
AL	2B	Schoop,J.	0.52	0.52	(0.01)	0.64	0.12	WRONG
NL	1B	Votto,J.	0.85	0.80	(0.06)	0.88	0.03	WRONG
AL	SS	Lindor,F.	0.67	0.65	(0.02)	0.67	(0.00)	CORRECT
AL	OF	Cain,L.	0.62	0.56	(0.05)	0.71	0.09	WRONG
AL	OF	Cabrera,M.	0.62	0.59	(0.03)	0.55	(0.07)	CORRECT
NL	2B	Murphy,D.	0.84	0.64	(0.20)	0.77	(0.07)	CORRECT
AL	DH	Garcia,A.	0.46	0.50	0.04	0.73	0.27	CORRECT
NL	OF	Yelich,C.	0.70	0.69	(0.01)	0.66	(0.04)	CORRECT
AL	OF	Jones,A.	0.53	0.57	0.04	0.58	0.05	CORRECT
NL	OF	Stanton,G.	0.58	0.72	0.14	0.80	0.22	CORRECT
AL	2B	Merrifield,W.	0.56	0.50	(0.06)	0.68	0.13	WRONG
AL	3B	Castellanos,N.	0.63	0.57	(0.05)	0.60	(0.03)	CORRECT
AL	2B	Cano,R.	0.69	0.59	(0.09)	0.59	(0.09)	CORRECT
AL	OF	Dickerson,C.	0.52	0.58	0.06	0.62	0.10	CORRECT
NL	1B	Goldschmidt,P.	0.81	0.86	0.05	0.83	0.01	CORRECT
AL	2B	Dozier,B.	0.72	0.62	(0.10)	0.68	(0.04)	CORRECT
AL	OF	Betts,M.	0.79	0.74	(0.05)	0.66	(0.13)	CORRECT
AL	SS	Simmons,A.	0.53	0.54	0.01	0.61	0.07	CORRECT
NL	OF	Markakis,N.	0.54	0.55	0.01	0.54	(0.00)	WRONG
AL	2B	Phillips,B.	0.57	0.49	(0.07)	0.55	(0.02)	CORRECT
AL	3B	Machado,M.	0.68	0.67	(0.01)	0.59	(0.10)	CORRECT
NL	3B	Bryant,K.	0.75	0.72	(0.03)	0.77	0.02	WRONG
AL	1B	Mauer,J.	0.57	0.64	0.07	0.65	0.08	CORRECT
AL	DH	Cruz,N.	0.72	0.64	(0.08)	0.73	0.01	WRONG
AL	3B	Longoria,E.	0.63	0.57	(0.06)	0.54	(0.09)	CORRECT
NL	1B	Zimmerman,R.	0.40	0.55	0.16	0.75	0.35	CORRECT
NL	SS	Seager,C.	0.70	0.69	(0.02)	0.68	(0.02)	CORRECT
NL	OF	McCutchen,A.	0.56	0.63	0.07	0.68	0.12	CORRECT
AL	1B	Mancini,T.	1.07	0.52	(0.55)	0.63	(0.44)	CORRECT
AL	3B	Gurriel,Y.	0.46	0.54	0.09	0.63	0.17	CORRECT
NL	C	Posey,B.	0.63	0.68	0.05	0.72	0.08	CORRECT
AL	3B	Bregman,A.	0.59	0.64	0.05	0.68	0.08	CORRECT
AL	SS	Segura,J.	0.77	0.62	(0.15)	0.65	(0.12)	CORRECT
AL	OF	Gardner,B.	0.56	0.62	0.06	0.63	0.07	CORRECT
AL	OF	Rosario,E.	0.53	0.47	(0.06)	0.66	0.13	WRONG
AL	2B	Lowrie,J.	0.43	0.44	0.01	0.61	0.18	CORRECT
AL	3B	Healy,R.	0.67	0.60	(0.07)	0.53	(0.14)	CORRECT
NL	1B	Rizzo,A.	0.72	0.73	0.01	0.71	(0.01)	WRONG
AL	SS	Bogaerts,X.	0.65	0.62	(0.03)	0.59	(0.06)	CORRECT
AL	OF	Springer,G.	0.61	0.64	0.03	0.69	0.08	CORRECT
NL	SS	Galvis,F.	0.47	0.50	0.03	0.50	0.03	CORRECT
AL	OF	Benintendi,A.	0.67	0.68	0.01	0.63	(0.03)	WRONG
NL	OF	Peralta,D.	0.51	0.62	0.11	0.63	0.12	CORRECT
AL	OF	Judge,A.	0.32	0.56	0.24	0.87	0.55	CORRECT
AL	SS	Gregorius,D.	0.55	0.50	(0.05)	0.61	0.05	WRONG
NL	3B	Rendon,A.	0.62	0.67	0.05	0.78	0.16	CORRECT
AL	OF	Upton,J.	0.56	0.62	0.06	0.73	0.17	CORRECT
AL	3B	Moustakas,M.	0.55	0.58	0.03	0.62	0.07	CORRECT
AL	1B	Smoak,J.	0.46	0.53	0.07	0.67	0.21	CORRECT

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	P	Sale,C.	1.93	1.82	(0.11)	2.16	0.23	WRONG
AL	P	Santana,E.	1.50	1.58	0.08	1.79	0.29	CORRECT
NL	P	Samardzija,J.	1.56	1.69	0.13	1.37	(0.19)	WRONG
AL	P	Verlander,J.	2.07	1.78	(0.28)	1.80	(0.27)	CORRECT
NL	P	Martinez,C.	1.86	1.84	(0.02)	1.59	(0.27)	CORRECT
AL	P	Kluber,C.	2.07	1.88	(0.19)	2.49	0.42	WRONG
AL	P	Porcello,R.	2.13	1.62	(0.51)	0.73	(1.40)	CORRECT
NL	P	Cole,G.	1.11	1.75	0.64	1.32	0.21	CORRECT
NL	P	Greinke,Z.	1.38	1.65	0.26	1.93	0.55	CORRECT
NL	P	deGrom,J.	1.53	1.80	0.27	1.63	0.10	CORRECT
AL	P	Stroman,M.	1.35	1.69	0.34	1.44	0.09	CORRECT
AL	P	Archer,C.	1.30	1.75	0.45	1.36	0.06	CORRECT
NL	P	Gonzalez,G.	1.32	1.46	0.14	1.92	0.60	CORRECT
NL	P	Scherzer,M.	2.21	2.14	(0.08)	2.48	0.27	WRONG
AL	P	Carrasco,C.	1.61	1.83	0.22	1.97	0.36	CORRECT
NL	P	Richard,C.	0.86	1.24	0.38	0.69	(0.17)	WRONG
AL	P	Severino,L.	0.73	1.51	0.78	2.09	1.37	CORRECT
NL	P	Davies,Z.	1.43	1.41	(0.02)	1.36	(0.07)	CORRECT
NL	P	Dickey,R.	1.07	1.34	0.27	1.20	0.13	CORRECT
NL	P	Corbin,P.	0.62	1.38	0.76	1.04	0.42	CORRECT
NL	P	Quintana,J.	1.65	1.61	(0.04)	1.56	(0.09)	CORRECT
NL	P	Teheran,J.	1.80	1.63	(0.17)	1.11	(0.69)	CORRECT
NL	P	Nova,I.	1.27	1.22	(0.05)	1.08	(0.19)	CORRECT
AL	P	Gausman,K.	1.17	1.53	0.35	0.85	(0.32)	WRONG
NL	P	Darvish,Y.	1.87	1.90	0.02	1.59	(0.28)	WRONG
AL	P	Leake,M.	1.08	1.40	0.32	1.24	0.16	CORRECT
AL	P	Estrada,M.	1.86	1.66	(0.21)	1.13	(0.73)	CORRECT
AL	P	Perez,M.	1.25	1.21	(0.05)	0.82	(0.43)	CORRECT
NL	P	Straily,D.	1.71	1.33	(0.38)	1.24	(0.48)	CORRECT
NL	P	Roark,T.	1.94	1.81	(0.12)	1.35	(0.59)	CORRECT
AL	P	Nolasco,R.	1.24	1.40	0.16	0.62	(0.62)	WRONG
NL	P	Lester,J.	2.24	1.91	(0.33)	1.34	(0.90)	CORRECT
AL	P	Hamm,J.	1.60	1.38	(0.22)	0.82	(0.78)	CORRECT
NL	P	Chacin,J.	1.13	1.47	0.34	1.66	0.53	CORRECT
AL	P	Vargas,J.	2.33	1.03	(1.30)	1.32	(1.01)	CORRECT
AL	P	Cobb,A.	-0.27	1.65	1.92	1.48	1.75	CORRECT
AL	P	Tanaka,M.	1.90	1.56	(0.33)	1.17	(0.72)	CORRECT
AL	P	Bauer,T.	1.52	1.55	0.03	1.30	(0.22)	WRONG
NL	P	Strasburg,S.	2.11	1.98	(0.12)	2.32	0.21	WRONG
NL	P	Nelson,J.	0.88	1.36	0.48	1.62	0.74	CORRECT
NL	P	Kershaw,C.	2.80	2.54	(0.26)	2.23	(0.57)	CORRECT
NL	P	Moore,M.	1.45	1.60	0.15	0.64	(0.81)	WRONG
AL	P	Pomeranz,D.	1.69	1.67	(0.03)	1.56	(0.13)	CORRECT
NL	P	Lackey,J.	1.96	1.66	(0.30)	1.14	(0.82)	CORRECT
NL	P	Urena,J.	0.86	1.29	0.43	1.55	0.69	CORRECT
AL	P	Bundy,D.	1.25	1.37	0.12	1.57	0.32	CORRECT
NL	P	Arrieta,J.	2.28	1.98	(0.30)	1.61	(0.67)	CORRECT
NL	P	Nola,A.	1.25	1.69	0.44	1.61	0.36	CORRECT
AL	P	Cashner,A.	0.77	1.31	0.54	1.51	0.74	CORRECT
NL	P	Wacha,M.	0.97	1.59	0.62	1.35	0.38	CORRECT
AL	P	Fulmer,M.	1.87	1.56	(0.31)	1.71	(0.16)	CORRECT
AL	P	Hellickson,J.	1.62	1.42	(0.21)	1.08	(0.54)	CORRECT
NL	P	Blach,T.	3.03	1.48	(1.55)	1.12	(1.91)	CORRECT
NL	P	Perdomo,L.	0.51	1.16	0.65	0.96	0.45	CORRECT
AL	P	Gray,S.	0.68	1.61	0.93	1.62	0.94	CORRECT
NL	P	Ray,R.	0.91	1.58	0.67	2.03	1.12	CORRECT
AL	P	Zimmermann,J.	1.11	1.27	0.16	0.40	(0.71)	WRONG
AL	P	Miranda,A.	1.70	1.05	(0.65)	1.24	(0.45)	CORRECT
AL	P	Manaea,S.	1.46	1.52	0.07	1.22	(0.24)	WRONG
AL	P	Gibson,K.	0.65	1.30	0.65	0.82	0.17	CORRECT

AL	SS	Anderson,T.	0.57	0.56	(0.01)	0.49	(0.08)	CORRECT
AL	OF	Reddick,J.	0.59	0.59	(0.00)	0.71	0.12	WRONG
NL	2B	Hernandez,C.	0.63	0.59	(0.03)	0.66	0.03	WRONG
AL	OF	Pillar,K.	0.49	0.57	0.07	0.51	0.02	CORRECT
AL	SS	Escobar,A.	0.46	0.50	0.04	0.39	(0.07)	WRONG
NL	3B	Taylor,C.	0.36	0.54	0.17	0.71	0.35	CORRECT
AL	DH	Santana,A.	0.67	0.67	0.00	0.62	(0.05)	WRONG
NL	C	Realmutto,J.	0.62	0.55	(0.07)	0.60	(0.03)	CORRECT
NL	3B	Shaw,T.	0.51	0.63	0.11	0.69	0.18	CORRECT
NL	3B	Turner,J.	0.64	0.62	(0.02)	0.79	0.16	WRONG
AL	SS	Beckham,T.	0.51	0.49	(0.03)	0.58	0.06	WRONG
NL	2B	Panik,J.	0.49	0.60	0.12	0.59	0.10	CORRECT
NL	OF	Herrera,O.	0.66	0.61	(0.04)	0.58	(0.07)	CORRECT
NL	OF	Duvall,A.	0.56	0.59	0.03	0.55	(0.01)	WRONG
AL	3B	Nunez,E.	0.68	0.62	(0.06)	0.70	0.03	WRONG
NL	OF	Santana,D.	0.58	0.61	0.03	0.72	0.14	CORRECT
AL	3B	Seager,K.	0.66	0.61	(0.05)	0.55	(0.11)	CORRECT
NL	OF	Hamilton,B.	0.70	0.70	0.00	0.58	(0.11)	WRONG
AL	1B	Encarnacion,E.	0.68	0.69	0.01	0.68	0.00	CORRECT
AL	DH	Pujols,A.	0.58	0.55	(0.03)	0.44	(0.14)	CORRECT
AL	OF	Choo,S.	0.56	0.59	0.02	0.61	0.05	CORRECT
AL	OF	Bruce,J.	0.59	0.54	(0.05)	0.61	0.02	WRONG
NL	SS	Arcia,O.	0.45	0.55	0.09	0.57	0.12	CORRECT
AL	OF	Mazara,N.	0.52	0.59	0.07	0.53	0.01	CORRECT
AL	OF	Davis,K.	0.59	0.58	(0.00)	0.65	0.06	WRONG
AL	OF	Gamel,B.	0.31	0.53	0.21	0.54	0.23	CORRECT
NL	1B	Bell,J.	0.59	0.64	0.05	0.59	(0.01)	WRONG
AL	3B	Headley,C.	0.52	0.54	0.02	0.59	0.07	CORRECT
AL	1B	Morales,K.	0.57	0.57	(0.00)	0.52	(0.05)	CORRECT
NL	1B	Reynolds,M.	0.61	0.56	(0.05)	0.64	0.03	WRONG
AL	OF	Calhoun,K.	0.58	0.58	(0.00)	0.52	(0.07)	CORRECT
NL	3B	Suarez,E.	0.52	0.53	0.01	0.62	0.10	CORRECT
NL	1B	Myers,W.	0.66	0.66	0.01	0.62	(0.04)	WRONG
AL	1B	Gonzalez,M.	0.49	0.50	0.01	0.75	0.26	CORRECT
NL	C	Molina,Y.	0.61	0.55	(0.06)	0.57	(0.05)	CORRECT
NL	2B	Gennett,S.	0.54	0.53	(0.01)	0.68	0.14	WRONG
NL	OF	Pham,T.	0.53	0.47	(0.06)	0.83	0.30	WRONG
NL	OF	Span,D.	0.53	0.58	0.05	0.58	0.05	CORRECT
NL	1B	Freeman,F.	0.80	0.72	(0.07)	0.82	0.03	WRONG
AL	SS	Correa,C.	0.64	0.69	0.05	0.78	0.14	CORRECT
NL	OF	Harper,B.	0.67	0.79	0.12	0.85	0.18	CORRECT
NL	SS	Cabrera,A.	0.62	0.52	(0.09)	0.60	(0.02)	CORRECT
AL	2B	Castro,S.	0.53	0.49	(0.04)	0.61	0.08	WRONG
NL	3B	Lamb,J.	0.63	0.64	0.01	0.64	0.01	CORRECT
AL	OF	Trumbo,M.	0.63	0.58	(0.04)	0.45	(0.17)	CORRECT
AL	C	Sanchez,G.	0.84	0.62	(0.22)	0.67	(0.17)	CORRECT
NL	3B	Franco,M.	0.51	0.56	0.05	0.44	(0.07)	WRONG
NL	2B	Harrison,J.	0.56	0.57	0.01	0.57	0.01	CORRECT
NL	OF	Martinez,J.	0.73	0.67	(0.06)	0.89	0.16	WRONG
NL	OF	Puig,Y.	0.54	0.63	0.10	0.67	0.13	CORRECT
NL	SS	Crawford,B.	0.60	0.58	(0.02)	0.49	(0.10)	CORRECT
AL	2B	Kinsler,I.	0.65	0.60	(0.05)	0.52	(0.13)	CORRECT
NL	3B	Baez,J.	0.55	0.53	(0.02)	0.62	0.07	WRONG
NL	SS	Cozart,Z.	0.51	0.53	0.02	0.75	0.24	CORRECT
AL	2B	Sanchez,C.	0.29	0.46	0.17	0.53	0.24	CORRECT
NL	OF	Pence,H.	0.63	0.57	(0.06)	0.49	(0.13)	CORRECT
NL	SS	Mercer,J.	0.49	0.52	0.03	0.51	0.02	CORRECT
NL	OF	Margot,M.	0.50	0.54	0.04	0.56	0.06	CORRECT
AL	C	Perez,S.	0.47	0.55	0.08	0.57	0.10	CORRECT
AL	1B	Morrison,L.	0.51	0.60	0.09	0.65	0.14	CORRECT
NL	SS	Peraza,J.	0.71	0.62	(0.09)	0.46	(0.25)	CORRECT
AL	OF	Souza,S.	0.49	0.51	0.02	0.63	0.14	CORRECT
AL	1B	Moreland,M.	0.47	0.53	0.06	0.54	0.07	CORRECT
AL	2B	Odor,R.	0.61	0.60	(0.01)	0.40	(0.20)	CORRECT
AL	OF	Kepler,M.	0.52	0.64	0.12	0.56	0.04	CORRECT
AL	OF	Trout,M.	0.90	0.89	(0.01)	0.97	0.06	WRONG
NL	3B	Reyes,J.	0.62	0.63	0.01	0.58	(0.04)	WRONG
NL	OF	Gonzalez,C.	0.67	0.66	(0.01)	0.56	(0.11)	CORRECT
NL	OF	Parra,G.	0.45	0.56	0.11	0.62	0.17	CORRECT
NL	OF	Kemp,M.	0.59	0.57	(0.02)	0.57	(0.02)	CORRECT
NL	3B	Carpenter,M.	0.68	0.69	0.01	0.63	(0.05)	WRONG
AL	1B	Ramirez,H.	0.69	0.65	(0.04)	0.51	(0.18)	CORRECT
AL	1B	Alonso,Y.	0.48	0.58	0.10	0.67	0.19	CORRECT
AL	OF	Bautista,J.	0.61	0.69	0.09	0.44	(0.17)	WRONG
NL	3B	Solarte,Y.	0.61	0.55	(0.06)	0.52	(0.09)	CORRECT
NL	SS	Story,T.	0.71	0.65	(0.06)	0.55	(0.16)	CORRECT
NL	1B	Joseph,T.	0.59	0.53	(0.06)	0.48	(0.10)	CORRECT
NL	2B	Drury,B.	0.59	0.58	(0.01)	0.54	(0.04)	CORRECT
AL	SS	Iglesias,J.	0.44	0.49	0.05	0.45	0.01	CORRECT
AL	2B	Pedroia,D.	0.68	0.59	(0.09)	0.59	(0.09)	CORRECT
AL	OF	Buxton,B.	0.52	0.61	0.10	0.62	0.10	CORRECT

AL	P	Miley,W.	0.86	1.20	0.34	0.47	(0.39)	WRONG
NL	P	Walker,T.	1.15	1.53	0.38	1.44	0.28	CORRECT
NL	P	Kuhl,C.	1.38	1.30	(0.08)	1.13	(0.24)	CORRECT
AL	P	Garcia,J.	1.05	1.43	0.38	1.15	0.10	CORRECT
AL	P	Gonzalez,M.	1.48	1.21	(0.28)	0.94	(0.55)	CORRECT
NL	P	Godley,Z.	0.80	1.23	0.42	1.85	1.04	CORRECT
AL	P	Kennedy,I.	1.45	1.30	(0.15)	0.96	(0.48)	CORRECT
NL	P	Foltynewicz,M.	1.34	1.43	0.09	0.93	(0.42)	WRONG
AL	P	Fiers,M.	1.06	1.40	0.35	0.87	(0.18)	WRONG
NL	P	Wood,A.	1.45	1.75	0.30	2.19	0.74	CORRECT
AL	P	Sabathia,C.	1.33	1.25	(0.07)	1.58	0.26	WRONG
AL	P	Hamels,C.	1.60	1.69	0.09	1.77	0.16	CORRECT
NL	P	Chatwood,T.	1.50	1.40	(0.11)	1.14	(0.36)	CORRECT
NL	P	Cueto,J.	2.05	1.85	(0.20)	0.98	(1.07)	CORRECT
AL	P	Ramirez,J.	1.28	1.35	0.08	1.23	(0.05)	WRONG
AL	P	Morton,C.	1.70	1.75	0.04	1.89	0.18	CORRECT
AL	P	Duffy,D.	1.70	1.61	(0.09)	1.49	(0.21)	CORRECT
AL	P	Keuchel,D.	1.29	1.68	0.39	2.06	0.77	CORRECT
AL	P	Berrios,J.	-0.05	1.21	1.26	1.74	1.79	CORRECT
AL	P	Happ,J.	1.95	1.56	(0.39)	1.30	(0.65)	CORRECT
AL	P	Odorizzi,J.	1.55	1.65	0.10	1.45	(0.10)	WRONG
AL	P	Colon,B.	1.46	1.26	(0.20)	0.16	(1.29)	CORRECT
AL	P	Jimenez,U.	0.94	1.30	0.36	0.33	(0.60)	WRONG
NL	P	Anderson,C.	1.00	1.13	0.12	2.08	1.08	CORRECT
AL	P	Tomlin,J.	1.15	1.17	0.02	0.99	(0.16)	WRONG
NL	P	Hendricks,K.	2.30	1.78	(0.53)	1.64	(0.67)	CORRECT
AL	P	Chavez,J.	1.09	1.43	0.34	0.80	(0.29)	WRONG
AL	P	Rodriguez,E.	1.25	1.36	0.11	1.41	0.15	CORRECT
AL	P	Paxton,J.	1.29	1.60	0.32	2.11	0.82	CORRECT
NL	P	Hill,R.	2.54	1.97	(0.57)	2.00	(0.53)	CORRECT
AL	P	Holland,D.	1.00	1.28	0.28	0.16	(0.84)	WRONG
AL	P	Boyd,M.	1.22	1.16	(0.06)	0.67	(0.55)	CORRECT
NL	P	Maeda,K.	1.82	1.88	0.05	1.66	(0.16)	WRONG
NL	P	Taillon,J.	1.59	1.67	0.09	1.09	(0.50)	WRONG
AL	P	Peacock,B.	1.74	1.33	(0.41)	2.20	0.46	WRONG
AL	P	Ramirez,E.	1.14	1.55	0.42	1.40	0.26	CORRECT
NL	P	Montgomery,M.	1.87	1.69	(0.19)	1.88	0.00	WRONG
AL	P	Gallardo,Y.	0.86	1.03	0.18	0.73	(0.12)	WRONG
AL	P	Snell,B.	1.08	1.52	0.44	1.47	0.39	CORRECT
AL	P	Cotton,J.	2.45	1.49	(0.97)	0.84	(1.62)	CORRECT
NL	P	Eickhoff,J.	1.42	1.40	(0.02)	0.86	(0.55)	CORRECT
NL	P	Cain,M.	0.56	1.30	0.74	0.32	(0.24)	WRONG
NL	P	Wainwright,A.	1.16	1.59	0.43	1.13	(0.04)	WRONG
AL	P	Clevinger,M.	1.14	1.16	0.02	1.94	0.80	CORRECT
NL	P	Gsellman,R.	1.88	1.86	(0.02)	0.84	(1.04)	CORRECT
AL	P	McCullers,L.	1.33	1.86	0.53	1.63	0.31	CORRECT
AL	P	Shields,J.	0.31	1.05	0.73	0.82	0.51	CORRECT
NL	P	Garza,M.	0.89	1.22	0.33	0.95	0.06	CORRECT
NL	P	Feldman,S.	1.16	1.25	0.09	1.01	(0.14)	WRONG
NL	P	Bumgarner,M.	2.03	1.96	(0.08)	1.45	(0.58)	CORRECT
NL	P	Gray,J.	1.54	1.67	0.13	1.56	0.02	CORRECT
NL	P	Volquez,E.	0.84	1.30	0.46	1.42	0.58	CORRECT
AL	P	Petit,Y.	0.88	1.16	0.28	2.22	1.34	CORRECT
NL	P	Bailey,H.	0.00	1.32	1.32	0.50	0.50	CORRECT
AL	P	Fister,D.	1.04	1.20	0.16	1.21	0.18	CORRECT
AL	P	Pineda,M.	1.00	1.74	0.74	1.11	0.11	CORRECT
NL	P	Wood,T.	2.07	1.62	(0.44)	0.15	(1.91)	CORRECT
AL	P	Tillman,C.	1.71	1.42	(0.29)	(0.38)	(2.08)	CORRECT
AL	P	Musgrove,J.	1.43	1.53	0.10	1.05	(0.38)	WRONG
AL	P	Sanchez,A.	0.66	1.16	0.50	0.07	(0.59)	WRONG

Total Accuracy

73%

NL	2B	Spangenberg,C.	0.44	0.57	0.13	0.55	0.11	CORRECT
AL	1B	Cabrera,M.	0.78	0.73	(0.06)	0.51	(0.27)	CORRECT
NL	2B	Gyorko,J.	0.57	0.53	(0.04)	0.64	0.07	WRONG
NL	SS	Turner,T.	0.97	0.76	(0.21)	0.77	(0.20)	CORRECT
AL	OF	Bradley Jr.,J.	0.64	0.62	(0.02)	0.51	(0.14)	CORRECT
AL	1B	Valencia,D.	0.60	0.55	(0.05)	0.51	(0.09)	CORRECT
AL	OF	Joyce,M.	0.67	0.60	(0.06)	0.60	(0.06)	CORRECT
AL	SS	Escobar,E.	0.37	0.46	0.08	0.53	0.16	CORRECT
NL	OF	Pollock,A.	0.67	0.70	0.03	0.65	(0.02)	WRONG
NL	SS	Swanson,D.	0.68	0.61	(0.07)	0.42	(0.26)	CORRECT
NL	C	Lucroy,J.	0.68	0.64	(0.04)	0.51	(0.17)	CORRECT
NL	OF	Heyward,J.	0.43	0.62	0.19	0.51	0.08	CORRECT
NL	3B	Freese,D.	0.55	0.49	(0.06)	0.53	(0.02)	CORRECT
NL	3B	Perez,H.	0.66	0.57	(0.09)	0.53	(0.13)	CORRECT
AL	3B	Sano,M.	0.55	0.55	(0.00)	0.64	0.09	WRONG
NL	OF	Frazier,A.	0.61	0.53	(0.09)	0.57	(0.05)	CORRECT
NL	OF	Fowler,D.	0.69	0.65	(0.04)	0.67	(0.02)	CORRECT
AL	3B	Donaldson,J.	0.78	0.71	(0.07)	0.74	(0.04)	CORRECT
NL	OF	Schebler,S.	0.53	0.52	(0.01)	0.54	0.01	WRONG
NL	1B	Bour,J.	0.62	0.63	0.01	0.72	0.10	CORRECT
AL	OF	Beltran,C.	0.66	0.56	(0.10)	0.42	(0.24)	CORRECT
NL	OF	Taylor,M.	0.51	0.56	0.05	0.66	0.15	CORRECT
NL	C	Grandal,Y.	0.58	0.57	(0.01)	0.54	(0.04)	CORRECT
AL	3B	Beltre,A.	0.69	0.62	(0.07)	0.75	0.06	WRONG
AL	OF	Kiermaier,K.	0.61	0.64	0.04	0.64	0.04	CORRECT
NL	OF	Conforto,M.	0.49	0.62	0.13	0.74	0.25	CORRECT
AL	OF	Haniger,M.	0.48	0.59	0.12	0.64	0.17	CORRECT
NL	C	Contreras,W.	0.65	0.61	(0.04)	0.67	0.02	WRONG
NL	OF	Renfroe,H.	1.06	0.52	(0.53)	0.50	(0.55)	CORRECT
NL	2B	Walker,N.	0.64	0.57	(0.07)	0.59	(0.05)	CORRECT
NL	OF	Braun,R.	0.77	0.67	(0.10)	0.66	(0.11)	CORRECT
NL	OF	Altherr,A.	0.39	0.51	0.12	0.65	0.26	CORRECT
NL	2B	Zobrist,B.	0.66	0.61	(0.05)	0.47	(0.19)	CORRECT
AL	OF	DeShields Jr.,D.	0.39	0.56	0.17	0.63	0.24	CORRECT
NL	2B	Dietrich,D.	0.57	0.50	(0.07)	0.51	(0.07)	CORRECT
AL	OF	Brantley,M.	0.38	0.70	0.32	0.68	0.30	CORRECT
NL	2B	Wong,K.	0.49	0.64	0.15	0.62	0.14	CORRECT
AL	3B	Frazier,T.	0.56	0.53	(0.03)	0.53	(0.03)	CORRECT
AL	DH	Martinez,V.	0.63	0.58	(0.05)	0.48	(0.16)	CORRECT
NL	C	Barnhart,T.	0.50	0.54	0.04	0.57	0.07	CORRECT
AL	2B	Goins,R.	0.24	0.39	0.14	0.42	0.18	CORRECT
NL	OF	Grichuk,R.	0.53	0.62	0.09	0.54	0.00	CORRECT
AL	1B	Davis,C.	0.55	0.62	0.07	0.49	(0.06)	WRONG
NL	SS	Owings,C.	0.59	0.55	(0.04)	0.58	(0.01)	CORRECT
NL	2B	Villar,J.	0.80	0.72	(0.08)	0.52	(0.28)	CORRECT
AL	C	Zunino,M.	0.51	0.54	0.03	0.61	0.09	CORRECT
NL	OF	Granderson,C.	0.57	0.56	(0.01)	0.54	(0.03)	CORRECT
AL	C	Vazquez,C.	0.33	0.53	0.20	0.57	0.24	CORRECT
AL	OF	Gomez,C.	0.50	0.60	0.09	0.61	0.10	CORRECT
AL	DH	Grossman,R.	0.65	0.62	(0.03)	0.55	(0.10)	CORRECT
AL	3B	Gallo,J.	0.10	0.52	0.42	0.63	0.53	CORRECT
AL	OF	Ellsbury,J.	0.55	0.60	0.05	0.65	0.09	CORRECT
NL	1B	Adams,M.	0.55	0.54	(0.00)	0.63	0.08	WRONG
NL	1B	Desmond,I.	0.63	0.61	(0.02)	0.57	(0.07)	CORRECT
AL	OF	Aoki,N.	0.54	0.59	0.05	0.58	0.04	CORRECT
NL	C	Pina,M.	0.52	0.56	0.04	0.55	0.03	CORRECT
AL	1B	Duda,L.	0.47	0.51	0.04	0.56	0.09	CORRECT
AL	3B	Torreyes,R.	0.46	0.54	0.08	0.51	0.05	CORRECT
NL	1B	Belt,B.	0.67	0.67	(0.01)	0.61	(0.07)	CORRECT

Total Accuracy 76%