



# Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2019

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Pitchers in 2019

Year 2019 - Projecting Top 200 Hitters - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
NL	OF	Acuna,R.	0.77	0.73	(0.05)	0.77	(0.00)	CORRECT
NL	OF	Bellinger,C.	0.66	0.69	0.03	0.89	0.23	CORRECT
AL	3B	Devers,R.	0.51	0.60	0.08	0.74	0.23	CORRECT
AL	3B	Bregman,A.	0.76	0.73	(0.02)	0.84	0.08	WRONG
NL	OF	Yeich,C.	0.87	0.74	(0.13)	1.02	0.15	WRONG
AL	SS	Bogaerts,X.	0.72	0.72	0.00	0.77	0.06	CORRECT
NL	1B	Freeman,F.	0.73	0.71	(0.03)	0.76	0.03	WRONG
NL	3B	Rendon,A.	0.73	0.68	(0.05)	0.85	0.12	WRONG
AL	OF	Trout,M.	0.99	0.93	(0.06)	0.91	(0.09)	CORRECT
AL	SS	Semien,M.	0.54	0.56	0.03	0.72	0.18	CORRECT
NL	3B	Arenado,N.	0.75	0.73	(0.02)	0.80	0.04	WRONG
AL	OF	Betts,M.	1.01	0.91	(0.11)	0.78	(0.23)	CORRECT
NL	SS	Story,T.	0.79	0.73	(0.06)	0.78	(0.01)	CORRECT
NL	OF	Soto,J.	0.78	0.71	(0.07)	0.80	0.02	WRONG
AL	2B	LeMahieu,D.	0.56	0.59	0.03	0.74	0.19	CORRECT
NL	SS	Marte,K.	0.58	0.63	0.05	0.84	0.26	CORRECT
NL	3B	Escobar,E.	0.61	0.56	(0.04)	0.63	0.03	WRONG
AL	SS	Lindor,F.	0.72	0.73	0.01	0.71	(0.01)	WRONG
NL	OF	Harper,B.	0.72	0.75	0.03	0.71	(0.01)	WRONG
AL	1B	Abreu,J.	0.58	0.64	0.06	0.62	0.05	CORRECT
AL	OF	Martinez,J.	0.88	0.77	(0.12)	0.76	(0.12)	CORRECT
AL	1B	Santana,C.	0.56	0.62	0.05	0.73	0.17	CORRECT
AL	OF	Soler,J.	0.63	0.58	(0.05)	0.71	0.08	WRONG
NL	OF	Blackmon,C.	0.70	0.67	(0.02)	0.75	0.06	WRONG
AL	OF	Mancini,T.	0.46	0.54	0.08	0.70	0.24	CORRECT
NL	3B	Suarez,E.	0.69	0.62	(0.07)	0.72	0.03	WRONG
AL	2B	Villar,J.	0.62	0.58	(0.04)	0.69	0.07	WRONG
AL	1B	Gurriel,Y.	0.57	0.57	0.00	0.70	0.13	CORRECT
AL	2B	Torres,G.	0.61	0.59	(0.02)	0.68	0.07	WRONG
NL	1B	Bell,J.	0.57	0.63	0.06	0.73	0.16	CORRECT
AL	DH	Cruz,N.	0.62	0.61	(0.02)	0.84	0.22	WRONG
AL	OF	Springer,G.	0.58	0.63	0.05	0.79	0.21	CORRECT
NL	3B	Muncy,M.	0.78	0.65	(0.12)	0.68	(0.09)	CORRECT
AL	OF	Merrifield,W.	0.75	0.70	(0.05)	0.67	(0.08)	CORRECT
AL	OF	Rosario,E.	0.63	0.60	(0.02)	0.60	(0.03)	CORRECT
AL	OF	Meadows,A.	0.63	0.60	(0.04)	0.75	0.12	WRONG
NL	3B	Donaldson,J.	0.61	0.68	0.07	0.70	0.09	CORRECT
NL	3B	Bryant,K.	0.62	0.72	0.10	0.71	0.09	CORRECT
AL	3B	Chapman,M.	0.66	0.62	(0.04)	0.61	(0.05)	CORRECT
NL	OF	Conforto,M.	0.59	0.66	0.07	0.66	0.07	CORRECT
NL	2B	Albies,O.	0.57	0.60	0.03	0.70	0.13	CORRECT
NL	OF	Castellanos,N.	0.66	0.64	(0.02)	0.66	(0.00)	CORRECT
AL	2B	Moncada,Y.	0.50	0.56	0.06	0.77	0.26	CORRECT
NL	1B	Goldschmidt,P.	0.74	0.72	(0.02)	0.62	(0.12)	CORRECT
NL	1B	Rizzo,A.	0.63	0.71	0.08	0.73	0.10	CORRECT
NL	C	Realmutto,J.	0.62	0.63	0.02	0.64	0.02	CORRECT
AL	OF	Kepler,M.	0.49	0.64	0.15	0.62	0.12	CORRECT
NL	OF	Ozuna,M.	0.56	0.64	0.08	0.62	0.06	CORRECT
NL	OF	Marte,S.	0.67	0.67	(0.00)	0.71	0.04	WRONG
NL	SS	Machado,M.	0.75	0.69	(0.05)	0.59	(0.16)	CORRECT
NL	SS	Baez,J.	0.72	0.66	(0.06)	0.66	(0.06)	CORRECT
NL	SS	DeJong,P.	0.50	0.58	0.08	0.54	0.03	CORRECT
NL	OF	Schwarber,K.	0.62	0.65	0.03	0.65	0.02	CORRECT
AL	1B	Olson,M.	0.56	0.62	0.06	0.67	0.11	CORRECT
AL	2B	Altuve,J.	0.72	0.70	(0.02)	0.72	0.00	WRONG
NL	1B	Walker,C.	0.33	0.56	0.23	0.63	0.31	CORRECT
NL	3B	Moustakas,M.	0.54	0.60	0.07	0.63	0.09	CORRECT
AL	OF	Calhoun,K.	0.42	0.55	0.13	0.56	0.15	CORRECT
AL	OF	Gardner,B.	0.52	0.62	0.10	0.63	0.11	CORRECT
AL	SS	Polanco,J.	0.60	0.55	(0.05)	0.66	0.07	WRONG
NL	SS	Turner,T.	0.66	0.75	0.09	0.78	0.11	CORRECT
AL	3B	Nunez,R.	0.50	0.50	0.01	0.53	0.03	CORRECT
AL	OF	Reyes,F.	0.64	0.54	(0.10)	0.60	(0.05)	CORRECT

Year 2019 - Projecting Top 120 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	P	Verlander,J.	2.22	1.97	(0.25)	2.48	0.26	WRONG
AL	P	Cole,G.	2.27	2.04	(0.22)	2.40	0.13	WRONG
NL	P	deGrom,J.	2.41	2.21	(0.20)	2.16	(0.25)	CORRECT
NL	P	Strasburg,S.	1.61	1.84	0.22	2.15	0.53	CORRECT
NL	P	Ryu,H.	2.09	1.58	(0.52)	2.07	(0.03)	CORRECT
AL	P	Bieber,S.	1.29	1.58	0.29	1.80	0.51	CORRECT
AL	P	Greinke,Z.	1.77	1.63	(0.14)	2.16	0.39	WRONG
NL	P	Flaherty,J.	1.90	1.94	0.04	2.17	0.27	CORRECT
AL	P	Morton,C.	2.08	1.92	(0.16)	2.16	0.08	WRONG
NL	P	Kershaw,C.	1.94	1.93	(0.00)	1.95	0.01	WRONG
AL	P	Clevinger,M.	1.89	1.75	(0.14)	2.30	0.41	WRONG
NL	P	Buehler,W.	2.20	1.96	(0.24)	2.03	(0.17)	CORRECT
NL	P	Scherzer,M.	2.40	2.29	(0.11)	1.97	(0.43)	CORRECT
AL	P	Giolito,L.	1.02	1.26	0.24	2.01	0.99	CORRECT
NL	P	Gray,S.	1.13	1.58	0.45	2.13	1.00	CORRECT
NL	P	Castillo,L.	1.38	1.72	0.34	2.04	0.67	CORRECT
NL	P	Soroka,M.	1.35	1.35	0.00	2.01	0.66	CORRECT
NL	P	Corbin,P.	2.05	1.83	(0.22)	1.81	(0.24)	CORRECT
AL	P	Lynn,L.	1.17	1.60	0.42	1.64	0.47	CORRECT
AL	P	Odorizzi,J.	1.35	1.45	0.10	1.85	0.50	CORRECT
AL	P	Rodriguez,E.	1.72	1.66	(0.06)	1.58	(0.14)	CORRECT
NL	P	Lugo,S.	1.95	1.63	(0.32)	2.34	0.39	WRONG
AL	P	Minor,M.	1.66	1.43	(0.23)	1.53	(0.13)	CORRECT
NL	P	Bauer,T.	2.22	2.04	(0.18)	1.46	(0.76)	CORRECT
NL	P	Darvish,Y.	1.05	1.69	0.64	1.63	0.58	CORRECT
NL	P	Bumgarner,M.	1.53	1.80	0.27	1.56	0.03	CORRECT
NL	P	Maeda,K.	1.54	1.74	0.19	1.95	0.40	CORRECT
AL	P	Berrios,J.	1.74	1.74	0.01	1.55	(0.19)	WRONG
AL	P	Paxton,J.	1.82	1.84	0.01	1.59	(0.23)	WRONG
NL	P	Nola,A.	2.39	1.97	(0.42)	1.61	(0.78)	CORRECT
NL	P	Fried,M.	1.47	1.98	0.51	1.40	(0.07)	WRONG
AL	P	Boyd,M.	1.49	1.30	(0.18)	1.13	(0.36)	CORRECT
NL	P	Ray,R.	1.55	1.82	0.28	1.41	(0.13)	WRONG
AL	P	Yarbrough,R.	1.60	1.35	(0.24)	1.98	0.39	WRONG
NL	P	Marquez,G.	1.67	1.79	0.12	1.42	(0.25)	WRONG
NL	P	Hendricks,K.	1.71	1.67	(0.03)	1.64	(0.07)	CORRECT
NL	P	Syndergaard,N.	1.84	1.98	0.13	1.46	(0.38)	WRONG
AL	P	Sale,C.	2.61	2.28	(0.33)	1.58	(1.03)	CORRECT
NL	P	Samardzija,J.	0.73	1.26	0.53	1.63	0.91	CORRECT
AL	P	Fiers,M.	1.38	1.16	(0.22)	1.66	0.28	WRONG
NL	P	Woodruff,B.	1.95	1.59	(0.37)	1.94	(0.01)	CORRECT
NL	P	Stroman,M.	0.92	1.59	0.67	1.36	0.43	CORRECT
NL	P	DeSclafani,A.	1.02	1.32	0.30	1.43	0.40	CORRECT
AL	P	Gonzales,M.	1.48	1.52	0.04	1.34	(0.14)	WRONG
NL	P	Smith,C.	1.56	1.48	(0.08)	1.37	(0.19)	CORRECT
AL	P	Bassitt,C.	1.71	1.35	(0.36)	1.71	0.00	WRONG
NL	P	Wheeler,Z.	2.00	1.78	(0.23)	1.44	(0.56)	CORRECT
NL	P	Lucchesi,J.	1.24	1.51	0.27	1.52	0.29	CORRECT
NL	P	Musgrove,J.	1.45	1.59	0.13	1.41	(0.04)	WRONG
AL	P	Glasnow,T.	1.50	1.78	0.27	2.65	1.15	CORRECT
AL	P	Tanaka,M.	1.63	1.53	(0.10)	1.30	(0.34)	CORRECT
AL	P	Miley,W.	1.94	1.40	(0.54)	1.43	(0.52)	CORRECT
NL	P	Hudson,D.	2.48	1.88	(0.60)	1.52	(0.97)	CORRECT
AL	P	Bailey,H.	-0.11	0.99	1.10	1.40	1.51	CORRECT
NL	P	Wainwright,A.	0.96	1.38	0.42	1.16	0.20	CORRECT
AL	P	Montas,F.	1.10	1.19	0.09	2.04	0.94	CORRECT
NL	P	Lyles,J.	1.38	1.34	(0.04)	1.36	(0.02)	CORRECT
AL	P	Gibson,K.	1.44	1.46	0.02	1.12	(0.32)	WRONG
NL	P	Lester,J.	1.56	1.43	(0.13)	0.82	(0.74)	CORRECT
AL	P	Porcello,R.	1.68	1.51	(0.17)	0.96	(0.72)	CORRECT
AL	P	Happ,J.	1.84	1.57	(0.27)	1.13	(0.71)	CORRECT
NL	P	Teheran,J.	1.85	1.54	(0.31)	1.52	(0.33)	CORRECT
NL	P	Mikolas,M.	2.02	1.56	(0.46)	1.18	(0.84)	CORRECT

NL	OF	Pederson,J.	0.58	0.60	0.01	0.63	0.05	CORRECT
AL	2B	Odor,R.	0.55	0.57	0.02	0.48	(0.07)	WRONG
AL	OF	Brantley,M.	0.69	0.67	(0.03)	0.70	0.01	WRONG
AL	SS	Andrus,E.	0.48	0.56	0.08	0.58	0.10	CORRECT
AL	3B	Dozier,H.	0.42	0.53	0.11	0.67	0.25	CORRECT
NL	3B	Turner,J.	0.75	0.68	(0.07)	0.68	(0.06)	CORRECT
AL	OF	Grichuk,R.	0.57	0.59	0.02	0.49	(0.08)	WRONG
NL	OF	Hoskins,R.	0.62	0.68	0.05	0.60	(0.03)	WRONG
NL	SS	Rosario,A.	0.48	0.57	0.09	0.60	0.11	CORRECT
AL	SS	Anderson,T.	0.52	0.57	0.05	0.76	0.24	CORRECT
NL	OF	Pillar,K.	0.51	0.55	0.04	0.52	0.00	CORRECT
AL	OF	Pham,T.	0.68	0.68	0.01	0.69	0.01	CORRECT
AL	OF	Puig,Y.	0.67	0.68	0.01	0.62	(0.05)	WRONG
NL	OF	Robles,V.	0.72	0.64	(0.08)	0.58	(0.15)	CORRECT
NL	C	Grandal,Y.	0.62	0.62	0.00	0.66	0.04	CORRECT
AL	3B	Ramirez,J.	0.82	0.83	0.01	0.67	(0.15)	WRONG
AL	1B	Encarnacion,E.	0.60	0.59	(0.00)	0.64	0.04	WRONG
NL	2B	McNeil,J.	0.74	0.57	(0.17)	0.73	(0.01)	CORRECT
AL	OF	Choo,S.	0.64	0.60	(0.04)	0.65	0.02	WRONG
NL	1B	Hosmer,E.	0.52	0.60	0.08	0.51	(0.00)	WRONG
NL	OF	Eaton,A.	0.67	0.65	(0.01)	0.63	(0.03)	CORRECT
AL	1B	Cron,C.	0.56	0.58	0.02	0.53	(0.03)	WRONG
AL	OF	Canha,M.	0.55	0.53	(0.02)	0.71	0.16	WRONG
AL	3B	Sano,M.	0.43	0.56	0.12	0.69	0.26	CORRECT
AL	1B	Vogelbach,D.	0.46	0.60	0.14	0.54	0.08	CORRECT
NL	2B	Castro,S.	0.55	0.53	(0.02)	0.52	(0.02)	CORRECT
NL	2B	Hernandez,C.	0.58	0.59	0.01	0.56	(0.02)	WRONG
NL	SS	Ahmed,N.	0.48	0.53	0.04	0.56	0.08	CORRECT
AL	OF	Garcia,A.	0.50	0.50	0.00	0.62	0.12	CORRECT
NL	OF	Braun,R.	0.60	0.64	0.03	0.68	0.08	CORRECT
AL	OF	Laureano,R.	0.68	0.55	(0.13)	0.70	0.02	WRONG
NL	3B	McMahon,R.	0.45	0.54	0.09	0.58	0.12	CORRECT
AL	C	Sanchez,G.	0.44	0.62	0.17	0.58	0.14	CORRECT
NL	OF	Renfroe,H.	0.56	0.57	0.01	0.54	(0.02)	WRONG
AL	OF	Garcia,L.	0.55	0.58	0.03	0.52	(0.04)	WRONG
NL	SS	Segura,J.	0.64	0.60	(0.04)	0.56	(0.08)	CORRECT
NL	2B	Wong,K.	0.51	0.54	0.03	0.66	0.15	CORRECT
NL	SS	Seager,C.	0.54	0.69	0.15	0.61	0.07	CORRECT
NL	3B	Cabrera,A.	0.56	0.57	0.01	0.59	0.03	CORRECT
AL	C	Garver,M.	0.55	0.51	(0.03)	0.77	0.23	WRONG
NL	SS	Galvis,F.	0.48	0.51	0.03	0.52	0.04	CORRECT
AL	C	Vazquez,C.	0.29	0.36	0.07	0.60	0.32	CORRECT
NL	OF	Heyward,J.	0.53	0.53	0.00	0.58	0.05	CORRECT
NL	SS	Swanson,D.	0.50	0.55	0.05	0.56	0.05	CORRECT
AL	1B	Pujols,A.	0.46	0.48	0.01	0.52	0.05	CORRECT
AL	OF	Smith,M.	0.72	0.63	(0.09)	0.53	(0.19)	CORRECT
AL	OF	Judge,A.	0.73	0.75	0.02	0.73	(0.01)	WRONG
AL	OF	Hernandez,T.	0.55	0.57	0.02	0.56	0.01	CORRECT
NL	OF	Thames,E.	0.58	0.61	0.03	0.62	0.04	CORRECT
AL	2B	Fletcher,D.	0.47	0.55	0.08	0.57	0.10	CORRECT
NL	OF	Frazier,A.	0.60	0.62	0.03	0.55	(0.05)	WRONG
AL	OF	Gordon,A.	0.51	0.53	0.02	0.53	0.02	CORRECT
NL	OF	Cain,L.	0.74	0.70	(0.04)	0.53	(0.21)	CORRECT
AL	OF	Benintendi,A.	0.71	0.70	(0.00)	0.59	(0.12)	CORRECT
NL	SS	Kingery,S.	0.39	0.47	0.08	0.61	0.23	CORRECT
NL	OF	Fowler,D.	0.35	0.54	0.19	0.55	0.20	CORRECT
AL	OF	Santana,D.	0.53	0.63	0.10	0.58	0.05	CORRECT
AL	SS	Mondesi,A.	0.88	0.65	(0.23)	0.68	(0.21)	CORRECT
AL	SS	Alberto,H.	0.19	0.32	0.13	0.57	0.38	CORRECT
AL	SS	Adames,W.	0.59	0.50	(0.09)	0.53	(0.07)	CORRECT
AL	C	McCann,J.	0.33	0.43	0.10	0.59	0.26	CORRECT
NL	OF	Anderson,B.	0.55	0.54	(0.01)	0.60	0.05	WRONG
AL	OF	Mazara,N.	0.55	0.56	0.01	0.58	0.03	CORRECT
AL	1B	Voit,L.	0.89	0.61	(0.27)	0.63	(0.25)	CORRECT
AL	DH	Ohtani,S.	0.76	0.65	(0.10)	0.70	(0.06)	CORRECT
NL	1B	Votto,J.	0.67	0.71	0.04	0.58	(0.09)	WRONG
NL	C	Ramos,W.	0.66	0.57	(0.08)	0.58	(0.08)	CORRECT
NL	3B	Davis,J.	0.20	0.44	0.24	0.73	0.53	CORRECT
NL	OF	Jones,A.	0.54	0.55	0.00	0.50	(0.04)	WRONG
NL	1B	Belt,B.	0.57	0.56	(0.01)	0.53	(0.04)	CORRECT
AL	C	Narvaez,O.	0.58	0.55	(0.03)	0.61	0.04	WRONG
NL	2B	Kendrick,H.	0.61	0.58	(0.03)	0.82	0.21	WRONG
NL	3B	Longoria,E.	0.46	0.50	0.05	0.54	0.09	CORRECT
NL	OF	Desmond,I.	0.54	0.61	0.06	0.57	0.02	CORRECT
NL	OF	Dahl,D.	0.69	0.63	(0.05)	0.70	0.01	WRONG
NL	3B	Frazier,T.	0.48	0.52	0.04	0.53	0.06	CORRECT
AL	DH	Davis,K.	0.62	0.61	(0.02)	0.43	(0.19)	CORRECT
NL	3B	Moran,C.	0.55	0.51	(0.04)	0.54	(0.00)	CORRECT
NL	2B	Murphy,D.	0.62	0.63	0.01	0.58	(0.04)	WRONG
AL	2B	Kipnis,J.	0.48	0.56	0.08	0.51	0.03	CORRECT
AL	2B	Schoop,J.	0.44	0.54	0.10	0.53	0.10	CORRECT

NL	P	Leake,M.	1.13	1.16	0.04	0.87	(0.25)	WRONG
NL	P	Gray,J.	1.16	1.64	0.48	1.40	0.24	CORRECT
NL	P	Quintana,J.	1.38	1.43	0.05	1.16	(0.22)	WRONG
AL	P	Lopez,R.	1.46	1.43	(0.03)	0.72	(0.74)	CORRECT
NL	P	Sanchez,A.	1.95	1.69	(0.26)	1.48	(0.47)	CORRECT
AL	P	Kennedy,I.	0.91	1.24	0.33	1.40	0.49	CORRECT
NL	P	Kenney,Z.	1.05	1.34	0.29	1.44	0.39	CORRECT
AL	P	Junis,J.	1.10	1.41	0.32	0.81	(0.29)	WRONG
AL	P	Anderson,B.	1.11	1.29	0.18	1.36	0.25	CORRECT
AL	P	Roark,T.	1.21	1.42	0.21	0.98	(0.23)	WRONG
NL	P	Matz,S.	1.32	1.62	0.30	1.16	(0.16)	WRONG
NL	P	Anderson,C.	1.50	1.33	(0.16)	1.49	(0.01)	CORRECT
AL	P	Perez,M.	-0.08	0.79	0.86	1.01	1.08	CORRECT
AL	P	Cashner,A.	0.50	0.96	0.46	1.41	0.91	CORRECT
NL	P	Guerra,J.	1.06	1.48	0.43	2.15	1.09	CORRECT
NL	P	Eflin,Z.	1.39	1.46	0.07	1.04	(0.35)	WRONG
NL	P	Alcantara,S.	1.54	1.68	0.14	1.38	(0.17)	WRONG
AL	P	Bundy,D.	0.58	1.33	0.75	0.99	0.42	CORRECT
AL	P	Novak,J.	1.18	1.20	0.02	0.74	(0.44)	WRONG
AL	P	Pena,F.	1.38	1.30	(0.07)	1.78	0.40	WRONG
NL	P	Hill,R.	1.85	1.66	(0.19)	1.81	(0.04)	CORRECT
AL	P	Castillo,D.	2.42	1.72	(0.70)	1.51	(0.91)	CORRECT
AL	P	Snell,B.	2.59	2.17	(0.41)	1.41	(1.18)	CORRECT
NL	P	Lauer,E.	0.83	1.29	0.47	1.09	0.26	CORRECT
NL	P	Weaver,L.	0.86	1.52	0.66	1.86	0.99	CORRECT
NL	P	Senzatela,A.	1.22	1.14	(0.08)	0.37	(0.85)	CORRECT
NL	P	Hamels,C.	1.34	1.51	0.17	1.22	(0.12)	WRONG
NL	P	Stripling,R.	1.38	1.56	0.18	1.61	0.23	CORRECT
AL	P	Peacock,B.	1.39	1.69	0.30	1.59	0.20	CORRECT
NL	P	Foltynewicz,M.	2.14	1.81	(0.33)	1.34	(0.79)	CORRECT
AL	P	Gaviglio,S.	0.66	1.23	0.57	1.62	0.95	CORRECT
NL	P	Vargas,J.	0.73	1.24	0.51	1.25	0.52	CORRECT
AL	P	Duffy,D.	0.95	1.13	0.17	1.31	0.35	CORRECT
AL	P	Keller,B.	1.68	1.31	(0.37)	1.34	(0.34)	CORRECT
NL	P	Gant,J.	1.75	1.54	(0.20)	2.22	0.48	WRONG
AL	P	Price,D.	1.80	1.62	(0.18)	1.29	(0.51)	CORRECT
NL	P	Strahm,M.	2.18	1.65	(0.52)	0.91	(1.26)	CORRECT
NL	P	Pomeranz,D.	0.28	1.28	0.99	0.79	0.50	CORRECT
AL	P	Norris,D.	0.57	1.37	0.81	0.83	0.27	CORRECT
NL	P	Mahle,T.	0.59	1.08	0.48	0.75	0.16	CORRECT
AL	P	Sanchez,A.	1.05	1.37	0.31	0.55	(0.50)	WRONG
AL	P	Skaggs,T.	1.20	1.63	0.43	1.53	0.33	CORRECT
AL	P	Heaney,A.	1.37	1.52	0.14	1.04	(0.33)	WRONG
AL	P	Sabathia,C.	1.38	1.24	(0.14)	0.68	(0.70)	CORRECT
AL	P	LeBlanc,W.	1.53	1.33	(0.20)	0.53	(1.01)	CORRECT
AL	P	Carrasco,C.	1.80	2.00	0.19	0.71	(1.09)	WRONG
NL	P	Williams,T.	1.85	1.37	(0.48)	0.83	(1.02)	CORRECT
NL	P	Wacha,M.	2.00	1.52	(0.48)	0.67	(1.33)	CORRECT
NL	P	Peralta,F.	2.22	1.65	(0.57)	1.12	(1.10)	CORRECT
NL	P	Tomlin,J.	-0.16	0.60	0.75	1.28	1.44	CORRECT
NL	P	Perdomo,L.	-0.14	1.11	1.25	1.56	1.70	CORRECT
NL	P	Hernandez,E.	0.73	0.87	0.14	1.10	0.37	CORRECT
AL	P	Plutko,A.	0.81	1.04	0.22	1.01	0.20	CORRECT
AL	P	Jurado,A.	0.86	0.84	(0.02)	0.56	(0.30)	CORRECT
NL	P	Newcomb,S.	1.64	1.48	(0.17)	1.61	(0.03)	CORRECT
AL	P	Chacin,J.	1.92	1.38	(0.55)	0.31	(1.61)	CORRECT
NL	P	Rodriguez,D.	1.94	1.31	(0.63)	0.66	(1.28)	CORRECT

Total Accuracy 73%

NL	SS	Arcia,O.	0.34	0.46	0.12	0.41	0.07	CORRECT
NL	OF	Myers,W.	0.64	0.64	0.00	0.57	(0.07)	WRONG
AL	OF	Kiermaier,K.	0.42	0.54	0.12	0.49	0.06	CORRECT
AL	OF	Reddick,J.	0.50	0.53	0.03	0.54	0.04	CORRECT
NL	OF	Markakis,N.	0.64	0.59	(0.04)	0.60	(0.04)	CORRECT
NL	OF	Dyson,J.	0.42	0.62	0.20	0.53	0.12	CORRECT
AL	1B	Cabrera,M.	0.68	0.70	0.02	0.56	(0.12)	WRONG
NL	OF	Tapia,R.	0.46	0.58	0.12	0.55	0.08	CORRECT
AL	OF	Gonzalez,M.	0.50	0.57	0.07	0.52	0.01	CORRECT
AL	2B	Goodrum,N.	0.56	0.52	(0.04)	0.57	0.01	WRONG
AL	3B	Seager,K.	0.43	0.53	0.10	0.55	0.12	CORRECT
NL	OF	Margot,M.	0.46	0.62	0.15	0.53	0.07	CORRECT
NL	C	Contreras,W.	0.52	0.56	0.04	0.67	0.15	CORRECT
NL	OF	Hernandez,K.	0.64	0.60	(0.03)	0.49	(0.14)	CORRECT
NL	C	Molina,Y.	0.54	0.52	(0.01)	0.52	(0.02)	CORRECT
AL	OF	Goodwin,B.	0.51	0.60	0.09	0.60	0.10	CORRECT
AL	DH	Choi,J.	0.65	0.62	(0.04)	0.62	(0.03)	CORRECT
NL	2B	Dozier,B.	0.48	0.59	0.11	0.55	0.07	CORRECT
AL	C	Perez,R.	0.27	0.43	0.16	0.54	0.27	CORRECT
AL	2B	Gurriel,L.	0.54	0.52	(0.02)	0.67	0.13	WRONG
NL	SS	Taylor,C.	0.57	0.61	0.03	0.62	0.04	CORRECT
NL	1B	Cooper,G.	0.31	0.46	0.15	0.59	0.28	CORRECT
AL	OF	Santander,A.	0.29	0.43	0.15	0.55	0.26	CORRECT
AL	OF	Dixon,B.	0.27	0.52	0.25	0.50	0.23	CORRECT
AL	OF	Pence,H.	0.36	0.46	0.10	0.75	0.40	CORRECT
AL	C	D'Arnaud,T.	0.38	0.51	0.13	0.52	0.15	CORRECT
NL	3B	Carpenter,M.	0.69	0.71	0.02	0.52	(0.17)	WRONG
AL	OF	Calhoun,W.	0.35	0.56	0.21	0.63	0.28	CORRECT
AL	C	Chirinos,R.	0.51	0.59	0.08	0.55	0.04	CORRECT
AL	SS	Correa,C.	0.53	0.69	0.15	0.73	0.20	CORRECT
NL	3B	Franco,M.	0.58	0.54	(0.03)	0.47	(0.10)	CORRECT
AL	SS	Gregorius,D.	0.64	0.65	0.01	0.48	(0.16)	WRONG
AL	1B	Tellez,R.	0.76	0.73	(0.04)	0.48	(0.28)	CORRECT
AL	OF	Gordon,D.	0.50	0.64	0.14	0.55	0.05	CORRECT
AL	SS	Simmons,A.	0.59	0.58	(0.02)	0.50	(0.10)	CORRECT
NL	OF	Peralta,D.	0.68	0.64	(0.04)	0.59	(0.08)	CORRECT
AL	OF	Grossman,R.	0.57	0.57	0.00	0.50	(0.07)	WRONG
NL	OF	Verdugo,A.	0.51	0.54	0.03	0.65	0.14	CORRECT
AL	3B	Drury,B.	0.18	0.56	0.38	0.38	0.20	CORRECT
AL	C	Phegley,J.	0.35	0.41	0.06	0.44	0.09	CORRECT
AL	OF	DeShields,D.	0.46	0.61	0.16	0.56	0.10	CORRECT
NL	C	Suzuki,K.	0.55	0.58	0.03	0.58	0.03	CORRECT
AL	1B	Moreland,M.	0.56	0.59	0.03	0.62	0.06	CORRECT
AL	OF	Smith,D.	0.60	0.57	(0.03)	0.49	(0.11)	CORRECT
NL	OF	Pollock,A.	0.62	0.67	0.04	0.60	(0.03)	WRONG
NL	OF	Winker,J.	0.67	0.61	(0.06)	0.61	(0.07)	CORRECT
NL	2B	Panik,J.	0.43	0.50	0.06	0.44	0.01	CORRECT
NL	C	Kelly,C.	-0.07	0.50	0.57	0.60	0.67	CORRECT
AL	3B	La Stella,T.	0.46	0.46	0.01	0.63	0.18	CORRECT
NL	3B	Bote,D.	0.48	0.58	0.09	0.60	0.11	CORRECT
NL	OF	Martinez,J.	0.65	0.59	(0.06)	0.57	(0.09)	CORRECT
NL	OF	Cabrera,M.	0.58	0.53	(0.05)	0.52	(0.06)	CORRECT
AL	SS	Beckham,T.	0.42	0.49	0.08	0.50	0.09	CORRECT
NL	3B	Sandoval,P.	0.51	0.54	0.03	0.61	0.10	CORRECT
AL	2B	Pinder,C.	0.52	0.50	(0.02)	0.44	(0.08)	CORRECT
AL	3B	Diaz,Y.	0.65	0.57	(0.08)	0.62	(0.04)	CORRECT

Total Accuracy 74%