



Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantastics Correctly Predicted the Fantasy Direction on 8 out of 10 Hitters in 2021 **84%**

Fantastics Correctly Predicted the Fantasy Direction on 7 out of 10 Pitchers in 2021 **0.73**

Year 2021 - Projecting Top 200 Hitters - Directional (based on FPI)

Year 2021 - Projecting Top 120 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	3B	Guerrero Jr.,V.	0.58	0.65	0.08	0.83	0.25	CORRECT
AL	SS	Bichette,B.	0.70	0.69	(0.02)	0.71	0.00	WRONG
AL	SS	Semien,M.	0.48	0.59	0.11	0.69	0.22	CORRECT
AL	3B	Ramirez,J.	0.86	0.74	(0.12)	0.76	(0.10)	CORRECT
NL	SS	Turner,T.	0.90	0.74	(0.16)	0.84	(0.06)	CORRECT
AL	3B	Devers,R.	0.56	0.67	0.11	0.69	0.13	CORRECT
NL	2B	Albies,O.	0.59	0.62	0.03	0.63	0.04	CORRECT
AL	DH	Ohtani,S.	0.48	0.66	0.18	0.81	0.33	CORRECT
NL	1B	Freeman,F.	0.96	0.81	(0.15)	0.73	(0.22)	CORRECT
NL	1B	Goldschmidt,P.	0.73	0.69	(0.05)	0.73	(0.01)	CORRECT
AL	C	Perez,S.	0.83	0.58	(0.25)	0.63	(0.20)	CORRECT
AL	OF	Hernandez,T.	0.77	0.62	(0.15)	0.70	(0.06)	CORRECT
NL	SS	Tatis Jr.,F.	0.79	0.80	0.01	0.86	0.06	CORRECT
NL	OF	Soto,J.	1.07	0.87	(0.21)	0.86	(0.21)	CORRECT
AL	1B	Olson,M.	0.49	0.59	0.10	0.72	0.23	CORRECT
AL	SS	Polanco,J.	0.46	0.56	0.09	0.63	0.17	CORRECT
NL	3B	Machado,M.	0.80	0.65	(0.16)	0.67	(0.13)	CORRECT
NL	OF	Harper,B.	0.83	0.74	(0.09)	0.90	0.08	WRONG
NL	OF	Riley,A.	0.48	0.58	0.10	0.71	0.23	CORRECT
AL	2B	Altuve,J.	0.39	0.60	0.21	0.65	0.26	CORRECT
AL	OF	Judge,A.	0.64	0.71	0.06	0.74	0.10	CORRECT
AL	OF	Tucker,K.	0.69	0.65	(0.03)	0.77	0.08	WRONG
AL	OF	Mullins,C.	0.59	0.59	0.00	0.76	0.17	CORRECT
NL	OF	Castellanos,N.	0.51	0.63	0.11	0.76	0.25	CORRECT
AL	DH	Alvarez,Y.	0.63	0.74	0.11	0.67	0.04	CORRECT
NL	OF	O'Neill,T.	0.36	0.47	0.11	0.75	0.38	CORRECT
NL	OF	Reynolds,B.	0.37	0.58	0.22	0.74	0.37	CORRECT
AL	OF	Martinez,J.	0.44	0.67	0.23	0.67	0.23	CORRECT
AL	1B	Abreu,J.	0.80	0.63	(0.17)	0.60	(0.20)	CORRECT
AL	2B	Lowe,B.	0.72	0.66	(0.07)	0.65	(0.08)	CORRECT
AL	2B	Merrifield,W.	0.63	0.63	0.00	0.62	(0.01)	WRONG
AL	SS	Correa,C.	0.49	0.59	0.10	0.65	0.16	CORRECT
NL	3B	Arenado,N.	0.52	0.69	0.17	0.59	0.07	CORRECT
NL	1B	Alonso,P.	0.57	0.63	0.06	0.64	0.08	CORRECT
AL	OF	Garcia,A.	-0.21	0.53	0.75	0.54	0.75	CORRECT
NL	SS	Baez,J.	0.33	0.60	0.27	0.63	0.30	CORRECT
NL	SS	Story,T.	0.79	0.73	(0.05)	0.63	(0.16)	CORRECT
NL	2B	Muncy,M.	0.48	0.58	0.10	0.67	0.19	CORRECT
NL	OF	Duvall,A.	0.58	0.52	(0.06)	0.53	(0.05)	CORRECT
AL	SS	Bogaerts,X.	0.76	0.70	(0.06)	0.69	(0.06)	CORRECT
NL	SS	Crawford,B.	0.56	0.49	(0.07)	0.74	0.19	WRONG
AL	OF	Renfroe,H.	0.37	0.56	0.19	0.60	0.23	CORRECT
AL	OF	Grossman,R.	0.66	0.65	(0.01)	0.61	(0.05)	CORRECT
AL	DH	Stanton,G.	0.68	0.70	0.02	0.66	(0.01)	WRONG
AL	1B	Walsh,J.	0.77	0.58	(0.19)	0.65	(0.12)	CORRECT
NL	SS	Swanson,D.	0.64	0.56	(0.08)	0.55	(0.08)	CORRECT
AL	3B	Mountcastle,R.	0.72	0.58	(0.13)	0.58	(0.14)	CORRECT
AL	DH	Cruz,N.	0.80	0.64	(0.16)	0.63	(0.17)	CORRECT
AL	3B	Seager,K.	0.61	0.57	(0.03)	0.47	(0.14)	CORRECT
AL	OF	Meadows,A.	0.44	0.65	0.21	0.54	0.10	CORRECT
NL	1B	Votto,J.	0.58	0.63	0.05	0.73	0.15	CORRECT
NL	3B	Turner,J.	0.68	0.69	0.00	0.63	(0.05)	WRONG
AL	OF	Arozarena,R.	0.89	0.64	(0.24)	0.65	(0.23)	CORRECT
NL	3B	Escobar,E.	0.35	0.58	0.23	0.56	0.21	CORRECT
NL	3B	Bryant,K.	0.37	0.66	0.29	0.65	0.28	CORRECT
NL	2B	McMahon,R.	0.45	0.58	0.13	0.58	0.13	CORRECT
NL	OF	Garcia,A.	0.42	0.54	0.13	0.61	0.20	CORRECT
AL	OF	Gallo,J.	0.42	0.59	0.17	0.58	0.16	CORRECT
AL	OF	Marte,S.	0.62	0.61	(0.00)	0.82	0.21	WRONG
NL	1B	Cron,C.	0.62	0.60	(0.02)	0.70	0.08	WRONG
NL	OF	Edman,T.	0.45	0.59	0.14	0.55	0.10	CORRECT
AL	SS	Anderson,T.	0.75	0.61	(0.14)	0.68	(0.07)	CORRECT
NL	1B	Bell,J.	0.44	0.63	0.19	0.61	0.18	CORRECT

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
NL	P	Cole,G.	1.14	1.80	0.66	2.44	1.29	CORRECT
NL	P	Verlander,J.	1.91	1.58	(0.33)	2.14	0.23	WRONG
NL	P	deGrom,J.	2.16	1.90	(0.26)	2.36	0.20	WRONG
NL	P	Strasburg,S.	2.61	1.82	(0.79)	2.42	(0.18)	CORRECT
AL	P	Ryu,H.	0.19	0.97	0.78	2.41	2.22	CORRECT
NL	P	Bieber,S.	1.70	1.53	(0.17)	2.10	0.40	WRONG
NL	P	Greinke,Z.	2.02	1.76	(0.25)	2.25	0.23	WRONG
NL	P	Flaherty,J.	2.29	2.04	(0.25)	3.26	0.97	WRONG
AL	P	Clevinger,M.	2.07	1.95	(0.12)	1.92	(0.15)	CORRECT
NL	P	Scherzer,M.	-4.25	1.60	5.85	2.44	6.69	CORRECT
NL	P	Kershaw,C.	1.91	1.18	(0.73)	2.06	0.15	WRONG
NL	P	Buehler,W.	1.92	1.75	(0.17)	2.14	0.22	WRONG
NL	P	Giolito,L.	2.27	1.65	(0.62)	2.47	0.20	WRONG
NL	P	Gray,S.	1.09	1.73	0.64	2.23	1.14	CORRECT
AL	P	Castillo,L.	1.49	1.70	0.21	1.91	0.42	CORRECT
AL	P	Soroka,M.	1.94	1.57	(0.37)	2.01	0.07	WRONG
NL	P	Corbin,P.	1.36	1.77	0.41	1.91	0.55	CORRECT
NL	P	Lynn,L.	2.55	1.79	(0.76)	2.02	(0.54)	CORRECT
N/A	P	Rodriguez,E.	2.51	1.80	(0.71)	2.05	(0.46)	CORRECT
AL	P	Odorizzi,J.	1.91	1.40	(0.51)	2.10	0.19	WRONG
AL	P	Lugo,S.	1.91	1.88	(0.03)	2.42	0.51	WRONG
NL	P	Minor,M.	1.85	1.57	(0.27)	1.75	(0.10)	CORRECT
AL	P	Bauer,T.	0.70	1.56	0.86	1.76	1.06	CORRECT
NL	P	Darvish,Y.	0.31	1.32	1.01	1.92	1.61	CORRECT
NL	P	Bumgarner,M.	0.89	1.13	0.25	2.07	1.19	CORRECT
NL	P	Maeda,K.	1.89	1.89	(0.01)	1.57	(0.32)	CORRECT
AL	P	Paxton,J.	2.22	1.96	(0.26)	1.73	(0.48)	CORRECT
AL	P	Nola,A.	1.19	1.39	0.20	1.76	0.57	CORRECT
AL	P	Fried,M.	1.91	1.78	(0.13)	2.07	0.16	WRONG
NL	P	Boyd,M.	1.92	1.53	(0.39)	1.65	(0.27)	CORRECT
NL	P	Ray,R.	2.38	1.89	(0.49)	1.61	(0.76)	CORRECT
NL	P	Marquez,G.	0.54	1.66	1.12	1.98	1.45	CORRECT
NL	P	Hendricks,K.	2.39	1.88	(0.51)	1.90	(0.49)	CORRECT
AL	P	Sale,C.	1.32	1.42	0.09	1.59	0.27	CORRECT
AL	P	Samarzija,J.	1.38	1.48	0.10	1.39	0.01	CORRECT
AL	P	Fiers,M.	1.87	1.70	(0.17)	1.43	(0.44)	CORRECT
AL	P	Stroman,M.	0.99	1.46	0.47	1.73	0.74	CORRECT
AL	P	Woodruff,B.	1.55	1.36	(0.18)	1.82	0.27	WRONG
NL	P	Gonzales,M.	1.52	1.49	(0.04)	1.52	(0.00)	CORRECT
NL	P	Smith,C.	-0.29	0.97	1.26	1.78	2.07	CORRECT
AL	P	Bassitt,C.	1.89	1.73	(0.16)	1.88	(0.02)	CORRECT
AL	P	Wheeler,Z.	2.00	1.60	(0.40)	1.95	(0.05)	CORRECT
NL	P	Lucchesi,J.	0.61	1.18	0.56	1.70	1.09	CORRECT
AL	P	Tanaka,M.	-1.23	1.18	2.42	1.40	2.63	CORRECT
AL	P	Musgrove,J.	1.60	1.63	0.03	1.45	(0.14)	WRONG
AL	P	Miley,W.	1.41	1.34	(0.07)	1.52	0.11	WRONG
NL	P	Hudson,D.	0.60	1.17	0.57	1.43	0.83	CORRECT
AL	P	Bailey,H.	0.70	1.40	0.70	1.46	0.76	CORRECT
AL	P	Wainwright,A.	2.13	1.47	(0.66)	1.50	(0.63)	CORRECT
NL	P	Montas,F.	0.62	1.33	0.71	1.80	1.19	CORRECT
NL	P	Lyles,J.	-0.79	1.18	1.97	1.81	2.60	CORRECT
NL	P	Gibson,K.	1.81	1.58	(0.24)	1.10	(0.72)	CORRECT
NL	P	Lester,J.	2.04	1.66	(0.38)	1.60	(0.44)	CORRECT
NL	P	Porcello,R.	1.77	1.33	(0.44)	1.50	(0.27)	CORRECT
AL	P	Happ,J.	2.38	1.65	(0.72)	1.49	(0.89)	CORRECT
NL	P	Mikolas,M.	2.05	1.75	(0.30)	1.58	(0.48)	CORRECT
NL	P	Leake,M.	2.48	1.80	(0.68)	1.75	(0.73)	CORRECT
AL	P	Lopez,R.	0.26	0.93	0.67	0.83	0.57	CORRECT
AL	P	Sanchez,A.	1.10	1.40	0.30	1.44	0.34	CORRECT
AL	P	Kennedy,I.	0.38	1.64	1.26	1.56	1.18	CORRECT
AL	P	Davies,Z.	0.84	1.59	0.75	1.06	0.21	CORRECT
NL	P	Junis,J.	0.15	1.06	0.92	1.40	1.26	CORRECT
NL	P	Anderson,B.	1.56	1.84	0.28	1.68	0.12	CORRECT

NL	OF	Betts,M.	0.80	0.78	(0.03)	0.67	(0.14)	CORRECT	AL	P	Roark,T.	2.14	1.73	(0.41)	1.98	(0.16)	CORRECT					
AL	OF	Schwarber,K.	0.45	0.60	0.15	0.71	0.27	CORRECT	NL	P	Quintana,J.	1.64	1.89	0.25	1.23	(0.41)	WRONG					
AL	OF	Reyes,F.	0.60	0.60	(0.00)	0.63	0.03	WRONG	AL	P	Matz,S.	-4.13	1.23	5.35	1.05	5.18	CORRECT					
AL	2B	Schoop,J.	0.58	0.51	(0.07)	0.55	(0.02)	CORRECT	NL	P	Anderson,C.	0.26	1.65	1.39	0.57	0.31	CORRECT					
NL	2B	Urias,L.	0.39	0.49	0.10	0.58	0.19	CORRECT	AL	P	Perez,M.	1.11	1.35	0.24	1.22	0.11	CORRECT					
NL	OF	McCutchen,A.	0.57	0.55	(0.02)	0.57	(0.01)	CORRECT	AL	P	Cashner,A.	1.57	1.49	(0.09)	1.26	(0.31)	CORRECT					
NL	SS	Adames,W.	0.61	0.57	(0.04)	0.62	0.01	WRONG	NL	P	Guerra,J.	1.82	1.24	(0.58)	0.72	(1.10)	CORRECT					
NL	OF	Winker,J.	0.71	0.66	(0.05)	0.76	0.05	WRONG	NL	P	Eflin,Z.	1.89	1.64	(0.24)	1.77	(0.12)	CORRECT					
NL	OF	Taylor,C.	0.66	0.57	(0.08)	0.61	(0.05)	CORRECT	AL	P	Alcantara,S.	2.76	1.95	(0.80)	1.75	(1.01)	CORRECT					
NL	C	Smith,W.	0.78	0.71	(0.07)	0.65	(0.14)	CORRECT	AL	P	Bundy,D.	-3.21	1.26	4.47	1.76	4.97	CORRECT					
AL	1B	Gurriel,Y.	0.41	0.58	0.17	0.69	0.29	CORRECT	NL	P	Pena,F.	0.81	1.08	0.27	1.26	0.45	CORRECT					
NL	SS	Cronenworth,J.	0.66	0.60	(0.07)	0.59	(0.07)	CORRECT	AL	P	Hill,R.	1.59	1.50	(0.09)	0.97	(0.63)	CORRECT					
NL	OF	Yastrzemski,M.	0.79	0.65	(0.13)	0.53	(0.26)	CORRECT	NL	P	Castillo,D.	2.41	1.38	(1.03)	1.25	(1.16)	CORRECT					
AL	3B	Sano,M.	0.49	0.58	0.10	0.54	0.05	CORRECT	NL	P	Snell,B.	1.88	1.60	(0.28)	1.09	(0.80)	CORRECT					
NL	OF	Soler,J.	0.52	0.67	0.15	0.51	(0.02)	WRONG	AL	P	Senzateta,A.	2.18	1.68	(0.51)	1.62	(0.56)	CORRECT					
AL	3B	Chapman,M.	0.55	0.65	0.10	0.48	(0.07)	WRONG	NL	P	Hamels,C.	2.32	1.57	(0.75)	1.40	(0.91)	CORRECT					
AL	C	Kiner-Falefa,I.	0.54	0.51	(0.03)	0.50	(0.05)	CORRECT	NL	P	Stripling,R.	1.52	1.74	0.22	1.74	0.21	CORRECT					
AL	3B	France,T.	0.64	0.55	(0.09)	0.60	(0.05)	CORRECT	AL	P	Nova,I.	1.39	1.56	0.17	1.25	(0.14)	WRONG					
AL	3B	Donaldson,J.	0.61	0.64	0.03	0.61	0.00	CORRECT	AL	P	Peacock,B.	1.52	1.04	(0.48)	1.15	(0.37)	CORRECT					
NL	OF	Happ,I.	0.64	0.60	(0.04)	0.55	(0.10)	CORRECT	AL	P	Foltynewicz,M.	2.26	1.39	(0.87)	0.78	(1.48)	CORRECT					
NL	OF	Acuna,R.	0.83	0.86	0.02	0.86	0.03	CORRECT	NL	P	Gaviglio,S.	1.94	1.33	(0.60)	1.19	(0.75)	CORRECT					
NL	3B	Suarez,E.	0.54	0.66	0.12	0.44	(0.10)	WRONG	AL	P	Vargas,J.	2.42	1.47	(0.95)	0.55	(1.87)	CORRECT					
AL	OF	Straw,M.	0.35	0.59	0.24	0.59	0.24	CORRECT	NL	P	Duffy,J.	1.07	0.94	(0.14)	0.87	(0.20)	CORRECT					
AL	1B	Lowe,N.	0.54	0.57	0.03	0.60	0.06	CORRECT	AL	P	Keller,B.	2.15	1.51	(0.64)	1.25	(0.90)	CORRECT					
NL	SS	Segura,J.	0.57	0.53	(0.05)	0.61	0.04	WRONG	AL	P	Gant,J.	1.02	1.11	0.09	1.92	0.90	CORRECT					
AL	OF	Canha,M.	0.61	0.64	0.03	0.54	(0.08)	WRONG	NL	P	Price,D.	0.86	1.10	0.25	1.61	0.75	CORRECT					
NL	2B	Frazier,A.	0.41	0.52	0.12	0.62	0.21	CORRECT	NL	P	Strahm,M.	0.93	0.90	(0.03)	0.90	(0.03)	CORRECT					
AL	1B	LeMahieu,D.	0.90	0.70	(0.20)	0.53	(0.38)	CORRECT	AL	P	Pomeranz,D.	1.73	1.65	(0.08)	0.85	(0.88)	CORRECT					
AL	OF	Verdugo,A.	0.70	0.60	(0.11)	0.61	(0.10)	CORRECT	AL	P	Norris,D.	-0.15	1.21	1.36	1.04	1.19	CORRECT					
AL	SS	Rosario,A.	0.40	0.50	0.10	0.57	0.17	CORRECT	NL	P	Mahle,T.	1.91	1.76	(0.15)	1.30	(0.61)	CORRECT					
AL	OF	Gurriel,L.	0.73	0.63	(0.10)	0.58	(0.15)	CORRECT	NL	P	Shaggs,T.	1.05	1.73	0.68	1.22	0.17	CORRECT					
NL	C	Realmutto,J.	0.64	0.60	(0.04)	0.60	(0.04)	CORRECT	AL	P	LeBlanc,W.	2.09	1.14	(0.95)	1.29	(0.80)	CORRECT					
NL	1B	Hoskins,R.	0.67	0.64	(0.02)	0.64	(0.03)	CORRECT	AL	P	Carrasco,C.	0.36	1.37	1.01	1.32	0.96	CORRECT					
NL	1B	Belt,B.	0.84	0.60	(0.24)	0.77	(0.08)	CORRECT	AL	P	Williams,T.	0.48	1.48	1.00	1.04	0.56	CORRECT					
AL	C	Zunino,M.	0.25	0.50	0.25	0.58	0.33	CORRECT	AL	P	Tomlin,J.	0.54	1.47	0.93	1.65	1.11	CORRECT					
AL	3B	Fletcher,D.	0.66	0.59	(0.07)	0.44	(0.21)	CORRECT	NL	P	Perdomo,L.	2.01	1.43	(0.57)	0.63	(1.38)	CORRECT					
AL	3B	Candelario,J.	0.69	0.59	(0.10)	0.59	(0.10)	CORRECT	AL	P	Hernandez,E.	-4.17	1.26	5.42	0.80	4.96	CORRECT					
AL	2B	Lopez,N.	0.27	0.52	0.25	0.65	0.38	CORRECT	NL	P	Plutko,A.	1.06	0.73	(0.33)	0.75	(0.30)	CORRECT					
NL	OF	Blackmon,C.	0.64	0.64	(0.01)	0.56	(0.08)	CORRECT	AL	P	Jurado,A.	1.51	1.25	(0.26)	0.74	(0.77)	CORRECT					
AL	OF	Hernandez,K.	0.41	0.49	0.08	0.57	0.16	CORRECT	AL	P	Newcomb,S.	0.60	1.39	0.79	1.16	0.56	CORRECT					
AL	OF	Hays,A.	0.52	0.54	0.02	0.54	0.02	CORRECT	AL	P	Chacin,J.	-3.79	1.03	4.82	0.45	4.24	CORRECT					
NL	1B	Aguilar,J.	0.61	0.59	(0.02)	0.57	(0.04)	CORRECT	NL	P	McHugh,C.	0.99	0.95	(0.04)	0.92	(0.08)	CORRECT					
NL	SS	Chisholm,J.	0.29	0.53	0.24	0.57	0.28	CORRECT	AL	P	Lopez,J.	2.10	1.55	(0.56)	1.07	(1.04)	CORRECT					
AL	3B	Dalbec,B.	0.72	0.58	(0.15)	0.55	(0.18)	CORRECT	AL	P	Chatwood,T.	1.40	1.28	(0.11)	0.68	(0.72)	CORRECT					
AL	SS	Crawford,J.	0.50	0.56	0.06	0.51	0.01	CORRECT	N/A	P	Gausman,K.	1.93	1.26	(0.67)	1.16	(0.77)	CORRECT					
NL	OF	Carlson,D.	0.36	0.60	0.24	0.57	0.22	CORRECT	NL	P	Sparkman,G.	2.40	1.34	(1.06)	1.51	(0.89)	CORRECT					
AL	OF	Benintendi,A.	0.20	0.65	0.45	0.58	0.38	CORRECT	AL	P	Hess,D.	2.68	1.76	(0.92)	1.24	(1.44)	CORRECT					
NL	OF	Tapia,R.	0.68	0.55	(0.14)	0.56	(0.12)	CORRECT	NL	P	Zimmermann,J.	2.11	1.31	(0.80)	0.26	(1.86)	CORRECT					
AL	2B	Hernandez,C.	0.57	0.56	(0.01)	0.46	(0.11)	CORRECT	AL	P	Rodriguez,D.	0.75	1.12	0.37	0.75	0.00	WRONG					
NL	2B	Wong,K.	0.51	0.60	0.09	0.60	0.09	CORRECT	NL	P	Liriano,F.	1.24	1.36	0.12	1.09	(0.16)	WRONG					
NL	OF	Pham,T.	0.48	0.64	0.16	0.55	0.06	CORRECT	NL	P	Beeks,J.	1.40	1.51	0.11	1.14	(0.26)	WRONG					
NL	OF	Pollock,A.	0.68	0.55	(0.13)	0.73	0.06	WRONG	AL	P	Cessa,L.	1.76	1.88	0.11	1.30	(0.47)	WRONG					
NL	SS	Lindor,F.	0.57	0.71	0.14	0.53	(0.04)	WRONG	NL	P	Stratton,C.	1.40	1.77	0.37	0.52	(0.88)	WRONG					
AL	3B	Moncada,Y.	0.48	0.64	0.16	0.59	0.11	CORRECT	NL	P	Barria,J.	1.49	1.10	(0.39)	1.14	(0.35)	CORRECT					
AL	OF	Grichuk,R.	0.59	0.54	(0.05)	0.45	(0.13)	CORRECT	NL	P	Mengden,D.	1.52	1.14	(0.38)	0.91	(0.62)	CORRECT					
AL	1B	Rizzo,A.	0.52	0.64	0.12	0.55	0.04	CORRECT	NL	P	Freeland,K.	-3.50	0.90	4.40	0.61	4.11	CORRECT					
NL	OF	Myers,W.	0.76	0.61	(0.16)	0.58	(0.18)	CORRECT	AL	P	Cahill,T.	0.99	1.32	0.34	1.23	0.24	CORRECT					
NL	OF	Grisham,T.	0.67	0.62	(0.05)	0.55	(0.11)	CORRECT	Total Accuracy 73%													
NL	OF	Naquin,T.	0.36	0.52	0.17	0.61	0.25	CORRECT														
AL	OF	Margot,M.	0.61	0.60	(0.01)	0.52	(0.09)	CORRECT														
AL	C	Grandal,Y.	0.56	0.62	0.06	0.74	0.18	CORRECT														
AL	2B	Harrison,J.	0.55	0.47	(0.07)	0.54	(0.01)	CORRECT														
NL	SS	Rojas,M.	0.77	0.61	(0.16)	0.54	(0.23)	CORRECT														
NL	2B	Villar,J.	0.50	0.61	0.10	0.56	0.05	CORRECT														
AL	1B	Santana,C.	0.48	0.62	0.14	0.44	(0.04)	WRONG														
NL	2B	Hampson,G.	0.49	0.58	0.09	0.48	(0.01)	WRONG														
NL	1B	Hosmer,E.	0.70	0.56	(0.14)	0.54	(0.16)	CORRECT														
NL	3B	Rojas,J.	0.21	0.62	0.42	0.58	0.37	CORRECT														
NL	2B	Farmer,K.	0.46	0.55	0.09	0.49	0.03	CORRECT														
AL	3B	Wendle,J.	0.64	0.61	(0.03)	0.53	(0.11)	CORRECT														
N/A	OF	Taylor,M.	0.39	0.53	0.14	0.46	0.07	CORRECT														
AL	C	Sanchez,G.	0.30	0.63	0.33	0.47	0.17	CORRECT														
AL	1B	Cabrera,M.	0.54	0.55	0.02	0.48	(0.06)	WRONG														
AL	OF	Brantley,M.	0.68	0.64	(0.04)	0.62	(0.06)	CORRECT														
NL	1B	Smith,P.	0.62	0.61	(0.00)	0.52	(0.09)	CORRECT														
AL	SS	Iglesias,J.	0.82	0.54	(0.28)	0.49	(0.32)	CORRECT														
AL	3B	Diaz,Y.	0.67	0.58	(0.09)	0.54	(0.12)	CORRECT														
NL	SS	Seager,C.	0.77	0.72	(0.05)	0.74	(0.03)	CORRECT														
AL	3B	Dozier,H.	0.56	0.54	(0.02)	0.44	(0.12)	CORRECT														
NL	OF	Pederson,J.	0.39	0.57	0.17	0.50	0.11	CORRECT														
NL	C	Contreras,W.	0.50	0.54	0.04	0.55	0.05	CORRECT														

AL	OF	Kepler,M.	0.55	0.61	0.05	0.51	(0.04)	WRONG
AL	2B	Torres,G.	0.53	0.64	0.11	0.54	0.01	CORRECT
AL	OF	Garcia,L.	0.55	0.53	(0.02)	0.53	(0.02)	CORRECT
NL	C	Molina,Y.	0.43	0.46	0.03	0.45	0.02	CORRECT
NL	SS	Rodgers,B.	-0.17	0.53	0.70	0.58	0.75	CORRECT
NL	2B	Marte,K.	0.53	0.66	0.13	0.75	0.22	CORRECT
NL	2B	Flores,W.	0.62	0.51	(0.11)	0.57	(0.04)	CORRECT
NL	OF	Rosario,E.	0.60	0.57	(0.03)	0.57	(0.03)	CORRECT
NL	OF	Peralta,D.	0.60	0.61	0.00	0.53	(0.08)	WRONG
AL	2B	Solak,N.	0.53	0.58	0.05	0.45	(0.08)	WRONG
AL	SS	Andrus,E.	0.36	0.54	0.18	0.42	0.06	CORRECT
AL	C	Vazquez,C.	0.63	0.55	(0.09)	0.47	(0.16)	CORRECT
AL	3B	Urshela,G.	0.70	0.64	(0.05)	0.50	(0.19)	CORRECT
NL	1B	Smith,D.	0.80	0.61	(0.20)	0.44	(0.37)	CORRECT
NL	OF	Wade,L.	0.41	0.52	0.11	0.61	0.20	CORRECT
NL	OF	Yeich,C.	0.58	0.77	0.19	0.57	(0.01)	WRONG
AL	OF	Springer,G.	0.67	0.67	(0.00)	0.71	0.03	WRONG
AL	2B	Arraez,L.	0.61	0.55	(0.06)	0.56	(0.04)	CORRECT
NL	C	Narvaez,O.	0.30	0.59	0.29	0.53	0.24	CORRECT
NL	OF	Conforto,M.	0.76	0.68	(0.09)	0.50	(0.26)	CORRECT
N/A	OF	Laureano,R.	0.45	0.61	0.16	0.57	0.12	CORRECT
AL	C	Haase,E.	0.11	0.39	0.28	0.51	0.39	CORRECT
AL	SS	Moore,D.	0.73	0.57	(0.15)	0.44	(0.29)	CORRECT
NL	OF	Bader,H.	0.56	0.56	(0.00)	0.60	0.04	WRONG
AL	C	Murphy,S.	0.61	0.67	0.06	0.44	(0.16)	WRONG
NL	SS	Newman,K.	0.30	0.53	0.23	0.34	0.04	CORRECT
NL	1B	Walker,C.	0.58	0.55	(0.03)	0.47	(0.12)	CORRECT
AL	OF	Santander,A.	0.65	0.62	(0.03)	0.48	(0.17)	CORRECT
AL	3B	Bregman,A.	0.58	0.73	0.15	0.58	0.01	CORRECT
AL	SS	Castro,W.	0.78	0.51	(0.27)	0.39	(0.39)	CORRECT
AL	C	Gomes,Y.	0.60	0.53	(0.08)	0.48	(0.12)	CORRECT
AL	OF	Buxton,B.	0.62	0.63	0.01	0.87	0.25	CORRECT
AL	OF	Brown,S.	-0.50	0.43	0.93	0.51	1.01	CORRECT
AL	OF	Phillips,B.	0.64	0.57	(0.06)	0.54	(0.09)	CORRECT
NL	3B	Miller,B.	0.59	0.61	0.02	0.55	(0.04)	WRONG
NL	C	Stephenson,T.	0.82	0.57	(0.24)	0.61	(0.21)	CORRECT
NL	3B	Bohm,A.	0.74	0.67	(0.06)	0.44	(0.29)	CORRECT
NL	3B	Hayes,K.	1.01	0.62	(0.39)	0.52	(0.49)	CORRECT
AL	2B	Kemp,T.	0.51	0.58	0.07	0.65	0.14	CORRECT
NL	SS	Galvis,F.	0.45	0.49	0.04	0.47	0.03	CORRECT
AL	OF	Gardner,B.	0.55	0.49	(0.06)	0.48	(0.07)	CORRECT
AL	C	Torrens,L.	0.49	0.52	0.03	0.50	0.01	CORRECT
NL	C	Diaz,E.	0.40	0.50	0.09	0.54	0.14	CORRECT
NL	OF	Pillar,K.	0.63	0.52	(0.11)	0.43	(0.20)	CORRECT
AL	OF	Upton,J.	0.40	0.54	0.14	0.48	0.08	CORRECT
NL	OF	Slater,A.	0.87	0.77	(0.09)	0.60	(0.27)	CORRECT
NL	SS	DeJong,P.	0.48	0.56	0.08	0.41	(0.07)	WRONG
NL	SS	Ahmed,N.	0.56	0.52	(0.04)	0.40	(0.16)	CORRECT
AL	OF	Robert,L.	0.57	0.70	0.13	0.82	0.25	CORRECT
AL	2B	Gosselin,P.	0.51	0.48	(0.03)	0.47	(0.04)	CORRECT
NL	2B	Lux,G.	0.34	0.61	0.26	0.49	0.15	CORRECT
AL	3B	Toro-Hernandez	0.13	0.41	0.28	0.47	0.34	CORRECT
N/A	OF	Polanco,G.	0.26	0.55	0.29	0.46	0.20	CORRECT
AL	OF	Zimmer,B.	0.36	0.49	0.12	0.49	0.13	CORRECT
AL	OF	Kiermaier,K.	0.54	0.59	0.04	0.53	(0.01)	WRONG
NL	OF	Nimmo,B.	0.69	0.62	(0.07)	0.68	(0.01)	CORRECT

Total Accuracy 84%