

NL	C	Contreras,W.	0.55	0.56	0.01	0.57	0.02	CORRECT
AL	SS	Lopez,N.	0.65	0.66	0.01	0.36	(0.28)	WRONG
AL	OF	Winker,J.	0.76	0.66	(0.10)	0.47	(0.29)	CORRECT
AL	SS	Anderson,T.	0.68	0.70	0.03	0.61	(0.06)	WRONG
AL	2B	Urias,R.	0.57	0.56	(0.01)	0.49	(0.08)	CORRECT
NL	C	Ruiz,K.	0.52	0.52	0.00	0.47	(0.05)	WRONG
AL	2B	Harrison,J.	0.54	0.58	0.04	0.45	(0.09)	WRONG
NL	2B	Segura,J.	0.61	0.59	(0.02)	0.57	(0.04)	CORRECT
AL	2B	Schoop,J.	0.55	0.51	(0.05)	0.30	(0.25)	CORRECT
NL	SS	Garcia,L.	0.44	0.55	0.12	0.49	0.05	CORRECT
NL	2B	Urias,L.	0.58	0.61	0.03	0.51	(0.07)	WRONG
NL	2B	India,J.	0.65	0.64	(0.01)	0.46	(0.19)	CORRECT
NL	3B	Wisdom,P.	0.59	0.46	(0.13)	0.48	(0.10)	CORRECT
NL	OF	Joe,C.	0.66	0.64	(0.03)	0.50	(0.17)	CORRECT
NL	OF	Reyes,F.	0.63	0.57	(0.06)	0.38	(0.26)	CORRECT
NL	SS	Crawford,B.	0.74	0.59	(0.15)	0.41	(0.33)	CORRECT
NL	2B	Chavis,M.	0.40	0.41	0.01	0.40	0.00	CORRECT
AL	OF	Margot,M.	0.52	0.58	0.06	0.54	0.02	CORRECT
AL	1B	Walsh,J.	0.65	0.58	(0.07)	0.38	(0.26)	CORRECT
NL	1B	Vogelbach,D.	0.52	0.58	0.07	0.59	0.07	CORRECT
AL	3B	Candelario,J.	0.59	0.59	(0.00)	0.36	(0.23)	CORRECT
NL	C	Contreras,W.	0.45	0.55	0.10	0.66	0.21	CORRECT
NL	OF	McCarthy,J.	0.49	0.57	0.08	0.70	0.21	CORRECT
NL	2B	Muncy,M.	0.67	0.67	0.00	0.48	(0.19)	WRONG
AL	1B	Sheets,G.	0.60	0.61	0.02	0.47	(0.13)	WRONG
AL	C	Heim,J.	0.34	0.51	0.18	0.45	0.12	CORRECT
NL	SS	Wendle,J.	0.53	0.52	(0.02)	0.48	(0.05)	CORRECT
NL	2B	Taylor,C.	0.61	0.59	(0.02)	0.48	(0.13)	CORRECT
AL	SS	Castro,W.	0.39	0.55	0.16	0.43	0.05	CORRECT
AL	2B	Polanco,J.	0.63	0.61	(0.02)	0.55	(0.09)	CORRECT
AL	2B	Odor,R.	0.37	0.45	0.07	0.38	0.01	CORRECT
AL	OF	Jimenez,E.	0.51	0.61	0.10	0.67	0.16	CORRECT
AL	1B	Santana,C.	0.44	0.49	0.05	0.45	0.02	CORRECT
N/A	3B	Franco,M.	0.34	0.47	0.14	0.34	0.01	CORRECT
AL	SS	Story,T.	0.63	0.70	0.08	0.57	(0.06)	WRONG
AL	OF	McCormick,C.	0.56	0.47	(0.10)	0.52	(0.05)	CORRECT
NL	OF	Grossman,R.	0.61	0.60	(0.02)	0.39	(0.22)	CORRECT
NL	3B	Berti,J.	0.43	0.41	(0.03)	0.62	0.19	WRONG
AL	DH	Stanton,G.	0.66	0.62	(0.04)	0.51	(0.16)	CORRECT
AL	OF	Hicks,A.	0.37	0.52	0.15	0.46	0.09	CORRECT
AL	3B	Moncada,Y.	0.59	0.60	0.01	0.38	(0.21)	WRONG
NL	1B	Pujols,A.	0.47	0.52	0.05	0.67	0.19	CORRECT
NL	OF	Grisham,T.	0.55	0.60	0.04	0.38	(0.18)	WRONG
NL	OF	Hernandez,Y.	0.56	0.50	(0.06)	0.52	(0.04)	CORRECT
NL	OF	Robles,V.	0.35	0.58	0.23	0.38	0.03	CORRECT
AL	C	Trevino,J.	0.37	0.46	0.09	0.42	0.06	CORRECT
AL	OF	Taveras,L.	0.27	0.52	0.26	0.51	0.24	CORRECT
NL	OF	De La Cruz,B.	0.61	0.53	(0.08)	0.51	(0.10)	CORRECT
NL	OF	Garcia,A.	0.61	0.54	(0.08)	0.34	(0.27)	CORRECT
NL	SS	Guillorme,L.	0.50	0.51	0.01	0.51	0.01	CORRECT
NL	OF	Vierling,M.	0.73	0.56	(0.17)	0.45	(0.28)	CORRECT
NL	3B	Davis,J.	0.63	0.55	(0.08)	0.54	(0.09)	CORRECT
AL	C	Raleigh,C.	0.24	0.54	0.30	0.52	0.28	CORRECT
NL	2B	Solano,D.	0.55	0.55	(0.00)	0.52	(0.04)	CORRECT
AL	2B	Arroyo,C.	0.55	0.53	(0.02)	0.56	0.00	WRONG
NL	SS	Newman,K.	0.34	0.50	0.15	0.53	0.18	CORRECT

Total Accuracy 71%