



Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantastics Correctly Predicted the Fantasy Direction on **-8 out of 10 Hitters** in 2023 **75%**

Fantastics Correctly Predicted the Fantasy Direction on **-7 out of 10 Pitchers** in 2023 **74%**

Year 2023 - Projecting Top 200 Hitters - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
NL	OF	Acuna Jr.,R.	0.64	0.74	0.10	1.03	0.39	CORRECT
NL	1B	Freeman,F.	0.78	0.74	(0.04)	0.87	0.09	WRONG
NL	2B	Arraez,L.	0.63	0.65	0.01	0.73	0.10	CORRECT
AL	2B	Semien,M.	0.57	0.60	0.02	0.66	0.08	CORRECT
AL	OF	Rodriguez,J.	0.71	0.73	0.02	0.69	(0.02)	WRONG
NL	3B	Riley,A.	0.66	0.69	0.03	0.66	0.00	CORRECT
NL	OF	Betts,M.	0.69	0.68	(0.01)	0.84	0.15	WRONG
AL	SS	Witt Jr.,B.	0.57	0.70	0.13	0.72	0.15	CORRECT
AL	SS	Bichette,B.	0.63	0.67	0.04	0.64	0.01	CORRECT
NL	SS	Hoerner,N.	0.59	0.58	(0.01)	0.64	0.05	WRONG
AL	3B	Diaz,Y.	0.66	0.63	(0.03)	0.77	0.11	WRONG
AL	3B	Ramirez,J.	0.71	0.71	(0.00)	0.71	0.01	WRONG
NL	1B	Olson,M.	0.56	0.62	0.06	0.79	0.23	CORRECT
AL	OF	Kwan,S.	0.65	0.62	(0.03)	0.57	(0.08)	CORRECT
NL	SS	Turner,T.	0.69	0.71	0.02	0.64	(0.04)	WRONG
NL	OF	Castellanos,N.	0.50	0.51	0.01	0.60	0.10	CORRECT
NL	SS	Bogaerts,X.	0.67	0.61	(0.06)	0.65	(0.02)	CORRECT
NL	OF	Meneses,J.	0.78	0.56	(0.22)	0.51	(0.27)	CORRECT
NL	OF	Thomas,L.	0.50	0.54	0.04	0.61	0.11	CORRECT
NL	2B	Albies,O.	0.47	0.62	0.15	0.68	0.21	CORRECT
NL	SS	Stott,B.	0.46	0.56	0.09	0.64	0.17	CORRECT
AL	1B	Lowe,N.	0.66	0.57	(0.09)	0.58	(0.08)	CORRECT
AL	OF	Tucker,K.	0.67	0.74	0.07	0.78	0.11	CORRECT
AL	C	Rutschman,A.	0.63	0.70	0.08	0.63	0.00	CORRECT
AL	3B	Bregman,A.	0.61	0.65	0.04	0.61	(0.01)	WRONG
AL	2B	Torres,G.	0.56	0.56	(0.00)	0.63	0.07	WRONG
NL	OF	Nimmo,B.	0.60	0.60	(0.00)	0.63	0.03	WRONG
AL	OF	Hernandez,T.	0.61	0.57	(0.04)	0.53	(0.08)	CORRECT
NL	OF	Carroll,C.	0.60	0.64	0.04	0.83	0.22	CORRECT
NL	1B	Goldschmidt,P.	0.83	0.74	(0.09)	0.64	(0.19)	CORRECT
AL	1B	Guerrero Jr.,V.	0.62	0.65	0.02	0.59	(0.04)	WRONG
NL	OF	McNeil,J.	0.68	0.62	(0.07)	0.52	(0.17)	CORRECT
AL	OF	Springer,G.	0.65	0.61	(0.04)	0.57	(0.08)	CORRECT
NL	SS	Steer,S.	0.35	0.56	0.20	0.65	0.30	CORRECT
AL	3B	Devers,R.	0.69	0.69	(0.00)	0.65	(0.05)	CORRECT
NL	2B	Marte,K.	0.51	0.63	0.12	0.67	0.15	CORRECT
NL	C	Contreras,W.	0.66	0.55	(0.11)	0.66	0.00	WRONG
AL	SS	Seager,C.	0.55	0.64	0.09	0.85	0.30	CORRECT
NL	OF	Soto,J.	0.68	0.79	0.11	0.77	0.10	CORRECT
AL	3B	Turner,J.	0.61	0.60	(0.01)	0.60	(0.01)	CORRECT
NL	SS	Lindor,F.	0.61	0.60	(0.01)	0.67	0.05	WRONG
NL	OF	Yelich,C.	0.59	0.64	0.04	0.71	0.12	CORRECT
NL	OF	Bellinger,C.	0.43	0.54	0.11	0.77	0.34	CORRECT
NL	3B	Bohm,A.	0.52	0.55	0.03	0.57	0.05	CORRECT
AL	SS	Pena,J.	0.51	0.53	0.02	0.51	(0.00)	WRONG
AL	OF	Santander,A.	0.53	0.58	0.04	0.59	0.05	CORRECT
AL	DH	Ohtani,S.	0.69	0.76	0.07	0.93	0.24	CORRECT
NL	OF	Reynolds,B.	0.60	0.60	0.01	0.61	0.01	CORRECT
NL	1B	Walker,C.	0.57	0.57	0.01	0.64	0.07	CORRECT
NL	3B	Arenado,N.	0.70	0.67	(0.04)	0.56	(0.14)	CORRECT
NL	OF	De La Cruz,B.	0.51	0.60	0.09	0.51	(0.00)	WRONG
AL	2B	Merrifield,W.	0.51	0.51	0.00	0.57	0.05	CORRECT
NL	OF	Harris II,M.	0.74	0.68	(0.06)	0.68	(0.06)	CORRECT
AL	1B	France,T.	0.55	0.52	(0.03)	0.45	(0.10)	CORRECT
AL	OF	Benintendi,A.	0.63	0.61	(0.02)	0.51	(0.12)	CORRECT
NL	OF	Suzuki,S.	0.59	0.61	0.02	0.66	0.07	CORRECT
NL	SS	Tovar,E.	0.22	0.48	0.26	0.49	0.27	CORRECT
AL	OF	Vaughn,A.	0.54	0.54	0.00	0.51	(0.03)	WRONG
NL	OF	Gurriel Jr.,L.	0.55	0.60	0.05	0.57	0.01	CORRECT
NL	OF	Ozuna,M.	0.42	0.51	0.08	0.69	0.27	CORRECT
AL	OF	Robert,L.	0.59	0.63	0.04	0.68	0.09	CORRECT
NL	OF	Happ,I.	0.60	0.57	(0.03)	0.62	0.02	WRONG
AL	OF	Verdugo,A.	0.54	0.58	0.04	0.54	0.00	CORRECT

Year 2023 - Projecting Top 120 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	P	Cole,G.	1.91	1.95	0.04	2.26	0.36	CORRECT
NL	P	Webb,L.	1.93	1.90	(0.03)	1.74	(0.19)	CORRECT
NL	P	Strider,S.	2.54	2.00	(0.54)	2.14	(0.40)	CORRECT
NL	P	Snell,B.	1.81	1.90	0.09	2.19	0.38	CORRECT
NL	P	Gallen,Z.	2.49	2.00	(0.48)	1.84	(0.65)	CORRECT
AL	P	Castillo,L.	2.05	1.87	(0.18)	1.85	(0.20)	CORRECT
AL	P	Bradish,K.	1.08	1.51	0.43	2.14	1.06	CORRECT
AL	P	Eflin,Z.	1.61	1.43	(0.18)	1.96	0.36	WRONG
NL	P	Kershaw,C.	2.33	1.98	(0.35)	2.05	(0.28)	CORRECT
AL	P	Gausman,K.	1.43	1.74	0.31	1.74	0.31	CORRECT
NL	P	Steele,J.	1.50	1.63	0.13	1.81	0.32	CORRECT
AL	P	Valdez,F.	2.06	1.86	(0.20)	1.84	(0.21)	CORRECT
NL	P	Burnes,C.	2.16	2.07	(0.09)	2.03	(0.13)	CORRECT
AL	P	Kirby,G.	1.50	1.59	0.09	1.76	0.26	CORRECT
NL	P	Wheeler,Z.	2.08	1.97	(0.11)	1.89	(0.19)	CORRECT
AL	P	Bassitt,C.	1.82	1.73	(0.09)	1.71	(0.11)	CORRECT
NL	P	Nola,A.	1.99	1.99	(0.00)	1.53	(0.46)	CORRECT
AL	P	Gilbert,L.	1.76	1.74	(0.02)	1.74	(0.02)	CORRECT
NL	P	Kelly,M.	1.85	1.50	(0.35)	1.83	(0.01)	CORRECT
NL	P	Peralta,F.	2.22	1.86	(0.37)	1.73	(0.49)	CORRECT
AL	P	Lopez,P.	1.69	1.73	0.04	1.67	(0.02)	WRONG
AL	P	Gray,S.	1.96	1.48	(0.48)	1.96	0.01	WRONG
AL	P	Verlander,J.	2.72	2.03	(0.69)	1.84	(0.89)	CORRECT
AL	P	Rodriguez,E.	1.38	1.42	0.05	1.90	0.52	CORRECT
AL	P	Skubal,T.	1.79	1.81	0.02	2.51	0.72	CORRECT
NL	P	Keller,M.	1.18	1.59	0.41	1.50	0.32	CORRECT
AL	P	Montgomery,J.	1.76	1.69	(0.07)	1.60	(0.16)	CORRECT
AL	P	Ryan,J.	1.94	1.60	(0.34)	1.32	(0.61)	CORRECT
AL	P	Scherzer,M.	2.34	1.96	(0.38)	1.72	(0.63)	CORRECT
AL	P	Pivetta,N.	1.20	1.31	0.11	1.75	0.55	CORRECT
NL	P	Wacha,M.	1.86	1.33	(0.53)	1.96	0.10	WRONG
AL	P	Berrios,J.	0.93	1.55	0.62	1.55	0.63	CORRECT
NL	P	Luzardo,J.	2.04	1.86	(0.17)	1.51	(0.52)	CORRECT
NL	P	Walker,T.	1.78	1.51	(0.27)	1.66	(0.12)	CORRECT
AL	P	Ober,B.	1.89	1.45	(0.44)	1.73	(0.16)	CORRECT
AL	P	Eovaldi,N.	1.21	1.51	0.29	1.96	0.74	CORRECT
AL	P	McClanahan,S.	2.24	2.09	(0.15)	1.94	(0.30)	CORRECT
AL	P	Gibson,K.	1.20	1.24	0.04	1.35	0.15	CORRECT
AL	P	Kikuchi,Y.	0.81	1.48	0.67	1.37	0.56	CORRECT
AL	P	Javier,C.	2.37	1.86	(0.51)	1.56	(0.81)	CORRECT
NL	P	Garrett,B.	1.41	1.70	0.29	1.58	0.16	CORRECT
NL	P	Morton,C.	1.51	1.73	0.22	1.49	(0.03)	WRONG
AL	P	Dunning,D.	1.06	1.30	0.23	1.57	0.50	CORRECT
NL	P	Lynn,L.	1.44	1.48	0.04	0.88	(0.56)	WRONG
NL	P	Miley,W.	1.78	1.34	(0.44)	1.87	0.08	WRONG
AL	P	Wells,T.	1.61	1.27	(0.34)	1.87	0.26	WRONG
NL	P	Elder,B.	1.70	1.39	(0.31)	1.63	(0.07)	CORRECT
AL	P	Kremer,D.	1.53	1.40	(0.13)	1.36	(0.16)	CORRECT
AL	P	Brown,H.	2.58	1.72	(0.85)	1.09	(1.48)	CORRECT
AL	P	Crawford,K.	0.96	1.41	0.45	1.73	0.77	CORRECT
AL	P	Giolito,L.	1.08	1.64	0.56	1.04	(0.03)	WRONG
NL	P	Stroman,M.	1.68	1.55	(0.14)	1.76	0.07	WRONG
NL	P	Musgrove,J.	1.83	1.81	(0.02)	1.87	0.05	WRONG
NL	P	Alcantara,S.	2.25	2.11	(0.14)	1.44	(0.81)	CORRECT
NL	P	Lorenzen,M.	1.71	1.44	(0.27)	1.56	(0.14)	CORRECT
AL	P	Civale,A.	1.39	1.58	0.19	1.77	0.38	CORRECT
AL	P	Ragans,C.	0.74	1.33	0.60	2.12	1.38	CORRECT
AL	P	Gray,J.	1.72	1.75	0.03	1.36	(0.36)	WRONG
NL	P	Oviedo,J.	1.76	1.49	(0.27)	1.37	(0.40)	CORRECT
AL	P	Cease,D.	2.21	1.94	(0.27)	1.23	(0.98)	CORRECT
AL	P	Bello,B.	0.37	1.47	1.10	1.19	0.82	CORRECT
AL	P	Heaney,A.	1.61	1.57	(0.04)	1.29	(0.32)	CORRECT
NL	P	Smyly,D.	1.39	1.01	(0.38)	1.04	(0.35)	CORRECT

AL	3B	Henderson,G.	0.56	0.63	0.07	0.62	0.06	CORRECT	NL	P	Urias,J.	2.22	1.92	(0.29)	1.39	(0.83)	CORRECT	
AL	OF	Hays,A.	0.48	0.54	0.06	0.58	0.10	CORRECT	NL	P	Fried,M.	2.15	1.95	(0.20)	2.03	(0.12)	CORRECT	
AL	SS	Crawford,J.	0.47	0.52	0.04	0.63	0.16	CORRECT	AL	P	Clevinger,M.	1.43	1.43	(0.00)	1.54	0.11	WRONG	
AL	1B	Torkelson,S.	0.34	0.56	0.22	0.53	0.18	CORRECT	N/A	P	Mikolas,M.	1.83	1.53	(0.30)	1.05	(0.78)	CORRECT	
NL	3B	Machado,M.	0.74	0.67	(0.07)	0.57	(0.16)	CORRECT	NL	P	Corbin,P.	-0.04	1.05	1.08	0.61	0.65	CORRECT	
NL	SS	Kim,H.	0.53	0.55	0.03	0.66	0.13	CORRECT	AL	P	Sears,J.	1.61	1.36	(0.25)	1.04	(0.56)	CORRECT	
AL	OF	Arozarena,R.	0.63	0.00	(0.63)	0.62	(0.00)	CORRECT	AL	P	Schmidt,C.	1.86	1.74	(0.12)	1.10	(0.76)	CORRECT	
AL	2B	Gimenez,A.	0.70	0.63	(0.07)	0.55	(0.15)	CORRECT	NL	P	Taillon,J.	1.66	1.55	(0.11)	1.18	(0.48)	CORRECT	
AL	1B	Naylor,J.	0.56	0.61	0.05	0.70	0.14	CORRECT	NL	P	Darvish,Y.	2.21	1.83	(0.38)	1.28	(0.93)	CORRECT	
AL	3B	Suarez,E.	0.56	0.54	(0.02)	0.48	(0.08)	CORRECT	NL	P	Manaea,S.	1.14	1.49	0.35	1.66	0.52	CORRECT	
NL	SS	Swanson,D.	0.61	0.56	(0.05)	0.55	(0.07)	CORRECT	NL	P	Gray,J.	0.93	1.32	0.40	1.10	0.17	CORRECT	
NL	SS	Abrams,C.	0.37	0.52	0.15	0.61	0.24	CORRECT	AL	P	Perez,M.	1.77	1.54	(0.23)	1.24	(0.53)	CORRECT	
AL	C	Perez,S.	0.51	0.54	0.02	0.47	(0.05)	WRONG	AL	P	German,D.	1.66	1.45	(0.20)	1.65	(0.01)	CORRECT	
NL	C	Ruiz,K.	0.47	0.57	0.10	0.49	0.02	CORRECT	AL	P	Faherty,J.	1.14	1.59	0.45	0.85	(0.28)	WRONG	
AL	OF	Lowe,J.	0.41	0.52	0.11	0.76	0.36	CORRECT	AL	P	Singer,B.	1.75	1.73	(0.02)	0.92	(0.83)	CORRECT	
NL	OF	Friedl,T.	0.55	0.63	0.08	0.70	0.15	CORRECT	AL	P	Detmers,R.	1.71	1.63	(0.08)	1.23	(0.48)	CORRECT	
AL	OF	Taveras,L.	0.51	0.53	0.02	0.56	0.06	CORRECT	AL	P	Lyles,J.	1.05	1.09	0.04	0.91	(0.14)	WRONG	
AL	OF	Garcia,A.	0.59	0.57	(0.02)	0.63	0.04	WRONG	NL	P	Hill,R.	1.37	1.50	0.13	0.68	(0.69)	WRONG	
NL	1B	Bell,J.	0.59	0.68	0.09	0.52	(0.06)	WRONG	NL	P	Gore,M.	1.27	1.64	0.37	0.96	(0.31)	WRONG	
NL	3B	Hayes,K.	0.50	0.56	0.06	0.58	0.08	CORRECT	NL	P	Megill,T.	1.39	1.77	0.38	0.87	(0.53)	WRONG	
NL	2B	Estrada,T.	0.56	0.54	(0.02)	0.58	0.02	WRONG	NL	P	Nelson,R.	2.58	1.27	(1.31)	0.94	(1.64)	CORRECT	
NL	OF	Harper,B.	0.73	0.71	(0.02)	0.76	0.03	WRONG	AL	P	Anderson,T.	2.21	1.70	(0.51)	1.03	(1.17)	CORRECT	
NL	OF	Rosario,A.	0.56	0.55	(0.01)	0.51	(0.04)	CORRECT	NL	P	Hendricks,K.	1.08	1.18	0.10	1.43	0.36	CORRECT	
NL	OF	Smith,D.	0.28	0.53	0.25	0.47	0.19	CORRECT	AL	P	Kopech,M.	1.76	1.43	(0.33)	0.76	(1.00)	CORRECT	
NL	3B	McMahon,R.	0.54	0.54	0.00	0.54	(0.00)	WRONG	AL	P	Bieber,S.	1.96	1.96	(0.00)	1.51	(0.45)	CORRECT	
NL	1B	Santana,C.	0.45	0.57	0.11	0.54	0.09	CORRECT	NL	P	Martinez,N.	1.42	1.51	0.09	1.59	0.16	CORRECT	
NL	C	Diaz,E.	0.40	0.49	0.09	0.52	0.12	CORRECT	NL	P	Gonsolin,T.	2.82	1.80	(1.02)	1.59	(1.23)	CORRECT	
AL	SS	Dubon,M.	0.30	0.46	0.15	0.53	0.23	CORRECT	NL	P	Cabrera,E.	2.21	1.73	(0.49)	1.56	(0.65)	CORRECT	
NL	2B	Arcia,O.	0.53	0.49	(0.03)	0.53	0.00	WRONG	NL	P	Yarbrough,R.	0.79	1.22	0.43	1.28	0.49	CORRECT	
AL	1B	Abreu,J.	0.64	0.65	0.01	0.44	(0.21)	WRONG	NL	P	Cobb,A.	1.44	1.69	0.25	1.18	(0.26)	WRONG	
AL	3B	Jung,J.	0.42	0.54	0.12	0.56	0.14	CORRECT	AL	P	Sandoval,P.	1.52	1.67	0.15	1.14	(0.38)	WRONG	
NL	3B	Candelario,J.	0.36	0.47	0.11	0.60	0.24	CORRECT	NL	P	Gomber,A.	1.00	1.16	0.16	0.71	(0.29)	WRONG	
AL	3B	Drury,B.	0.59	0.55	(0.04)	0.56	(0.03)	CORRECT	NL	P	Greene,H.	1.24	1.71	0.47	1.00	(0.24)	WRONG	
NL	OF	Soler,J.	0.43	0.52	0.09	0.63	0.20	CORRECT	NL	P	Houser,A.	1.19	1.18	(0.02)	1.20	0.00	WRONG	
AL	OF	Ramirez,H.	0.56	0.47	(0.09)	0.65	0.09	WRONG	AL	P	Manning,M.	1.64	1.25	(0.38)	1.96	0.32	WRONG	
AL	OF	Vierling,M.	0.45	0.56	0.11	0.52	0.07	CORRECT	NL	P	Freeland,K.	1.10	1.04	(0.06)	0.52	(0.58)	CORRECT	
AL	C	Melendez,M.	0.48	0.54	0.06	0.50	0.01	CORRECT	NL	P	Ashcraft,G.	1.08	1.34	0.26	1.12	0.04	CORRECT	
AL	SS	Franco,W.	0.60	0.68	0.09	0.72	0.13	CORRECT	AL	P	Houck,T.	1.99	1.99	(0.01)	1.15	(0.84)	CORRECT	
AL	OF	Jimenez,E.	0.67	0.65	(0.02)	0.55	(0.12)	CORRECT	NL	P	Junis,J.	1.17	1.50	0.34	1.33	0.16	CORRECT	
AL	3B	Paredes,I.	0.48	0.60	0.11	0.60	0.11	CORRECT	AL	P	Winckowski,J.	0.62	0.99	0.37	1.24	0.62	CORRECT	
NL	3B	Burger,J.	0.52	0.45	(0.07)	0.58	0.06	WRONG	AL	P	Greinke,Z.	1.05	1.43	0.38	0.81	(0.24)	WRONG	
NL	C	Realmuto,J.	0.68	0.65	(0.03)	0.58	(0.10)	CORRECT	NL	P	Williams,T.	1.32	1.43	0.12	0.22	(1.10)	WRONG	
NL	1B	Alonso,P.	0.67	0.68	0.01	0.56	(0.11)	WRONG	AL	P	Waldichuk,K.	0.95	1.40	0.46	0.76	(0.18)	WRONG	
AL	3B	Chapman,M.	0.52	0.57	0.05	0.53	0.01	CORRECT	NL	P	Suarez,R.	1.51	1.65	0.14	1.18	(0.33)	WRONG	
NL	OF	Rosario,E.	0.36	0.51	0.15	0.53	0.17	CORRECT	NL	P	Peterson,D.	1.60	1.87	0.27	0.72	(0.88)	WRONG	
NL	C	Smith,W.	0.60	0.62	0.03	0.59	(0.00)	WRONG	AL	P	Wentz,J.	2.25	1.36	(0.89)	0.02	(2.23)	CORRECT	
AL	SS	Anderson,T.	0.61	0.61	(0.01)	0.39	(0.22)	CORRECT	AL	P	Blackburn,P.	1.37	1.37	(0.01)	0.87	(0.50)	CORRECT	
AL	2B	LeMahieu,D.	0.55	0.57	0.01	0.50	(0.05)	WRONG	NL	P	DeSclafani,A.	-0.85	1.34	2.19	1.07	1.92	CORRECT	
NL	OF	Outman,J.	1.30	0.56	(0.74)	0.62	(0.68)	CORRECT	NL	P	Wood,A.	1.25	1.46	0.21	1.30	0.05	CORRECT	
NL	SS	Adames,W.	0.54	0.59	0.05	0.48	(0.06)	WRONG	NL	P	Wesneski,H.	2.29	1.62	(0.66)	1.10	(1.19)	CORRECT	
AL	OF	Alvarez,Y.	0.83	0.78	(0.05)	0.79	(0.05)	CORRECT	NL	P	Weaver,L.	0.47	1.36	0.89	0.24	(0.23)	WRONG	
AL	C	Raleigh,C.	0.52	0.57	0.05	0.52	0.01	CORRECT	NL	P	Matz,S.	1.31	1.47	0.16	1.16	(0.15)	WRONG	
NL	2B	Edman,T.	0.60	0.62	0.02	0.57	(0.03)	WRONG	NL	P	Flexen,C.	1.35	1.27	(0.07)	(0.04)	(1.39)	CORRECT	
NL	SS	Garcia,L.	0.49	0.53	0.04	0.51	0.02	CORRECT	AL	P	Severino,L.	2.12	1.80	(0.32)	0.13	(1.99)	CORRECT	
NL	3B	Davis,J.	0.54	0.50	(0.04)	0.52	(0.02)	CORRECT	NL	P	Henry,T.	0.77	1.55	0.78	1.32	0.55	CORRECT	
AL	C	Heim,J.	0.45	0.54	0.09	0.55	0.09	CORRECT	AL	P	Manoah,A.	2.31	1.74	(0.57)	0.43	(1.88)	CORRECT	
AL	SS	Correa,C.	0.65	0.63	(0.02)	0.48	(0.17)	CORRECT	NL	P	Ortiz,L.	2.21	1.78	(0.42)	0.66	(1.55)	CORRECT	
AL	C	Varsho,D.	0.55	0.60	0.05	0.47	(0.08)	WRONG	Total Accuracy								74%	
NL	DH	Martinez,J.	0.57	0.60	0.03	0.68	0.11	CORRECT										
AL	OF	Carpenter,K.	0.55	0.49	(0.06)	0.62	0.08	WRONG										
AL	OF	Renfroe,H.	0.58	0.56	(0.02)	0.47	(0.11)	CORRECT										
AL	OF	Grichuk,R.	0.51	0.52	0.01	0.56	0.05	CORRECT										
AL	OF	Brennan,W.	0.81	0.43	(0.37)	0.48	(0.33)	CORRECT										
NL	OF	Schwarber,K.	0.61	0.64	0.03	0.56	(0.05)	WRONG										
NL	2B	Flores,W.	0.47	0.50	0.03	0.66	0.19	CORRECT										
NL	3B	Berti,J.	0.62	0.65	0.03	0.62	0.01	CORRECT										
AL	OF	Ruiz,E.	0.14	0.47	0.33	0.66	0.52	CORRECT										
AL	OF	Rooker,B.	0.04	0.33	0.29	0.59	0.55	CORRECT										
AL	1B	Mountcastle,R.	0.51	0.60	0.09	0.58	0.08	CORRECT										
AL	OF	Kepler,M.	0.45	0.53	0.09	0.60	0.15	CORRECT										
NL	OF	Canha,M.	0.54	0.54	0.00	0.58	0.04	CORRECT										
AL	SS	Baez,J.	0.45	0.49	0.04	0.37	(0.08)	WRONG										
NL	C	Contreras,W.	0.57	0.58	0.01	0.62	0.05	CORRECT										
NL	C	Stephenson,T.	0.69	0.52	(0.17)	0.47	(0.22)	CORRECT										
AL	1B	Casas,T.	0.56	0.59	0.02	0.65	0.09	CORRECT										
NL	OF	Marsh,B.	0.48	0.46	(0.01)	0.68	0.20	WRONG										
AL	3B	Duran,E.	0.43	0.54	0.11	0.58	0.15	CORRECT										
AL	2B	Altuve,J.	0.79	0.72	(0.07)	0.80	0.01	WRONG										
AL	1B	Solano,D.	0.52	0.54	0.02	0.55	0.03	CORRECT										
NL	OF	Profar,J.	0.52	0.61	0.09	0.47	(0.06)	WRONG										
NL	2B	India,J.	0.46	0.59	0.13	0.56	0.10	CORRECT										

NL	OF	Nootbaar,L.	0.58	0.63	0.05	0.63	0.05	CORRECT
NL	OF	Wade Jr.,L.	0.39	0.51	0.12	0.60	0.21	CORRECT
NL	OF	Hernandez,E.	0.39	0.54	0.15	0.42	0.03	CORRECT
AL	OF	McCormick,C.	0.52	0.55	0.03	0.69	0.18	CORRECT
AL	OF	Straw,M.	0.40	0.56	0.16	0.44	0.04	CORRECT
NL	OF	Jones,N.	0.46	0.58	0.12	0.83	0.37	CORRECT
NL	OF	Pham,T.	0.47	0.54	0.06	0.65	0.17	CORRECT
AL	OF	Greene,R.	0.46	0.54	0.09	0.64	0.18	CORRECT
AL	2B	McKinstry,Z.	0.43	0.60	0.17	0.47	0.04	CORRECT
NL	1B	Cooper,G.	0.53	0.53	0.00	0.50	(0.04)	WRONG
NL	2B	Cronenworth,J.	0.50	0.56	0.06	0.46	(0.04)	WRONG
AL	2B	Rengifo,L.	0.52	0.49	(0.03)	0.59	0.07	WRONG
NL	OF	Joe,C.	0.50	0.61	0.12	0.53	0.04	CORRECT
NL	3B	Muncy,M.	0.48	0.60	0.12	0.56	0.08	CORRECT
NL	C	Gomes,Y.	0.38	0.48	0.10	0.50	0.12	CORRECT
NL	OF	Peralta,D.	0.50	0.54	0.04	0.47	(0.03)	WRONG
AL	C	Diaz,Y.	0.17	0.70	0.53	0.63	0.46	CORRECT
NL	OF	Suwinski,J.	0.46	0.50	0.04	0.61	0.14	CORRECT
NL	OF	McCutchen,A.	0.49	0.53	0.04	0.63	0.14	CORRECT
NL	SS	Perdomo,G.	0.33	0.48	0.16	0.57	0.24	CORRECT
AL	1B	O'Hearn,R.	0.37	0.54	0.17	0.62	0.26	CORRECT
NL	OF	Blackmon,C.	0.52	0.53	0.01	0.61	0.09	CORRECT
AL	2B	Frazier,A.	0.41	0.49	0.08	0.50	0.09	CORRECT
AL	OF	Judge,A.	0.96	0.83	(0.13)	0.82	(0.14)	CORRECT
AL	2B	Massey,M.	0.46	0.54	0.08	0.42	(0.03)	WRONG
AL	OF	Duran,J.	0.44	0.61	0.17	0.76	0.32	CORRECT
AL	OF	Kiermaier,K.	0.45	0.46	0.01	0.59	0.14	CORRECT
NL	C	Moreno,G.	0.44	0.56	0.12	0.58	0.15	CORRECT
NL	2B	Gorman,N.	0.48	0.51	0.02	0.60	0.12	CORRECT
NL	OF	Morel,C.	0.54	0.51	(0.03)	0.61	0.07	WRONG
AL	3B	Urias,R.	0.49	0.52	0.03	0.49	0.00	CORRECT
AL	SS	Andrus,E.	0.54	0.49	(0.05)	0.48	(0.06)	CORRECT
AL	OF	Mullins,C.	0.59	0.63	0.04	0.57	(0.03)	WRONG
AL	OF	Kelenic,J.	0.27	0.57	0.30	0.58	0.32	CORRECT
AL	3B	Ibanez,A.	0.35	0.51	0.16	0.53	0.18	CORRECT
NL	2B	Donovan,B.	0.58	0.60	0.02	0.61	0.02	CORRECT
NL	C	Murphy,S.	0.53	0.61	0.08	0.60	0.07	CORRECT
AL	C	Kirk,A.	0.61	0.62	0.01	0.47	(0.14)	WRONG
NL	OF	Grisham,T.	0.38	0.52	0.14	0.47	0.09	CORRECT
AL	OF	Castro,W.	0.43	0.42	(0.01)	0.67	0.24	WRONG
AL	C	Langeliers,S.	0.44	0.49	0.05	0.41	(0.03)	WRONG
NL	OF	Sanchez,J.	0.43	0.53	0.11	0.57	0.14	CORRECT
NL	SS	Rojas,M.	0.39	0.48	0.09	0.40	0.02	CORRECT
NL	OF	Heyward,J.	0.30	0.55	0.25	0.61	0.31	CORRECT
AL	OF	Ward,T.	0.66	0.59	(0.07)	0.55	(0.11)	CORRECT
AL	OF	Raley,L.	0.31	0.52	0.21	0.63	0.32	CORRECT
NL	2B	Chisholm Jr.,J.	0.71	0.68	(0.03)	0.64	(0.07)	CORRECT
AL	3B	Moncada,Y.	0.38	0.51	0.13	0.51	0.13	CORRECT
AL	2B	Lowe,B.	0.45	0.61	0.16	0.57	0.11	CORRECT
AL	C	Wong,C.	0.29	0.48	0.19	0.45	0.17	CORRECT
AL	OF	Moniak,M.	0.22	0.37	0.16	0.61	0.39	CORRECT
AL	3B	Moustakas,M.	0.39	0.59	0.19	0.45	0.06	CORRECT
AL	1B	Rizzo,A.	0.56	0.60	0.04	0.46	(0.11)	WRONG
AL	1B	Cabrera,M.	0.41	0.50	0.09	0.46	0.06	CORRECT
NL	OF	Thomas,A.	0.38	0.49	0.10	0.43	0.05	CORRECT
AL	1B	Belt,B.	0.44	0.54	0.11	0.65	0.21	CORRECT

Total Accuracy 75%